R3850-1.8(4)

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP LENGTH OF STAY BY OPERATION



UNITED STATES



Southern REGION

1981

Length of Stay by Operation, Southern Region, 1981

A Companion Volume To Length of Stay by Diagnosis, Southern Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 6
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 15

- Summary of All Patients. 16
- Operation Groups 501-764. 17

Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83

Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


West
North Central
Northeast
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7706	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7706	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

339 Hospitals, Southern Region, 1981, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142482	3.2	12	1	1	2	4	6	8	17
20-34	279420	3.8	12	1	1	3	4	7	9	17
35-49	118584	5.2	24	1	1	4	7	10	14	24
50-64	106572	6.3	35	1	2	5	8	13	17	28
65+	103547	7.6	52	2	2	5	10	16	21	35
2. MULTIPLE DX										
0-19 YRS	91055	5.2	53	1	1	3	5	10	16	43
20-34	215630	5.6	34	1	2	4	7	10	14	31
35-49	167164	7.4	49	2	2	6	9	14	19	37
50-64	211303	9.1	74	2	2	7	11	18	24	46
65+	313044	11.4	101	2	3	9	14	23	30	54
TOT. SINGLE DX	750605	4.8	25	1	1	3	6	10	14	25
" MULTIPLE DX	998196	8.4	74	2	2	6	10	17	24	46
TOTAL 0-19 YRS	233537	4.0	29	1	1	3	4	7	11	29
20-34	495050	4.6	23	1	2	3	5	8	11	24
35-49	285748	6.5	40	1	2	5	8	12	17	32
50-64	317875	8.2	62	2	2	6	10	16	22	41
65+	416591	10.4	92	2	2	8	13	21	28	50
GRAND TOTAL	1748801	6.9	56	1	2	5	8	14	20	39

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	10.5	96	2	2	8	14	19	20	55
20-34	98	13.1	103	3	5	11	16	24	33	86
35-49	134	15.8	128	3	6	13	18	26	47	57
50-64	187	17.0	127	6	8	15	19	26	39	81
65+	183	19.8	175	5	8	15	23	39	48	66
2. MULTIPLE DX										
0-19 YRS	95	22.9	371	3	5	17	27	56	67	81
20-34	108	23.3	284	4	7	18	32	53	67	99+
35-49	116	21.2	262	6	9	16	25	47	56	95
50-64	212	25.8	277	8	9	21	35	50	61	99
65+	298	27.5	349	8	10	22	36	56	72	99+
TOT. SINGLE DX	683	16.2	141	3	5	13	20	31	43	68
" MULTIPLE DX	829	25.1	317	6	9	20	34	53	65	99+
TOTAL 0-19 YRS	176	17.2	283	2	3	12	20	41	60	78
20-34	206	18.5	223	4	6	14	23	44	61	99+
35-49	250	18.3	197	4	7	15	22	34	50	83
50-64	399	21.7	226	7	9	17	26	44	58	93
65+	481	24.6	297	7	9	20	33	50	60	97
GRAND TOTAL	1512	21.1	257	5	7	16	26	46	59	93

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	10.8	64	3	4	9	13	20	26	46
20-34	80	14.3	112	4	6	11	18	25	33	63
35-49	97	17.2	238	4	5	13	18	34	57	93
50-64	151	18.6	175	6	7	15	23	36	50	85
65+	133	18.1	225	6	7	13	22	37	59	99+
2. MULTIPLE DX										
0-19 YRS	69	25.1	414	7	8	17	35	62	75	97
20-34	70	21.3	248	3	7	19	26	52	98	99+
35-49	116	19.9	196	5	8	17	29	44	99+	99+
50-64	175	24.7	264	8	10	22	34	53	67	99+
65+	194	29.2	327	10	11	25	39	61	80	99+
TOT. SINGLE DX	550	16.3	178	4	6	13	19	30	44	85
" MULTIPLE DX	624	24.9	296	7	9	20	34	57	82	99+
TOTAL 0-19 YRS	158	17.1	266	4	5	10	20	38	59	86
20-34	150	17.6	186	4	6	14	23	40	54	99+
35-49	213	18.7	216	4	6	15	24	40	84	99+
50-64	326	21.9	232	7	9	17	27	44	60	99+
65+	327	24.7	315	8	9	19	32	56	78	99+
GRAND TOTAL	1174	20.9	259	5	7	16	27	47	65	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	6.5	15	2	2	6	8	11	14	24
20-34	69	8.4	107	2	3	6	9	12	27	70
35-49	46	8.1	40	2	3	6	11	18	22	32
50-64	19	9.5	116	2	3	6	11	12	34	52
65+	6	8.0	8	5	5	7	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	81	10.1	71	3	3	8	12	23	34	99+
20-34	73	11.5	125	3	3	8	12	24	38	63
35-49	36	11.9	93	4	5	9	13	21	35	51
50-64	22	12.5	110	3	4	9	13	25	43	44
65+	12	17.8	259	6	7	10	23	46	54	55
TOT. SINGLE DX	290	7.5	48	2	3	6	9	12	17	37
" MULTIPLE DX	224	11.5	107	3	4	8	12	24	40	76
TOTAL 0-19 YRS	231	7.8	38	2	3	6	9	13	23	60
20-34	142	10.0	118	3	3	7	11	20	28	69
35-49	82	9.7	67	3	3	7	11	19	23	47
50-64	41	11.1	113	2	3	9	12	16	43	52
65+	18	14.6	193	5	6	9	12	39	50	55
GRAND TOTAL	514	9.2	78	2	3	7	10	17	27	53

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	8.4	39	3	4	8	10	13	14	41
20-34	21	12.8	72	5	6	11	13	24	34	40
35-49	10	10.7	20	3	5	10	15	17	18	18
50-64	19	23.0	253	7	8	19	27	44	63	72
65+	39	17.3	90	6	8	16	21	26	39	49
2. MULTIPLE DX										
0-19 YRS	89	22.4	547	4	5	12	35	74	96	99+
20-34	20	16.8	262	5	6	12	17	36	61	71
35-49	12	26.1	464	9	10	23	33	90	98	99+
50-64	42	28.1	440	8	9	23	41	91	99+	99+
65+	75	27.4	205	9	10	25	36	52	58	91
TOT. SINGLE DX	179	12.5	99	3	4	10	15	22	30	55
" MULTIPLE DX	238	24.7	398	5	7	19	35	60	91	99+
TOTAL 0-19 YRS	179	15.4	339	3	4	12	14	47	74	99+
20-34	41	14.7	165	5	6	12	16	25	45	71
35-49	32	19.1	313	6	8	14	27	46	92	99+
50-64	61	26.5	383	8	9	21	35	65	98	99+
65+	114	23.9	188	8	9	20	32	44	55	77
GRAND TOTAL	417	19.5	305	4	5	13	26	49	70	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	186	8.5	65	2	2	6	11	20	26	40
20-34	49	17.9	324	3	3	11	21	48	58	84
35-49	21	9.8	53	3	3	8	13	19	25	33
50-64	16	13.5	121	2	3	11	16	21	41	49
65+	22	19.3	390	4	4	15	21	35	68	94
2. MULTIPLE DX										
0-19 YRS	201	16.4	346	2	3	9	22	50	79	99+
20-34	62	23.5	435	3	4	15	39	64	97	99+
35-49	29	18.3	274	3	4	14	34	81	99+	99+
50-64	36	20.0	302	3	4	14	37	59	85	99+
65+	37	22.8	206	6	9	20	28	40	47	81
TOT. SINGLE DX	294	11.3	150	2	2	8	13	24	33	62
" MULTIPLE DX	365	18.8	343	2	3	13	28	54	83	99+
TOTAL 0-19 YRS	387	12.6	227	2	2	7	16	34	53	99+
20-34	111	21.0	391	3	4	14	30	55	75	99+
35-49	50	14.8	197	3	3	10	19	45	96	99+
50-64	52	18.0	253	3	4	13	23	52	62	99+
65+	59	21.5	273	4	8	18	27	40	50	93
GRAND TOTAL	659	15.4	270	2	3	10	20	42	59	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	11.2	61	3	4	9	12	24	28	36
20-34	359	11.1	58	5	6	9	13	18	23	32
35-49	712	11.5	49	5	6	10	14	18	21	37
50-64	582	12.4	42	6	7	11	15	20	24	43
65+	213	16.8	105	7	8	14	19	28	39	58
2. MULTIPLE DX										
0-19 YRS	17	20.2	149	5	8	22	27	32	45	52
20-34	165	18.5	220	6	7	14	22	43	57	99+
35-49	392	15.7	106	5	7	13	19	27	36	60
50-64	523	16.9	113	7	8	14	20	30	41	73
65+	356	21.8	154	8	9	20	27	38	47	99+
TOT. SINGLE DX	1892	12.3	58	5	6	10	14	20	25	42
" MULTIPLE DX	1453	18.0	139	6	8	15	22	33	43	85
TOTAL 0-19 YRS	43	14.7	113	4	5	11	23	30	33	52
20-34	524	13.4	121	5	6	10	16	25	32	81
35-49	1104	13.0	73	5	6	11	15	22	27	52
50-64	1105	14.5	81	6	7	12	17	25	32	52
65+	569	19.9	142	8	9	17	25	35	42	92
GRAND TOTAL	3345	14.8	101	6	7	12	18	26	35	66

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	9.9	131	2	2	7	14	18	25	68
20-34	105	10.2	124	2	2	8	12	23	37	86
35-49	115	7.5	37	2	2	6	10	16	18	29
50-64	79	11.5	133	1	2	9	14	24	41	54
65+	36	13.6	107	3	4	11	16	29	31	51
2. MULTIPLE DX										
0-19 YRS	62	20.6	241	5	5	16	28	57	59	99+
20-34	109	16.5	241	2	2	12	23	35	49	81
35-49	132	13.8	281	2	2	8	15	28	53	88
50-64	129	14.6	220	2	3	11	18	30	54	99+
65+	96	21.5	282	4	5	17	26	46	60	74
TOT. SINGLE DX	374	9.9	101	2	2	8	13	20	30	53
" MULTIPLE DX	528	16.8	261	2	3	12	22	38	57	88
TOTAL 0-19 YRS	101	16.5	225	2	3	13	21	44	59	99+
20-34	214	13.4	193	2	2	9	17	33	39	68
35-49	247	10.8	177	2	2	8	13	24	30	80
50-64	208	13.4	189	2	2	10	17	28	48	90
65+	132	19.3	246	3	5	15	25	41	54	73
GRAND TOTAL	902	13.9	206	2	2	10	18	30	49	81

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.8	2	1	1	2	3	5	7	8
20-34	307	3.0	5	1	1	2	3	5	8	12
35-49	458	3.2	5	1	2	3	3	5	8	15
50-64	564	3.4	7	1	2	3	3	6	8	16
65+	263	4.5	24	2	2	3	4	9	13	30
2. MULTIPLE DX										
0-19 YRS	36	3.3	3	1	1	3	4	5	7	10
20-34	155	4.4	20	1	2	3	5	9	14	23
35-49	207	6.3	89	2	2	3	6	13	19	56
50-64	299	5.6	34	2	2	3	6	12	16	32
65+	183	6.8	50	2	2	4	8	18	23	35
TOT. SINGLE DX	1649	3.4	9	1	2	3	4	6	9	16
" MULTIPLE DX	880	5.7	48	2	2	3	6	12	18	35
TOTAL 0-19 YRS	93	3.0	3	1	1	2	4	5	7	9
20-34	462	3.5	11	1	1	3	4	6	9	18
35-49	665	4.1	33	1	2	3	4	7	11	22
50-64	863	4.1	18	2	2	3	4	8	12	23
65+	446	5.4	36	2	2	3	6	11	18	33
GRAND TOTAL	2529	4.2	24	1	2	3	4	8	12	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	2.6	2	1	1	2	3	4	6	9
20-34	1041	2.8	5	1	1	2	3	4	7	12
35-49	1430	2.9	6	1	1	2	3	5	7	13
50-64	1443	2.9	6	1	1	2	3	4	6	14
65+	659	3.0	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	126	3.6	10	1	1	3	4	8	9	16
20-34	457	4.4	20	1	1	3	5	10	14	25
35-49	614	5.2	28	1	2	3	6	11	15	27
50-64	718	5.2	27	2	2	3	6	11	15	26
65+	421	5.7	51	2	2	3	6	13	17	31
TOT. SINGLE DX	4727	2.9	6	1	1	2	3	5	7	13
" MULTIPLE DX	2336	5.0	30	1	2	3	6	11	15	26
TOTAL 0-19 YRS	280	3.0	6	1	1	2	3	6	8	14
20-34	1498	3.2	11	1	1	2	3	6	9	18
35-49	2044	3.6	14	1	1	2	4	7	10	21
50-64	2161	3.6	15	1	1	2	4	7	11	21
65+	1080	4.1	26	1	2	3	4	8	12	23
GRAND TOTAL	7063	3.6	15	1	1	2	4	7	10	20

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	9.0	59	2	2	6	12	22	22	22
20-34	53	8.4	36	2	4	7	9	15	20	34
35-49	60	9.4	43	2	3	7	12	20	24	31
50-64	63	11.0	44	3	4	9	13	20	28	31
65+	49	11.0	81	3	4	9	12	19	32	47
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	45	7.7	20	3	4	6	9	14	17	24
35-49	44	12.9	81	2	5	10	18	24	32	41
50-64	112	16.1	192	3	5	13	20	31	50	96
65+	287	17.6	130	6	8	15	21	30	41	63
TOT. SINGLE DX	230	10.0	51	2	4	8	12	19	26	36
" MULTIPLE DX	489	15.9	138	4	6	13	20	29	41	63
TOTAL 0-19 YRS	6	8.7	48	2	2	7	9	21	22	22
20-34	98	8.1	29	2	4	6	9	15	19	31
35-49	104	10.9	62	2	3	8	14	22	27	38
50-64	175	14.3	144	3	5	11	16	27	43	85
65+	336	16.7	128	5	7	14	20	29	41	62
GRAND TOTAL	719	14.0	118	3	5	11	17	27	33	60

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.9	56	<1	1	2	3	15	26	27
20-34	48	6.0	14	1	2	5	9	12	12	16
35-49	44	6.5	72	1	1	4	6	13	24	51
50-64	42	6.1	23	1	1	5	9	12	16	22
65+	29	7.9	36	2	2	6	12	17	20	22
2. MULTIPLE DX										
0-19 YRS	8	5.0	79	<1	<1	2	3	20	27	27
20-34	27	9.9	69	1	2	9	14	17	23	41
35-49	44	12.3	117	2	4	10	13	21	38	55
50-64	55	9.7	39	2	2	8	12	19	24	26
65+	45	10.3	69	2	2	9	13	28	29	33
TOT. SINGLE DX	174	6.4	37	1	2	5	8	13	17	27
" MULTIPLE DX	179	10.3	73	2	2	9	13	20	28	47
TOTAL 0-19 YRS	19	4.9	62	<1	1	2	3	19	27	27
20-34	75	7.4	37	1	2	6	11	14	17	36
35-49	88	9.4	103	1	2	6	11	17	30	53
50-64	97	8.1	35	1	2	7	11	16	22	26
65+	74	9.4	57	2	2	7	13	20	28	33
GRAND TOTAL	353	8.4	59	1	2	6	11	16	24	41

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	4.5	18	2	3	4	5	6	8	20
20-34	915	4.6	6	2	3	4	5	6	8	15
35-49	958	4.5	4	3	3	4	5	6	8	13
50-64	799	4.8	5	3	3	4	5	7	9	14
65+	334	6.2	31	3	3	5	7	10	13	27
2. MULTIPLE DX										
0-19 YRS	31	6.4	10	3	3	6	7	11	14	17
20-34	304	6.5	25	3	3	5	7	10	17	30
35-49	512	5.8	12	3	3	5	7	10	12	19
50-64	540	7.5	43	3	3	5	8	14	18	36
65+	393	10.2	66	3	4	7	13	20	26	46
TOT. SINGLE DX	3134	4.8	9	3	3	4	5	7	9	15
" MULTIPLE DX	1780	7.4	39	3	3	5	8	14	18	36
TOTAL 0-19 YRS	159	4.8	17	3	3	4	5	7	10	17
20-34	1219	5.1	12	3	3	4	5	7	10	21
35-49	1470	5.0	7	3	3	4	5	7	10	17
50-64	1339	5.9	23	3	3	5	6	9	13	29
65+	727	8.4	54	3	4	6	10	15	22	40
GRAND TOTAL	4914	5.7	21	3	3	4	6	9	13	26

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	2.7	4	1	1	2	3	4	4	12
20-34	136	3.4	3	1	2	3	4	5	7	12
35-49	122	4.4	10	2	2	4	5	7	10	21
50-64	103	5.4	11	2	3	4	6	9	13	18
65+	65	6.9	24	2	3	6	8	13	16	31
2. MULTIPLE DX										
0-19 YRS	26	6.6	37	1	2	4	9	17	21	24
20-34	59	7.5	55	2	3	6	8	12	28	95
35-49	107	9.5	71	2	3	7	11	19	25	48
50-64	167	10.1	69	3	4	7	12	20	28	39
65+	150	13.6	154	4	4	9	18	32	42	64
TOT. SINGLE DX	615	4.1	11	1	2	3	5	7	10	18
" MULTIPLE DX	509	10.5	96	3	3	7	12	23	32	61
TOTAL 0-19 YRS	215	3.2	10	1	1	2	3	4	8	21
20-34	195	4.6	23	1	2	3	5	8	11	44
35-49	229	6.8	45	2	2	5	7	14	20	29
50-64	270	8.3	32	3	3	6	9	18	23	35
65+	215	11.6	124	3	4	7	13	27	36	63
GRAND TOTAL	1124	7.0	59	2	2	5	8	15	23	42

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	12.7	14	7	7	15	15	17	17	17
20-34	58	10.2	15	6	6	10	12	15	18	26
35-49	41	12.9	45	4	6	12	15	23	26	33
50-64	37	13.6	52	7	8	12	16	21	28	45
65+	17	18.8	129	7	9	15	25	39	43	45
2. MULTIPLE DX										
0-19 YRS	8	23.1	335	7	8	18	29	54	63	63
20-34	27	17.1	166	6	7	11	21	34	48	62
35-49	35	16.0	122	7	8	12	20	28	48	51
50-64	58	15.9	68	6	8	15	19	27	36	38
65+	43	22.6	341	4	6	15	32	43	64	89
TOT. SINGLE DX	160	12.8	49	6	7	11	15	21	26	44
" MULTIPLE DX	171	18.1	180	6	7	14	22	37	44	65
TOTAL 0-19 YRS	15	18.3	202	7	7	15	19	33	55	63
20-34	85	12.4	72	6	6	10	13	21	27	55
35-49	76	14.3	82	6	7	12	16	25	31	49
50-64	95	15.1	63	7	8	13	19	24	34	42
65+	60	21.5	281	5	6	15	29	41	55	87
GRAND TOTAL	331	15.5	124	6	7	12	18	27	38	63

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	1.5		<1	<1	1	2	2	3	3
20-34	50	1.9		<1	<1	2	2	3	4	4
35-49	67	2.6	10	<1	<1	2	2	4	7	23
50-64	137	2.1	1	<1	1	2	2	3	4	6
65+	165	2.4	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	31	2.9	12	<1	1	2	2	6	12	17
20-34	28	3.3	7	1	1	2	4	6	8	14
35-49	55	6.0	35	<1	1	4	8	14	20	29
50-64	99	6.2	50	1	2	3	7	14	21	39
65+	193	5.6	49	1	1	3	7	12	16	46
TOT. SINGLE DX	620	2.0	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	406	5.4	43	1	1	3	7	12	17	38
TOTAL 0-19 YRS	232	1.7	2	<1	<1	1	2	2	3	10
20-34	78	2.4	3	<1	1	2	3	4	6	12
35-49	122	4.1	25	<1	1	2	5	9	15	27
50-64	236	3.9	26	<1	1	2	4	8	12	30
65+	358	4.1	30	1	1	2	4	9	12	27
GRAND TOTAL	1026	3.4	21	<1	1	2	3	7	11	25

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	2.0	1	<1	1	2	2	3	4	6
20-34	133	2.2	2	1	1	2	2	3	4	11
35-49	212	2.2	4	<1	<1	2	2	4	5	10
50-64	290	2.1	1	<1	1	2	2	3	4	7
65+	458	2.3	4	<1	1	2	2	3	4	12
2. MULTIPLE DX										
0-19 YRS	222	3.0	18	<1	1	2	3	5	9	22
20-34	281	3.8	25	1	1	2	4	7	9	19
35-49	224	3.8	29	<1	1	2	4	7	11	23
50-64	372	3.5	20	1	1	2	4	6	9	24
65+	500	4.5	42	1	1	2	4	11	16	35
TOT. SINGLE DX	1409	2.2	3	<1	1	2	2	3	4	8
" MULTIPLE DX	1599	3.9	30	1	1	2	4	7	11	28
TOTAL 0-19 YRS	538	2.4	9	<1	1	2	2	4	5	14
20-34	414	3.3	19	1	1	2	4	6	8	16
35-49	436	3.1	18	<1	<1	2	3	6	8	19
50-64	662	2.9	13	1	1	2	3	5	7	17
65+	958	3.5	26	1	1	2	3	6	11	28
GRAND TOTAL	3008	3.1	18	<1	1	2	3	5	8	21

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	1.9		1	1	2	2	3	3	6
20-34	56	2.3		1	1	2	3	3	4	4
35-49	58	2.5	1	1	1	2	3	4	4	8
50-64	78	3.0	3	2	2	3	3	4	5	14
65+	93	2.6	1	2	2	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	24	3.6	19	1	1	2	4	8	13	22
20-34	32	4.7	30	1	1	3	5	9	19	26
35-49	27	3.8	6	1	2	3	5	6	11	11
50-64	48	3.0	3	1	2	3	3	4	7	12
65+	97	3.5	4	2	2	3	4	6	8	13
TOT. SINGLE DX	354	2.5	2	1	1	2	3	4	4	8
" MULTIPLE DX	228	3.6	10	1	2	3	4	6	9	20
TOTAL 0-19 YRS	93	2.4	6	1	1	2	2	4	5	16
20-34	88	3.1	13	1	1	2	3	4	7	24
35-49	85	2.9	3	1	2	2	3	5	6	11
50-64	126	3.0	4	2	2	3	3	4	6	13
65+	190	3.1	3	2	2	3	3	5	7	10
GRAND TOTAL	582	2.9	5	1	2	2	3	4	6	13

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	1.5		<1	<1	1	2	3	3	3
20-34	12	1.8	1	<1	<1	1	2	4	5	5
35-49	8	3.1	13	<1	<1	2	3	9	12	12
50-64	14	3.4	11	<1	<1	2	5	10	11	11
65+	21	2.1	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	16	2.8	3	1	1	2	4	6	7	7
20-34	5	3.8	7	1	1	3	6	8	8	8
35-49	10	2.5	3	1	1	2	3	5	7	7
50-64	11	3.3	7	1	1	2	4	8	10	10
65+	21	4.1	17	1	2	2	5	9	14	19
TOT. SINGLE DX	77	2.2	4	<1	<1	2	2	4	6	12
" MULTIPLE DX	63	3.3	9	1	1	2	4	7	9	18
TOTAL 0-19 YRS	38	2.1	2	<1	<1	2	2	4	6	7
20-34	17	2.4	4	<1	<1	2	3	5	7	8
35-49	18	2.8	7	<1	1	2	3	6	10	12
50-64	25	3.4	9	<1	1	2	4	10	10	11
65+	42	3.1	10	<1	1	2	3	6	9	19
GRAND TOTAL	140	2.7	7	<1	1	2	3	6	8	13

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	5.1	5	2	2	5	7	9	9	9
20-34	39	4.8	14	2	2	4	6	7	9	25
35-49	28	3.5	3	1	2	3	5	6	7	9
50-64	36	4.2	9	1	2	4	5	6	8	19
65+	108	3.8	7	1	1	3	5	7	8	18
2. MULTIPLE DX										
0-19 YRS	8	4.0	3	2	2	4	5	7	7	7
20-34	21	4.0	2	2	2	4	5	6	7	7
35-49	19	7.4	92	1	2	5	6	22	34	37
50-64	42	4.9	8	2	2	4	6	9	11	16
65+	181	4.8	12	2	2	4	5	8	10	24
TOT. SINGLE DX	227	4.1	9	1	2	3	5	7	8	19
" MULTIPLE DX	271	4.9	16	2	2	4	6	8	10	25
TOTAL 0-19 YRS	24	4.8	5	2	2	5	6	7	9	9
20-34	60	4.6	10	2	2	4	5	7	8	23
35-49	47	5.1	42	1	2	4	5	8	12	37
50-64	78	4.6	9	2	2	4	5	8	10	18
65+	289	4.4	11	1	2	4	5	7	9	23
GRAND TOTAL	498	4.5	13	2	2	4	5	7	9	24

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	4.2	9	<1	1	3	5	8	10	18
20-34	154	2.8	8	<1	1	2	3	5	6	14
35-49	189	2.6	4	1	1	2	2	5	7	12
50-64	141	2.2	8	<1	1	2	2	3	4	15
65+	123	2.6	4	1	1	2	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	62	5.0	11	1	2	4	7	9	12	19
20-34	88	5.5	34	1	2	4	6	10	15	36
35-49	52	4.6	11	1	2	3	6	11	11	14
50-64	89	3.8	7	1	1	3	5	8	9	13
65+	123	4.3	10	1	1	3	5	10	12	28
TOT. SINGLE DX	711	2.8	7	<1	1	2	3	5	7	14
" MULTIPLE DX	414	4.6	10	1	2	3	6	9	12	22
TOTAL 0-19 YRS	166	4.5	11	1	1	4	5	8	11	18
20-34	242	3.8	20	1	1	2	5	7	10	24
35-49	241	3.0	7	1	1	2	3	6	10	12
50-64	230	2.8	9	1	1	2	3	6	8	13
65+	246	3.5	12	1	1	2	4	7	10	16
GRAND TOTAL	1125	3.5	12	1	1	2	4	7	9	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.6	1	1	1	2	3	5	6	6
20-34	34	3.2	3	1	2	2	4	6	7	8
35-49	66	3.7	16	1	2	3	3	8	9	28
50-64	237	3.6	7	1	2	3	4	6	9	15
65+	400	3.2	4	1	2	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	19	6.6	147	1	1	3	6	12	36	55
20-34	23	4.5	7	2	2	4	6	9	10	10
35-49	39	4.5	14	1	2	3	5	7	16	18
50-64	145	4.5	12	2	2	3	5	7	11	21
65+	303	5.2	23	2	2	3	6	10	14	29
TOT. SINGLE DX	775	3.3	6	1	2	3	4	6	8	13
" MULTIPLE DX	529	4.9	23	2	2	3	6	9	12	26
TOTAL 0-19 YRS	57	3.9	52	1	1	2	3	6	10	52
20-34	57	3.7	5	1	2	3	5	6	9	10
35-49	105	4.0	16	1	2	3	4	8	9	24
50-64	382	3.9	9	2	2	3	4	7	10	18
65+	703	4.1	14	1	2	3	5	8	11	19
GRAND TOTAL	1304	4.0	14	1	2	3	4	8	10	18

524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	4.5	12	1	1	3	5	11	12	15
20-34	54	3.4	4	1	1	3	5	7	8	9
35-49	73	2.7	2	1	1	2	3	6	7	8
50-64	200	3.0	5	1	1	2	4	6	8	12
65+	338	3.1	6	1	1	2	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	47	4.7	13	1	1	3	8	10	12	14
20-34	53	6.1	29	1	2	4	7	13	17	29
35-49	53	5.8	22	2	2	4	7	10	12	29
50-64	135	4.7	19	1	1	3	6	9	13	21
65+	240	5.0	18	1	2	4	8	10	14	23
TOT. SINGLE DX	716	3.1	6	1	1	2	4	6	8	13
" MULTIPLE DX	528	5.1	20	1	2	4	8	10	13	24
TOTAL 0-19 YRS	98	4.6	13	1	1	3	6	11	12	15
20-34	107	4.7	19	1	1	3	6	9	13	25
35-49	126	4.0	13	1	1	3	5	8	10	21
50-64	335	3.7	12	1	1	2	4	8	10	16
65+	578	3.9	13	1	1	3	5	8	10	19
GRAND TOTAL	1244	4.0	13	1	1	3	5	8	11	18

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.8	3	1	2	2	3	5	6	10
20-34	31	2.6	1	1	1	3	4	4	4	4
35-49	400	2.9	2	1	2	3	3	4	5	9
50-64	2452	2.9	2	2	2	3	3	4	5	8
65+	8639	3.0	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	15	3.7	4	2	2	3	4	8	8	8
20-34	16	3.3	1	2	2	3	4	5	6	6
35-49	253	4.3	17	2	2	3	4	7	10	19
50-64	1795	3.7	10	2	2	3	4	6	9	18
65+	7134	4.0	13	2	2	3	4	7	9	21
TOT. SINGLE DX	11550	3.0	2	2	2	3	3	4	5	9
" MULTIPLE DX	9213	4.0	13	2	2	3	4	6	9	20
TOTAL 0-19 YRS	43	3.1	4	1	2	3	3	5	8	10
20-34	47	2.8	2	1	1	3	4	4	5	6
35-49	653	3.4	9	2	2	3	4	5	8	16
50-64	4247	3.3	6	2	2	3	4	5	6	12
65+	15773	3.4	8	2	2	3	4	5	7	15
GRAND TOTAL	20763	3.4	7	2	2	3	4	5	7	14

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	2.2		1	1	2	2	3	4	5
20-34	63	2.5		1	1	2	3	4	4	5
35-49	402	2.3	1	1	1	2	3	3	4	7
50-64	1833	2.4	1	1	2	2	3	3	4	7
65+	5727	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	70	2.4	1	1	1	2	3	3	4	7
20-34	48	2.8	2	1	2	2	3	5	6	7
35-49	230	3.1	7	1	2	2	3	5	7	16
50-64	1346	3.0	7	1	2	2	3	4	6	16
65+	4585	3.0	6	2	2	2	3	5	7	15
TOT. SINGLE DX	8127	2.4	1	1	2	2	3	3	4	7
" MULTIPLE DX	6279	3.0	7	1	2	2	3	4	7	15
TOTAL 0-19 YRS	172	2.3	1	1	1	2	3	3	4	7
20-34	111	2.6	1	1	2	2	3	4	5	7
35-49	632	2.6	4	1	2	2	3	4	5	11
50-64	3179	2.6	4	1	2	2	3	4	5	12
65+	10312	2.7	4	1	2	2	3	4	5	11
GRAND TOTAL	14406	2.7	4	1	2	2	3	4	5	11

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	8	2.1		1	1	2	3	3	3	3
35-49	31	2.3		1	1	2	3	4	4	6
50-64	273	2.5	4	1	1	2	3	4	4	9
65+	894	2.7	1	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	18	3.2	7	1	1	2	4	8	9	10
50-64	141	3.0	2	1	2	3	4	5	6	8
65+	564	3.5	10	2	2	3	4	6	8	15
TOT. SINGLE DX	1210	2.6	2	1	1	2	3	4	4	7
" MULTIPLE DX	729	3.4	9	1	2	3	4	6	8	14
TOTAL 0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	12	2.6	2	1	1	2	3	4	6	6
35-49	49	2.6	3	1	1	2	3	4	8	10
50-64	414	2.7	4	1	1	2	3	4	5	9
65+	1458	3.0	5	1	2	2	3	4	6	11
GRAND TOTAL	1939	2.9	5	1	2	2	3	4	6	11

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	6.5	14	1	2	6	8	12	15	16
20-34	88	4.8	7	1	2	4	6	9	11	12
35-49	119	5.9	17	1	2	5	7	10	15	23
50-64	379	5.7	28	1	2	5	7	9	11	16
65+	347	5.5	6	2	2	5	7	8	10	13
2. MULTIPLE DX										
0-19 YRS	23	6.6	25	2	3	5	7	14	21	22
20-34	75	6.2	18	1	2	5	8	12	16	21
35-49	74	7.1	24	2	2	6	8	13	19	25
50-64	279	6.3	11	2	3	6	8	10	12	17
65+	304	6.9	15	2	3	6	8	11	14	22
TOT. SINGLE DX	986	5.6	17	1	2	5	7	9	11	16
" MULTIPLE DX	755	6.6	16	2	3	6	8	11	14	22
TOTAL 0-19 YRS	76	6.6	18	2	2	6	8	12	16	21
20-34	163	5.4	13	1	2	5	7	10	12	19
35-49	193	6.4	20	1	2	5	8	12	15	24
50-64	658	5.9	22	1	2	5	7	9	11	17
65+	651	6.1	11	2	3	6	8	10	12	18
GRAND TOTAL	1741	6.0	17	2	2	5	8	10	12	20

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.4	25	<1	<1	3	5	10	17	21
20-34	23	3.7	3	1	2	4	5	6	7	7
35-49	24	4.0	13	<1	1	3	5	10	13	15
50-64	52	5.1	30	1	1	3	6	11	21	26
65+	115	3.4	6	1	2	2	4	6	9	15
2. MULTIPLE DX										
0-19 YRS	25	8.1	307	<1	1	3	7	11	42	88
20-34	39	6.1	18	2	2	5	7	11	16	22
35-49	33	5.6	7	2	2	5	7	9	11	12
50-64	88	5.6	21	1	2	4	7	11	14	25
65+	167	5.4	19	1	2	4	7	12	14	20
TOT. SINGLE DX	232	4.0	14	1	1	3	5	8	11	21
" MULTIPLE DX	352	5.7	39	1	2	4	7	11	14	27
TOTAL 0-19 YRS	43	6.6	189	<1	1	3	6	11	23	88
20-34	62	5.2	14	1	2	5	6	8	11	22
35-49	57	4.9	10	1	2	5	6	10	11	15
50-64	140	5.4	24	1	2	4	6	11	16	26
65+	282	4.6	15	1	2	3	5	10	13	17
GRAND TOTAL	**584**	**5.0**	**30**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1607	1.8		1	1	2	2	2	2	3
20-34	350	2.1		1	1	2	2	3	3	7
35-49	169	2.0		1	1	2	2	3	3	5
50-64	78	2.0		1	1	2	2	3	3	5
65+	37	2.2		1	2	2	2	4	4	99+
2. MULTIPLE DX										
0-19 YRS	315	2.0	1	1	1	2	2	2	3	4
20-34	114	2.2	1	1	1	2	2	3	4	8
35-49	72	2.3	1	1	2	2	2	3	4	8
50-64	44	2.6	2	1	2	2	3	4	5	9
65+	33	3.3	14	1	1	2	3	5	12	21
TOT. SINGLE DX	2241	1.9		1	1	2	2	2	3	4
" MULTIPLE DX	578	2.2	2	1	1	2	2	3	4	9
TOTAL 0-19 YRS	1922	1.8	1	1	1	2	2	2	2	3
20-34	464	2.1	1	1	1	2	2	3	3	7
35-49	241	2.1	1	1	1	2	2	3	4	6
50-64	122	2.2	1	1	1	2	2	3	4	7
65+	70	2.7	7	1	1	2	3	4	6	83
GRAND TOTAL	**2819**	**1.9**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.4		<1	<1	1	2	2	2	2
20-34	6	2.2	1	<1	<1	2	2	4	4	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	7	1.7		<1	<1	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
TOT. SINGLE DX	21	1.7	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	12	1.9		<1	1	2	2	3	3	3
TOTAL 0-19 YRS	18	1.5		<1	<1	1	2	2	2	2
20-34	7	2.1	1	<1	<1	2	2	4	4	4
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64										
65+	3	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**33**	**1.8**	**1**	**<1**	**<1**	**2**	**2**	**3**	**3**	**4**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	2.9	6	1	1	2	3	6	7	13
20-34	148	3.1	3	1	2	3	4	5	6	12
35-49	92	3.7	13	1	1	3	4	6	10	20
50-64	96	3.7	5	1	2	3	5	7	8	12
65+	141	3.8	13	1	1	3	4	6	10	16
2. MULTIPLE DX										
0-19 YRS	92	3.9	16	1	1	3	5	8	9	24
20-34	131	6.0	37	1	2	4	7	12	17	37
35-49	88	5.7	36	1	2	4	6	10	21	34
50-64	103	5.9	42	1	2	4	6	12	20	35
65+	203	7.4	87	1	2	4	9	14	27	60
TOT. SINGLE DX	626	3.4	8	1	1	3	4	6	8	15
" MULTIPLE DX	617	6.1	52	1	2	4	7	12	20	41
TOTAL 0-19 YRS	241	3.3	10	1	1	2	4	7	9	14
20-34	279	4.5	22	1	2	3	5	8	12	25
35-49	180	4.7	25	1	2	3	5	9	17	26
50-64	199	4.8	26	1	2	3	6	9	13	28
65+	344	5.9	60	1	2	4	6	12	18	44
GRAND TOTAL	**1243**	**4.7**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**36**

533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	379	2.1	3	<1	1	2	2	3	5	11
20-34	130	2.2	2	<1	<1	2	3	4	5	9
35-49	72	2.9	6	<1	1	2	3	6	11	12
50-64	112	2.4	6	<1	1	2	2	4	5	16
65+	170	3.6	11	1	1	2	4	8	10	19
2. MULTIPLE DX										
0-19 YRS	221	3.4	14	1	1	2	3	6	11	23
20-34	111	4.8	26	1	1	3	6	10	14	28
35-49	85	7.2	111	1	1	3	8	17	29	61
50-64	130	6.1	44	1	2	4	8	12	18	40
65+	227	7.9	86	1	2	5	9	16	26	43
TOT. SINGLE DX	863	2.5	6	<1	1	2	3	4	7	13
" MULTIPLE DX	774	5.8	56	1	1	3	7	12	19	38
TOTAL 0-19 YRS	600	2.6	8	<1	1	2	3	4	6	17
20-34	241	3.4	15	<1	1	2	4	7	10	27
35-49	157	5.2	68	<1	1	2	5	12	20	32
50-64	242	4.4	30	1	1	2	5	10	13	30
65+	397	6.0	59	1	1	4	7	13	20	41
GRAND TOTAL	1637	4.1	32	1	1	2	4	9	13	29

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.5		2	2	2	3	3	3	6
20-34	217	2.5		2	2	2	3	3	4	5
35-49	371	2.6	1	1	2	2	3	4	4	7
50-64	263	2.8	1	2	2	3	3	4	5	7
65+	109	2.7	1	2	2	2	3	4	4	9
2. MULTIPLE DX										
0-19 YRS	35	2.2		1	1	2	3	3	3	4
20-34	90	2.7	1	2	2	3	3	4	5	8
35-49	132	2.7	2	2	2	2	3	3	4	12
50-64	141	3.0	3	2	2	3	3	4	9	21
65+	61	3.1	3	2	2	3	3	4	8	10
TOT. SINGLE DX	1012	2.6	1	2	2	2	3	4	4	7
" MULTIPLE DX	459	2.8	3	2	2	2	3	4	5	11
TOTAL 0-19 YRS	87	2.4	1	1	2	2	3	3	3	5
20-34	307	2.6	1	2	2	2	3	3	4	7
35-49	503	2.6	1	1	2	2	3	3	4	8
50-64	404	2.9	2	2	2	3	3	4	5	10
65+	170	2.8	2	2	2	2	3	4	5	10
GRAND TOTAL	1471	2.7	2	2	2	2	3	4	5	9

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	698	2.0		1	1	2	2	3	3	4
20-34	539	2.2		1	2	2	3	3	3	5
35-49	363	2.3		1	2	2	3	3	4	5
50-64	309	2.2		1	2	2	2	3	3	4
65+	95	2.5	1	1	2	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	493	2.1		1	1	2	2	3	3	5
20-34	408	2.6	4	1	2	2	3	3	4	12
35-49	334	2.8	10	2	2	2	3	3	5	13
50-64	260	2.9	7	2	2	2	3	4	5	19
65+	110	3.2	17	2	2	2	3	4	7	26
TOT. SINGLE DX	2004	2.2	1	1	1	2	2	3	3	5
" MULTIPLE DX	1605	2.6	6	1	2	2	3	3	4	11
TOTAL 0-19 YRS	1191	2.0		1	1	2	2	3	3	4
20-34	947	2.4	2	1	2	2	3	3	4	6
35-49	697	2.5	5	1	2	2	3	3	4	8
50-64	569	2.5	4	1	2	2	3	3	4	11
65+	205	2.9	10	2	2	2	3	4	5	11
GRAND TOTAL	3609	2.3	3	1	2	2	3	3	4	7

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4376	1.2		<1	<1	1	1	1	2	4
20-34	82	2.0	2	<1	1	2	2	3	5	10
35-49	76	2.4	4	<1	<1	2	3	4	8	12
50-64	78	1.8		<1	1	2	2	3	3	6
65+	47	2.0	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	2251	2.0	5	<1	<1	1	2	3	5	11
20-34	78	2.7	8	1	1	2	2	5	11	15
35-49	80	4.4	89	1	1	2	3	8	13	63
50-64	85	4.4	30	1	1	2	4	10	14	31
65+	63	7.4	72	1	1	3	10	22	28	33
TOT. SINGLE DX	4659	1.2	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	2557	2.3	12	<1	<1	2	2	4	7	15
TOTAL 0-19 YRS	6627	1.5	3	<1	<1	1	1	2	3	8
20-34	160	2.4	6	<1	1	2	2	4	7	14
35-49	156	3.4	49	<1	1	2	3	4	10	21
50-64	163	3.1	18	<1	1	2	3	6	10	27
65+	110	5.1	49	1	1	2	4	14	22	32
GRAND TOTAL	7216	1.6	5	<1	<1	1	2	2	3	11

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	2.8	2	2	2	2	3	4	5	9
20-34	185	2.9	3	2	2	3	3	4	6	8
35-49	147	3.3	5	2	2	3	3	5	7	15
50-64	98	3.1	2	1	2	3	4	5	6	11
65+	31	5.3	15	2	2	3	6	13	14	16
2. MULTIPLE DX										
0-19 YRS	323	3.0	6	2	2	2	3	4	6	15
20-34	288	3.5	17	2	2	3	3	5	7	18
35-49	265	3.4	5	2	2	3	4	6	7	13
50-64	218	3.7	6	2	2	3	4	6	8	15
65+	102	5.3	30	2	2	4	5	13	18	30
TOT. SINGLE DX	655	3.1	4	2	2	3	3	5	6	13
" MULTIPLE DX	1196	3.5	11	2	2	3	4	6	8	17
TOTAL 0-19 YRS	517	2.9	5	2	2	2	3	4	5	14
20-34	473	3.3	12	2	2	3	3	5	6	14
35-49	412	3.4	5	2	2	3	3	5	7	13
50-64	316	3.5	5	2	2	3	4	5	8	14
65+	133	5.3	27	2	2	4	5	13	17	29
GRAND TOTAL	1851	3.4	9	2	2	3	3	5	7	16

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	1.6	1	<1	<1	1	2	3	3	8
20-34	95	3.1	5	1	2	2	3	5	6	16
35-49	109	3.2	5	1	2	2	3	6	8	13
50-64	84	3.2	3	1	2	3	3	6	8	11
65+	31	2.9	2	1	2	3	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	158	2.6	6	<1	1	2	3	4	7	17
20-34	88	2.9	5	1	2	2	3	4	7	16
35-49	74	3.2	5	1	2	2	3	6	8	13
50-64	80	3.5	7	1	2	2	4	7	9	14
65+	30	5.6	40	2	2	3	6	14	21	30
TOT. SINGLE DX	525	2.5	4	<1	<1	2	3	4	6	12
" MULTIPLE DX	430	3.2	9	1	1	2	3	6	8	18
TOTAL 0-19 YRS	364	2.1	4	<1	<1	2	2	3	5	12
20-34	183	3.0	6	1	2	2	3	5	6	17
35-49	183	3.2	6	1	2	2	3	6	8	13
50-64	164	3.3	5	1	2	2	4	7	8	13
65+	61	4.2	23	1	2	3	4	7	14	29
GRAND TOTAL	955	2.8	7	<1	1	2	3	5	7	13

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	2.7	1	1	2	2	3	5	5	6
20-34	313	2.6	1	1	1	2	3	4	5	6
35-49	164	2.7	1	1	2	2	3	4	5	7
50-64	94	3.1	6	1	2	3	3	4	7	18
65+	20	3.5	4	2	2	3	4	5	8	11
2. MULTIPLE DX										
0-19 YRS	236	2.8	1	1	2	3	3	4	5	6
20-34	687	3.0	3	1	1	3	3	5	5	9
35-49	369	3.2	6	1	2	3	4	5	6	11
50-64	198	3.7	10	1	2	3	4	6	7	15
65+	55	4.3	14	1	2	3	5	8	11	24
TOT. SINGLE DX	708	2.8	2	1	2	2	3	4	5	8
" MULTIPLE DX	1545	3.2	5	1	1	3	4	5	6	11
TOTAL 0-19 YRS	353	2.8	1	1	2	3	3	5	5	6
20-34	1000	2.9	3	1	1	3	3	4	5	8
35-49	533	3.1	5	1	2	3	4	5	6	10
50-64	292	3.5	9	1	2	3	4	6	7	15
65+	75	4.1	12	1	2	3	4	8	11	22
GRAND TOTAL	2253	3.0	4	1	2	3	4	5	6	10

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	730	2.4	1	1	1	2	3	3	4	5
20-34	1621	2.5	1	1	1	2	3	4	4	6
35-49	717	2.5		1	1	2	3	4	4	5
50-64	343	2.7	2	1	2	3	3	4	5	8
65+	114	3.1	6	1	1	3	3	4	8	16
2. MULTIPLE DX										
0-19 YRS	880	2.6	3	1	1	2	3	4	4	7
20-34	2439	2.8	3	1	2	3	3	4	5	10
35-49	1509	3.1	4	1	2	3	3	5	6	12
50-64	725	3.6	8	2	2	3	4	6	9	16
65+	222	4.8	57	2	2	3	5	8	12	31
TOT. SINGLE DX	3525	2.5	1	1	1	2	3	4	4	6
" MULTIPLE DX	5775	3.0	7	1	2	3	3	4	6	12
TOTAL 0-19 YRS	1610	2.5	2	1	1	2	3	4	4	7
20-34	4060	2.7	3	1	1	2	3	4	5	8
35-49	2226	2.9	4	1	2	3	3	4	5	10
50-64	1068	3.3	7	1	2	3	4	5	7	14
65+	336	4.2	41	1	2	3	4	7	11	25
GRAND TOTAL	9300	2.8	5	1	2	2	3	4	5	11

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	2.5	3	<1	1	2	3	4	5	12
20-34	143	2.4	3	<1	1	2	3	4	7	12
35-49	158	2.7	5	<1	1	2	3	5	8	13
50-64	287	2.7	6	1	1	2	3	5	6	9
65+	284	3.2	12	<1	1	2	3	5	8	15
2. MULTIPLE DX										
0-19 YRS	138	2.7	5	1	1	2	3	4	6	12
20-34	254	3.5	21	1	2	3	4	5	7	14
35-49	277	3.8	10	1	2	3	4	7	10	18
50-64	385	4.6	28	1	2	3	5	9	13	19
65+	434	6.6	48	2	2	4	8	15	19	33
TOT. SINGLE DX	992	2.8	7	<1	1	2	3	5	7	13
" MULTIPLE DX	1488	4.7	29	1	2	3	5	10	14	26
TOTAL 0-19 YRS	258	2.6	4	1	1	2	3	4	6	12
20-34	397	3.1	15	1	1	2	3	5	7	14
35-49	435	3.4	9	<1	1	3	4	6	9	17
50-64	672	3.8	20	1	1	2	4	7	10	17
65+	718	5.2	37	1	2	3	6	11	16	32
GRAND TOTAL	2480	3.9	21	1	1	3	4	8	11	22

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	671	1.8		<1	<1	2	2	3	3	5
20-34	504	2.5	5	<1	1	2	3	5	6	10
35-49	200	3.5	5	<1	1	3	5	7	8	10
50-64	167	4.6	5	1	2	4	6	7	9	11
65+	130	4.9	12	1	1	4	6	9	12	18
2. MULTIPLE DX										
0-19 YRS	237	3.1	8	<1	1	2	4	6	8	15
20-34	378	3.6	8	1	1	3	4	7	10	15
35-49	176	5.3	16	1	1	4	7	11	13	19
50-64	202	6.1	17	1	2	5	7	12	16	21
65+	223	7.8	48	2	2	6	9	14	19	43
TOT. SINGLE DX	1672	2.7	5	<1	1	2	3	5	7	11
" MULTIPLE DX	1216	4.9	21	1	1	4	6	10	14	21
TOTAL 0-19 YRS	908	2.1	3	<1	<1	2	2	4	5	10
20-34	882	3.0	7	1	1	2	4	6	8	13
35-49	376	4.3	11	1	1	3	6	9	11	18
50-64	369	5.4	12	1	2	5	7	10	13	19
65+	353	6.7	37	1	2	5	8	13	17	32
GRAND TOTAL	2888	3.6	13	<1	1	2	5	7	10	18

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.3	4	1	2	3	4	5	7	11
20-34	201	3.2	4	1	2	3	4	5	6	13
35-49	200	3.4	3	2	2	3	4	5	7	12
50-64	168	3.4	2	2	2	3	4	5	6	11
65+	84	3.8	10	2	2	3	4	5	10	21
2. MULTIPLE DX										
0-19 YRS	59	3.4	4	2	2	3	4	6	9	91
20-34	215	4.8	32	2	2	3	5	8	13	27
35-49	237	4.7	20	2	2	3	5	9	13	23
50-64	200	5.3	22	2	2	4	6	10	14	27
65+	105	5.9	27	2	2	4	6	14	18	26
TOT. SINGLE DX	702	3.4	4	2	2	3	4	5	7	13
" MULTIPLE DX	816	5.0	24	2	2	3	5	9	14	27
TOTAL 0-19 YRS	108	3.4	4	1	2	3	4	6	8	48
20-34	416	4.0	20	1	2	3	4	7	10	18
35-49	437	4.1	13	2	2	3	4	7	11	19
50-64	368	4.5	14	2	2	3	5	8	11	25
65+	189	5.0	21	2	2	3	5	11	14	24
GRAND TOTAL	1518	4.2	16	2	2	3	4	7	11	21

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	2.9	5	<1	1	2	3	6	8	13
20-34	178	3.9	21	1	1	3	4	7	10	20
35-49	136	3.9	50	1	1	2	3	7	12	26
50-64	119	4.1	12	1	2	3	5	8	13	18
65+	73	5.1	26	1	1	3	6	12	17	28
2. MULTIPLE DX										
0-19 YRS	110	4.5	24	<1	1	2	6	11	15	24
20-34	197	5.2	22	2	2	3	6	11	16	22
35-49	184	6.1	38	2	2	4	8	12	16	34
50-64	193	6.5	38	2	2	4	9	13	18	36
65+	122	7.5	35	2	2	6	10	14	17	33
TOT. SINGLE DX	611	3.9	24	1	1	3	4	8	12	18
" MULTIPLE DX	806	6.0	33	1	2	4	8	13	17	31
TOTAL 0-19 YRS	215	3.8	16	<1	1	2	4	8	13	21
20-34	375	4.6	22	1	2	3	5	9	14	21
35-49	320	5.2	45	1	2	3	6	10	16	31
50-64	312	5.6	30	1	2	3	7	12	17	29
65+	195	6.6	33	2	2	5	9	14	17	32
GRAND TOTAL	1417	5.1	30	1	2	3	6	11	15	26

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2073	1.8	1	1	1	2	2	2	2	3
20-34	1658	1.9	3	1	1	2	2	2	3	5
35-49	418	2.2	3	1	1	2	2	3	4	15
50-64	253	3.2	24	1	1	2	3	4	7	39
65+	95	3.2	22	1	2	2	3	5	7	20
2. MULTIPLE DX										
0-19 YRS	810	2.6	20	1	1	2	2	3	6	15
20-34	1189	3.9	44	1	1	2	3	7	13	37
35-49	831	4.5	35	1	2	2	4	11	17	31
50-64	917	4.9	34	1	2	3	5	11	16	33
65+	644	7.4	81	2	2	4	9	18	26	56
TOT. SINGLE DX	4497	2.0	4	1	1	2	2	2	3	6
" MULTIPLE DX	4391	4.5	44	1	1	2	4	10	16	35
TOTAL 0-19 YRS	2883	2.0	7	1	1	2	2	2	3	8
20-34	2847	2.8	21	1	1	2	2	4	6	23
35-49	1249	3.7	26	1	1	2	3	8	14	27
50-64	1170	4.5	33	1	2	2	4	10	15	34
65+	739	6.9	76	2	2	3	8	17	24	45
GRAND TOTAL	8888	3.2	25	1	1	2	2	5	11	27

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	310	1.2	3	<1	1	1	1	2	2	5
20-34	45	2.4	7	<1	<1	1	2	5	8	16
35-49	16	1.8	1	<1	1	2	2	3	4	5
50-64	13	2.6	1	1	1	2	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	193	1.7	12	<1	1	1	2	2	4	7
20-34	36	5.1	28	1	1	3	8	12	22	99+
35-49	14	6.7	29	1	2	5	10	14	19	20
50-64	8	3.4	7	1	1	2	5	8	9	9
65+	4	6.0	54	2	2	3	10	17	17	17
TOT. SINGLE DX	385	1.4	4	<1	1	1	1	2	3	8
" MULTIPLE DX	255	2.5	19	<1	1	1	2	6	10	22
TOTAL 0-19 YRS	503	1.4	7	<1	1	1	1	2	2	6
20-34	81	3.6	18	<1	<1	2	4	10	14	75
35-49	30	4.1	20	1	1	2	5	10	13	20
50-64	21	2.9	3	1	1	2	4	5	7	9
65+	5	5.2	44	2	2	2	6	17	17	17
GRAND TOTAL	640	1.9	10	<1	1	1	2	3	5	17

549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	2.2	2	<1	1	2	2	4	6	8
20-34	110	2.8	2	1	2	2	3	4	5	10
35-49	228	2.7	5	1	2	2	3	4	5	9
50-64	180	3.1	5	2	2	2	4	5	6	14
65+	65	3.1	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
0-19 YRS	100	2.8	5	1	1	2	3	5	7	14
20-34	77	3.2	11	1	1	2	3	5	10	21
35-49	143	3.5	14	1	2	2	3	7	9	15
50-64	147	4.9	36	1	2	3	5	8	15	35
65+	98	5.7	27	1	2	4	6	12	18	26
TOT. SINGLE DX	647	2.9	4	1	2	2	3	4	6	9
" MULTIPLE DX	565	4.1	22	1	2	3	4	8	11	25
TOTAL 0-19 YRS	164	2.6	4	1	1	2	3	5	7	10
20-34	187	3.0	6	1	1	2	3	5	7	14
35-49	371	3.0	9	1	2	2	3	5	7	11
50-64	327	3.9	20	1	2	3	4	6	9	26
65+	163	4.7	19	2	2	3	5	10	13	23
GRAND TOTAL	1212	3.4	13	1	2	2	4	6	8	21

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	2.9	3	1	1	3	4	5	5	11
20-34	304	3.3	2	2	2	3	4	5	6	8
35-49	316	3.8	5	2	2	3	4	6	8	15
50-64	375	4.0	6	2	2	3	5	7	9	13
65+	318	4.6	9	2	2	4	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	43	4.0	8	1	2	3	4	6	12	15
20-34	107	4.0	4	2	2	4	4	7	8	12
35-49	148	5.3	37	2	2	4	5	9	10	39
50-64	245	5.5	13	2	2	4	7	10	13	18
65+	250	7.9	50	3	3	6	10	16	21	59
TOT. SINGLE DX	1424	3.9	6	2	2	3	4	6	8	14
" MULTIPLE DX	793	5.9	30	2	2	4	7	11	15	36
TOTAL 0-19 YRS	154	3.2	5	1	1	3	4	5	7	14
20-34	411	3.5	3	2	2	3	4	5	7	10
35-49	464	4.3	16	2	2	3	5	7	9	18
50-64	620	4.6	10	2	2	4	5	8	11	17
65+	568	6.1	30	2	3	4	7	12	16	35
GRAND TOTAL	2217	4.6	16	2	2	4	5	8	11	19

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	254	3.7	2	1	1	4	5	6	7	8
20-34	8	4.3	2	2	2	5	6	6	6	6
35-49	6	3.2	1	2	2	3	4	4	4	4
50-64	3	3.3		3	3	3	4	4	4	4
65+	3	5.0	19	2	2	3	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	147	4.5	4	2	2	4	5	7	8	10
20-34	12	4.0	2	2	2	4	5	6	6	6
35-49	4	5.0		4	4	5	6	6	6	6
50-64	6	6.3	10	2	2	6	9	10	10	10
65+	4	4.5	5	3	3	4	6	8	8	8
TOT. SINGLE DX	274	3.7	3	1	1	4	5	6	7	9
" MULTIPLE DX	173	4.6	4	2	2	4	5	7	8	10
TOTAL 0-19 YRS	401	4.0	4	1	2	4	5	6	7	9
20-34	20	4.1	2	2	2	4	5	6	6	6
35-49	10	3.9	2	2	2	4	5	6	6	6
50-64	9	5.3	9	2	2	4	8	10	10	10
65+	7	4.7	9	2	2	3	7	10	10	10
GRAND TOTAL	447	4.1	4	1	2	4	5	6	7	10

552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	527	2.8	4	<1	1	2	4	6	7	9
20-34	165	3.9	17	<1	1	3	5	8	10	18
35-49	187	3.9	14	1	1	2	4	9	12	21
50-64	308	4.0	24	1	1	2	4	8	11	26
65+	393	4.2	31	1	1	3	5	9	11	20
2. MULTIPLE DX										
0-19 YRS	318	3.7	12	1	1	3	4	7	10	23
20-34	246	4.5	15	1	1	3	6	9	12	19
35-49	243	5.9	40	1	2	4	8	13	16	32
50-64	434	7.7	78	2	2	4	9	18	23	42
65+	516	8.7	100	2	2	5	11	18	31	51
TOT. SINGLE DX	1580	3.6	18	1	1	2	4	7	10	19
" MULTIPLE DX	1757	6.6	62	1	2	4	8	15	20	43
TOTAL 0-19 YRS	845	3.1	8	<1	1	2	4	6	8	14
20-34	411	4.2	16	1	1	3	6	9	11	19
35-49	430	5.0	30	1	1	3	6	11	15	24
50-64	742	6.1	59	1	2	3	7	14	20	37
65+	909	6.8	75	1	2	4	8	15	21	46
GRAND TOTAL	3337	5.2	44	1	1	3	6	11	16	35

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5813	2.1	2	1	1	2	2	3	3	4
20-34	4513	2.2	1	1	2	2	2	3	4	5
35-49	480	2.4	1	1	2	2	3	3	4	6
50-64	81	2.8	6	1	1	2	3	4	5	19
65+	28	2.6	1	1	2	2	3	5	5	7
2. MULTIPLE DX										
0-19 YRS	954	2.4	8	1	1	2	2	3	4	10
20-34	706	2.9	3	1	2	2	3	5	6	10
35-49	152	3.5	12	1	2	2	3	6	12	17
50-64	49	6.3	135	2	2	3	5	10	24	69
65+	17	7.7	169	2	2	3	5	17	42	55
TOT. SINGLE DX	10915	2.1	2	1	1	2	2	3	3	5
" MULTIPLE DX	1878	2.8	12	1	1	2	3	4	6	13
TOTAL 0-19 YRS	6767	2.1	3	1	1	2	2	3	3	5
20-34	5219	2.3	2	1	2	2	2	3	4	7
35-49	632	2.7	4	1	2	2	3	4	5	13
50-64	130	4.1	58	1	2	2	4	6	10	52
65+	45	4.6	69	1	2	3	4	5	16	55
GRAND TOTAL	12793	2.2	3	1	1	2	2	3	4	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9882	1.9		1	1	2	2	2	3	4
20-34	613	2.3		1	2	2	2	3	4	5
35-49	34	2.6	1	1	2	2	3	4	5	5
50-64	11	2.2		1	1	2	3	3	3	3
65+	12	10.3	697	1	1	2	4	34	85	94
2. MULTIPLE DX										
0-19 YRS	6383	2.0	1	1	1	2	2	2	3	5
20-34	163	2.7	1	1	2	2	3	4	5	8
35-49	13	2.7	1	2	2	2	3	4	6	6
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	4	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	10552	2.0	2	1	1	2	2	2	3	4
" MULTIPLE DX	6566	2.0	1	1	1	2	2	3	3	6
TOTAL 0-19 YRS	16265	2.0	1	1	1	2	2	2	3	4
20-34	776	2.3	1	1	2	2	3	3	4	6
35-49	47	2.6	1	1	2	2	3	4	5	6
50-64	14	2.1		1	1	2	3	3	3	3
65+	16	8.3	526	1	2	2	2	8	68	94
GRAND TOTAL	17118	2.0	2	1	1	2	2	2	3	5

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1091	1.5	1	<1	<1	1	2	2	2	3
20-34	33	2.4	1	<1	1	2	3	4	6	7
35-49	3	2.3		2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	3062	1.5		<1	<1	1	2	2	2	3
20-34	19	2.4	1	<1	<1	2	3	4	6	7
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	4	3.3	7	<1	<1	3	5	6	6	6
65+	4	2.3	3	1	1	2	3	5	5	5
TOT. SINGLE DX	1128	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	3092	1.5	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	4153	1.5	1	<1	<1	1	2	2	2	3
20-34	52	2.4	2	<1	1	2	3	4	6	7
35-49	6	2.0		<1	<1	2	2	3	3	3
50-64	5	3.2	5	<1	<1	3	5	6	6	6
65+	4	2.3	4	1	1	2	3	5	5	5
GRAND TOTAL	4220	1.5	1	<1	<1	1	2	2	2	4

556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	472	2.3	2	1	1	2	3	4	5	9
20-34	351	2.6	3	1	1	2	3	4	5	8
35-49	136	3.1	8	1	1	2	4	6	8	15
50-64	132	4.4	35	1	1	2	4	8	17	27
65+	87	4.7	14	1	2	3	6	10	12	18
2. MULTIPLE DX										
0-19 YRS	136	3.6	24	1	1	2	4	6	8	21
20-34	123	7.6	167	1	2	3	6	19	33	73
35-49	72	5.5	70	1	1	3	6	11	16	56
50-64	93	9.2	114	2	2	5	11	19	32	60
65+	129	10.9	169	2	2	6	14	21	40	75
TOT. SINGLE DX	1178	2.9	9	1	1	2	3	5	7	16
" MULTIPLE DX	553	7.4	118	1	2	4	7	16	26	66
TOTAL 0-19 YRS	608	2.6	8	1	1	2	3	5	6	12
20-34	474	3.9	51	1	1	2	4	6	9	37
35-49	208	3.9	31	1	1	2	4	8	11	23
50-64	225	6.4	73	1	2	3	7	15	20	47
65+	216	8.4	116	2	2	4	10	18	29	57
GRAND TOTAL	1731	4.3	48	1	1	2	4	8	14	38

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	1.9	3	<1	1	1	2	3	4	13
20-34	42	3.2	3	1	1	3	4	5	6	10
35-49	46	3.9	9	1	1	3	5	7	9	17
50-64	65	4.6	28	1	1	4	5	7	11	32
65+	76	5.1	24	1	2	4	6	8	10	28
2. MULTIPLE DX										
0-19 YRS	108	3.6	4	1	2	3	5	6	7	12
20-34	18	4.4	15	<1	1	3	6	10	14	15
35-49	35	4.4	6	1	1	4	6	9	10	10
50-64	78	7.2	126	2	2	5	6	13	22	76
65+	91	7.1	43	2	2	5	9	14	15	41
TOT. SINGLE DX	297	3.8	16	1	1	3	5	7	9	27
" MULTIPLE DX	330	5.5	47	1	2	4	6	10	14	34
TOTAL 0-19 YRS	176	2.9	5	1	1	3	4	6	7	13
20-34	60	3.6	7	1	1	3	5	6	8	15
35-49	81	4.1	8	1	1	4	6	7	9	15
50-64	143	6.0	83	1	2	4	6	9	18	37
65+	167	6.1	36	1	2	4	8	12	15	37
GRAND TOTAL	627	4.7	33	1	1	3	5	8	12	29

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	1.8	3	<1	<1	2	2	2	2	12
20-34	245	1.9		<1	1	2	2	2	3	5
35-49	406	2.1	1	1	1	2	2	3	3	8
50-64	578	2.4	5	1	1	2	2	3	5	15
65+	372	2.5	9	1	1	2	2	4	6	19
2. MULTIPLE DX										
0-19 YRS	31	2.0	1	<1	<1	2	2	3	4	8
20-34	94	3.5	17	1	1	2	4	6	12	67
35-49	200	3.9	22	1	1	2	4	8	11	28
50-64	400	4.8	36	1	1	2	5	11	19	34
65+	288	5.8	70	1	2	3	6	14	21	38
TOT. SINGLE DX	1713	2.2	5	1	1	2	2	3	4	13
" MULTIPLE DX	1013	4.7	41	1	1	2	5	11	18	32
TOTAL 0-19 YRS	143	1.8	3	<1	<1	2	2	2	3	9
20-34	339	2.3	6	1	1	2	2	3	5	19
35-49	606	2.7	10	1	1	2	2	4	7	16
50-64	978	3.4	20	1	1	2	3	7	12	26
65+	660	4.0	39	1	1	2	3	8	14	30
GRAND TOTAL	2726	3.1	20	1	1	2	3	5	10	25

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.0	12	1	1	2	2	9	11	11
20-34	8	2.5	4	<1	<1	2	3	6	7	7
35-49	20	8.2	65	<1	1	2	16	20	21	22
50-64	58	7.9	40	2	2	7	12	16	21	26
65+	42	10.4	33	1	2	11	15	17	18	24
2. MULTIPLE DX										
0-19 YRS	5	5.8	32	1	1	2	11	13	13	13
20-34	6	6.3	50	1	1	3	8	19	20	20
35-49	11	12.0	59	1	2	12	16	23	25	25
50-64	35	12.1	102	2	2	10	17	24	36	43
65+	47	16.5	87	2	3	15	25	30	32	35
TOT. SINGLE DX	138	8.0	42	1	1	8	13	17	20	26
" MULTIPLE DX	104	13.4	93	2	2	12	19	26	31	41
TOTAL 0-19 YRS	15	3.9	19	1	1	2	7	11	13	13
20-34	14	4.1	26	<1	<1	2	4	9	18	20
35-49	31	9.5	65	1	1	11	16	21	22	25
50-64	93	9.5	67	2	2	8	13	20	25	42
65+	89	13.6	71	2	2	13	17	26	30	35
GRAND TOTAL	242	10.4	71	1	2	9	15	22	26	36

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	14.0		14	14	14	14	14	14	14
35-49	13	17.1	20	11	12	16	21	24	24	24
50-64	50	17.3	87	9	9	14	19	28	40	50
65+	52	17.6	61	9	10	15	22	29	36	41
2. MULTIPLE DX										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	9	30.1	730	14	14	21	30	76	98	98
50-64	88	26.0	228	10	11	23	33	43	61	73
65+	85	24.5	149	11	13	21	32	44	54	99+
TOT. SINGLE DX	117	17.3	69	9	10	15	22	27	36	48
" MULTIPLE DX	183	25.5	212	11	12	22	32	44	61	99
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	20.0	72	14	14	20	26	26	26	26
35-49	22	22.4	333	12	13	17	23	31	65	98
50-64	138	22.8	194	9	11	18	28	40	56	73
65+	137	21.9	127	11	11	19	27	40	45	99+
GRAND TOTAL	300	22.3	172	10	11	18	26	40	51	85

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	40.0	2178	7	7	40	73	73	73	73
20-34	3	7.0	25	2	2	9	56	99+	99+	99+
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	4	18.0	30	12	12	17	22	25	25	25
65+	2	14.0	98	7	7	14	21	21	21	21
2. MULTIPLE DX										
0-19 YRS										
20-34	5	22.8	136	3	3	26	29	34	34	34
35-49	5	32.4	461	10	10	41	47	58	58	58
50-64	26	28.8	610	2	3	28	56	79	99+	99+
65+	28	31.8	409	9	13	30	47	84	99+	99+
TOT. SINGLE DX	13	16.5	333	3	6	12	21	76	95	99+
" MULTIPLE DX	64	29.9	462	3	7	29	48	75	99+	99+
TOTAL 0-19 YRS	2	40.0	2178	7	7	40	73	73	73	73
20-34	8	16.9	152	2	2	24	29	74	99+	99+
35-49	7	25.1	461	6	6	10	42	55	58	58
50-64	30	27.4	544	2	3	23	53	77	98	99+
65+	30	30.6	405	7	11	29	45	80	99	99+
GRAND TOTAL	77	27.7	461	3	6	24	47	75	99+	99+

562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	11.0	251	1	1	5	9	31	54	70
20-34	24	7.5	37	1	2	7	10	22	42	99+
35-49	21	9.5	41	2	3	7	13	20	23	24
50-64	68	13.1	459	2	2	5	13	34	72	98
65+	38	8.2	71	1	2	5	13	21	34	99+
2. MULTIPLE DX										
0-19 YRS	75	24.8	669	1	2	15	46	84	95	99+
20-34	89	30.7	636	3	4	26	54	83	99+	99+
35-49	64	32.0	522	3	6	30	51	79	99+	99+
50-64	215	27.5	530	2	3	22	45	77	99+	99+
65+	221	33.4	504	2	5	32	50	74	92	99+
TOT. SINGLE DX	190	10.6	241	1	2	5	12	23	51	99+
" MULTIPLE DX	664	30.0	557	2	4	28	49	78	99+	99+
TOTAL 0-19 YRS	114	20.1	566	1	1	9	36	69	88	99+
20-34	113	25.8	599	2	3	17	45	81	99+	99+
35-49	85	26.4	497	3	4	22	43	70	89	99+
50-64	283	24.0	549	2	2	17	41	70	89	99+
65+	259	29.7	520	2	3	29	46	72	91	99+
GRAND TOTAL	854	25.7	552	2	2	20	44	71	89	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	6.1	19	1	2	5	10	11	14	19
20-34	132	6.4	31	2	2	5	8	11	21	27
35-49	215	7.1	28	1	2	6	9	16	17	23
50-64	544	8.3	42	2	2	7	11	17	21	30
65+	593	9.5	76	2	2	7	13	19	24	47
2. MULTIPLE DX										
0-19 YRS	18	10.1	79	2	3	8	11	28	30	31
20-34	182	9.8	74	2	2	8	13	19	24	46
35-49	431	10.6	75	2	3	8	13	20	28	41
50-64	1408	11.7	93	2	3	9	15	22	29	52
65+	1982	13.5	111	3	4	11	17	27	34	55
TOT. SINGLE DX	1511	8.4	54	2	2	6	11	17	22	35
" MULTIPLE DX	4021	12.3	101	2	3	10	16	24	32	53
TOTAL 0-19 YRS	45	7.7	46	1	2	5	10	13	26	31
20-34	314	8.4	59	2	2	6	10	18	23	42
35-49	646	9.4	62	2	2	8	12	19	24	40
50-64	1952	10.7	82	2	2	9	14	21	27	47
65+	2575	12.6	106	2	3	10	16	25	32	54
GRAND TOTAL	5532	11.3	91	2	3	9	15	22	29	49

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	2	10.5	145	2	2	10	19	19	19	19
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	76.0		76	76	76	76	76	76	76
65+	3	17.7	226	8	8	10	29	35	35	35
TOT. SINGLE DX	3	9.0	79	2	2	6	16	19	19	19
" MULTIPLE DX	5	26.0	947	1	1	10	45	76	76	76
TOTAL 0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64	3	32.3	1502	2	2	19	62	76	76	76
65+	3	17.7	226	8	8	10	29	35	35	35
GRAND TOTAL	8	19.6	641	1	1	9	27	64	76	76

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	11.5	77	4	5	9	11	20	33	42
20-34	101	11.1	60	2	4	9	14	20	30	37
35-49	191	10.7	58	3	3	9	13	18	27	32
50-64	369	12.9	76	3	4	12	16	23	27	44
65+	375	12.2	63	2	3	11	16	21	26	41
2. MULTIPLE DX										
0-19 YRS	15	15.1	71	7	8	12	18	29	32	33
20-34	112	12.4	91	3	4	10	16	19	24	58
35-49	232	15.2	102	4	6	13	18	29	35	54
50-64	726	15.7	107	3	5	14	20	28	35	56
65+	928	16.3	139	3	4	15	21	29	35	69
TOT. SINGLE DX	1054	12.0	68	2	3	10	16	22	27	41
" MULTIPLE DX	2013	15.7	121	3	5	14	20	28	35	62
TOTAL 0-19 YRS	33	13.1	76	5	6	10	14	29	32	42
20-34	213	11.8	77	3	4	9	16	20	26	45
35-49	423	13.1	88	3	5	11	16	25	30	48
50-64	1095	14.8	99	3	5	13	19	26	33	53
65+	1303	15.1	121	3	4	13	19	27	35	60
GRAND TOTAL	3067	14.5	106	3	4	12	16	26	33	53

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	21.0	242	10	10	21	32	32	32	32
20-34	13	13.5	24	6	8	13	15	21	24	25
35-49	76	14.2	35	7	7	13	17	21	26	37
50-64	240	15.1	36	8	8	14	18	23	27	33
65+	195	16.8	48	9	10	15	20	26	31	40
2. MULTIPLE DX										
0-19 YRS	5	19.0	49	11	11	18	25	28	28	28
20-34	16	17.8	84	6	7	14	24	33	35	36
35-49	92	18.7	96	8	9	17	22	33	38	51
50-64	385	18.7	99	9	10	17	22	29	34	66
65+	350	21.4	135	10	11	18	25	35	45	81
TOT. SINGLE DX	526	15.6	42	8	9	15	19	24	28	37
" MULTIPLE DX	848	19.8	115	9	10	18	23	31	38	69
TOTAL 0-19 YRS	7	19.6	74	10	10	18	27	31	32	32
20-34	29	15.9	61	6	8	13	20	27	34	36
35-49	168	16.7	73	7	8	15	20	29	34	48
50-64	625	17.3	78	8	9	16	20	27	31	47
65+	545	19.7	109	9	10	18	23	32	39	67
GRAND TOTAL	1374	18.2	91	8	9	16	22	29	34	59

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	4.5	23	1	1	2	6	11	14	22
20-34	226	6.4	58	1	1	5	8	13	17	35
35-49	365	6.8	58	1	2	5	9	15	19	31
50-64	746	7.2	45	1	2	5	10	16	21	31
65+	711	8.3	48	2	2	6	11	17	22	33
2. MULTIPLE DX										
0-19 YRS	150	10.6	118	1	2	7	14	25	36	53
20-34	350	9.6	101	1	2	7	12	19	28	56
35-49	779	10.4	108	2	2	8	13	22	29	60
50-64	1988	11.4	92	2	3	9	15	23	30	49
65+	2511	13.2	119	2	3	10	17	26	34	59
TOT. SINGLE DX	2229	7.2	49	1	2	5	10	16	21	32
" MULTIPLE DX	5778	11.9	109	2	3	9	15	24	32	55
TOTAL 0-19 YRS	331	7.2	76	1	1	4	9	16	25	43
20-34	576	8.3	87	1	2	6	10	16	24	47
35-49	1144	9.3	95	2	2	6	11	20	26	53
50-64	2734	10.2	83	2	2	8	14	21	28	46
65+	3222	12.1	108	2	3	9	16	25	32	54
GRAND TOTAL	8007	10.6	97	2	2	8	14	22	29	50

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	6.3	20	1	2	5	9	11	16	20
20-34	74	6.0	22	2	3	5	7	9	16	28
35-49	33	8.0	27	2	3	7	11	16	19	23
50-64	21	10.6	47	3	4	10	14	19	23	28
65+	20	12.0	33	3	4	11	15	18	23	27
2. MULTIPLE DX										
0-19 YRS	25	11.0	106	1	3	7	13	24	36	46
20-34	59	10.1	95	3	3	7	10	23	35	48
35-49	38	12.9	193	4	4	9	14	22	37	82
50-64	71	16.2	206	3	5	11	19	34	40	75
65+	74	13.2	78	2	4	10	16	28	32	39
TOT. SINGLE DX	172	7.7	32	2	3	6	10	16	19	28
" MULTIPLE DX	267	13.0	138	3	4	9	16	29	36	61
TOTAL 0-19 YRS	49	8.7	68	1	2	7	10	18	24	46
20-34	133	7.8	59	2	3	6	8	15	25	43
35-49	71	10.6	121	3	3	8	12	19	24	73
50-64	92	14.9	175	3	4	11	19	31	38	72
65+	94	12.9	69	2	4	10	16	27	32	39
GRAND TOTAL	439	10.9	103	2	3	8	13	23	32	50

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	6.4	21	2	3	5	8	11	15	25
20-34	575	6.5	32	2	3	5	8	11	14	26
35-49	219	8.1	42	3	3	6	10	15	19	38
50-64	222	11.2	70	3	4	9	14	21	26	41
65+	160	13.3	86	3	4	11	19	26	32	40
2. MULTIPLE DX										
0-19 YRS	258	14.3	255	3	4	9	15	36	46	94
20-34	534	10.4	105	3	3	7	12	20	33	60
35-49	413	13.1	107	3	4	10	17	25	34	67
50-64	700	14.9	145	3	4	12	19	30	38	68
65+	780	16.6	145	4	5	13	22	30	41	62
TOT. SINGLE DX	1350	8.3	51	3	3	6	10	16	21	37
" MULTIPLE DX	2685	14.2	147	3	4	11	18	28	39	70
TOTAL 0-19 YRS	432	11.1	176	3	3	7	12	22	38	82
20-34	1109	8.4	71	3	3	6	10	15	23	50
35-49	632	11.4	90	3	4	9	15	23	31	55
50-64	922	14.0	130	3	4	11	18	27	36	62
65+	940	16.0	137	4	5	13	21	30	39	59
GRAND TOTAL	4035	12.2	122	3	4	9	15	25	34	59

570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	179	5.6	12	1	2	6	6	8	10	20
20-34	188	7.1	41	1	2	5	10	14	16	37
35-49	170	7.2	38	1	2	5	10	14	17	36
50-64	210	8.5	45	2	2	7	11	18	22	33
65+	210	10.5	89	2	2	9	14	22	30	56
2. MULTIPLE DX										
0-19 YRS	62	10.3	100	1	2	8	13	20	26	63
20-34	161	10.8	58	2	3	9	14	20	26	35
35-49	259	11.5	104	2	3	9	15	27	31	64
50-64	500	13.4	129	2	3	10	16	27	36	62
65+	619	15.0	132	3	4	12	20	30	37	55
TOT. SINGLE DX	957	7.9	50	1	2	6	10	15	21	38
" MULTIPLE DX	1601	13.3	121	2	3	10	17	28	34	59
TOTAL 0-19 YRS	241	6.8	39	1	2	6	7	12	17	30
20-34	349	8.8	53	1	2	8	12	17	21	36
35-49	429	9.8	83	2	2	7	13	22	28	39
50-64	710	11.9	109	2	3	9	15	24	32	57
65+	829	13.9	125	2	3	11	18	29	37	54
GRAND TOTAL	2558	11.3	101	2	2	9	15	24	31	50

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	9.5	5	7	8	9	10	12	15	19
20-34	67	11.5	18	7	8	10	14	17	18	30
35-49	99	13.0	97	7	8	11	14	18	22	69
50-64	142	13.2	23	9	9	12	15	19	22	32
65+	91	17.5	68	10	10	15	19	26	34	56
2. MULTIPLE DX										
0-19 YRS	64	11.3	23	7	8	10	12	16	19	34
20-34	73	20.3	212	8	9	14	25	45	48	70
35-49	157	18.0	167	8	9	14	19	28	42	83
50-64	326	19.7	149	9	10	16	23	33	50	67
65+	273	21.1	127	10	11	18	25	36	45	78
TOT. SINGLE DX	452	13.3	51	8	8	12	15	20	24	38
" MULTIPLE DX	893	19.3	148	9	9	16	23	33	47	73
TOTAL 0-19 YRS	117	10.4	16	7	8	9	11	15	17	28
20-34	140	16.1	138	7	8	12	17	30	46	65
35-49	256	16.1	146	8	8	13	17	25	34	83
50-64	468	17.7	120	9	9	14	20	30	42	66
65+	364	20.2	115	10	11	18	23	34	43	74
GRAND TOTAL	1345	17.3	123	8	9	14	19	30	40	67

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	28	11.2	15	7	7	11	13	17	20	22
35-49	619	11.1	15	8	8	10	12	16	19	27
50-64	1825	11.8	14	8	8	11	13	16	19	25
65+	718	13.0	20	8	9	12	15	19	22	28
2. MULTIPLE DX										
0-19 YRS	3	13.0	9	10	10	13	15	16	16	16
20-34	58	11.4	12	8	8	10	14	16	19	23
35-49	1011	13.1	33	8	8	12	15	20	24	35
50-64	3257	14.8	57	8	9	13	17	23	29	46
65+	1745	17.6	90	9	10	15	20	30	36	56
TOT. SINGLE DX	3191	11.9	17	8	8	11	13	17	20	27
" MULTIPLE DX	6074	15.3	65	8	9	13	17	24	31	49
TOTAL 0-19 YRS	4	12.5	7	10	10	12	14	16	16	16
20-34	86	11.4	13	7	8	10	13	16	20	23
35-49	1630	12.4	27	8	8	11	14	18	22	32
50-64	5082	13.7	44	8	8	12	16	21	25	40
65+	2463	16.3	74	9	9	14	19	27	34	52
GRAND TOTAL	9265	14.1	51	8	8	12	16	22	27	43

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	198	2.1		1	1	2	2	3	3	7
20-34	276	3.4	8	1	2	2	4	6	9	18
35-49	1637	3.4	9	2	2	2	4	7	9	16
50-64	2836	3.5	10	2	2	2	3	7	10	17
65+	915	4.2	16	2	2	2	4	10	13	20
2. MULTIPLE DX										
0-19 YRS	288	4.0	46	1	1	2	3	8	15	29
20-34	418	5.8	49	2	2	3	7	13	18	35
35-49	3268	5.1	25	2	2	3	7	11	15	25
50-64	7302	5.5	27	2	2	3	7	12	16	25
65+	3071	7.1	58	2	2	4	9	15	20	38
TOT. SINGLE DX	5862	3.5	11	2	2	2	4	7	10	18
" MULTIPLE DX	14347	5.7	35	2	2	3	8	13	16	27
TOTAL 0-19 YRS	486	3.2	29	1	1	2	2	4	9	27
20-34	694	4.8	35	2	2	3	5	10	15	27
35-49	4905	4.6	21	2	2	3	6	10	13	22
50-64	10138	4.9	24	2	2	3	6	11	15	24
65+	3986	6.4	50	2	2	4	9	14	19	33
GRAND TOTAL	20209	5.1	29	2	2	3	6	11	15	25

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.6	4	3	3	7	8	8	8	8
20-34	22	9.9	79	2	3	8	13	18	28	43
35-49	58	8.2	32	2	4	7	9	14	18	35
50-64	232	7.6	31	2	2	6	10	15	19	26
65+	1095	7.6	33	2	2	6	9	15	18	30
2. MULTIPLE DX										
0-19 YRS	13	10.2	29	2	3	12	13	16	20	21
20-34	35	10.0	190	2	2	7	11	15	21	84
35-49	188	13.2	71	3	4	12	17	21	25	44
50-64	986	12.6	62	3	4	11	16	22	27	40
65+	5060	13.2	87	3	4	11	17	24	30	48
TOT. SINGLE DX	1412	7.7	34	2	2	6	10	15	18	30
" MULTIPLE DX	6282	13.1	84	3	4	11	17	24	29	47
TOTAL 0-19 YRS	18	9.2	25	2	3	8	12	14	19	21
20-34	57	9.9	146	2	2	7	11	17	21	81
35-49	246	12.0	67	3	4	10	16	21	23	44
50-64	1218	11.6	61	3	4	10	15	21	25	39
65+	6155	12.2	82	3	4	10	15	23	28	46
GRAND TOTAL	7694	12.1	79	3	4	10	15	23	28	45

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	11.8	107	1	1	10	15	22	38	42
20-34	24	7.6	10	2	3	7	9	13	14	15
35-49	40	8.2	21	3	3	7	10	16	18	19
50-64	61	9.5	27	2	3	9	13	16	17	26
65+	28	10.1	43	3	3	8	15	19	25	25
2. MULTIPLE DX										
0-19 YRS	22	12.0	32	4	6	11	14	18	25	29
20-34	53	15.3	204	5	6	11	17	22	59	74
35-49	104	15.1	97	3	5	13	20	29	37	48
50-64	210	15.5	162	3	4	12	18	29	42	68
65+	130	18.5	168	3	5	15	25	37	44	60
TOT. SINGLE DX	167	9.2	33	2	3	9	12	17	19	27
" MULTIPLE DX	519	16.0	151	3	5	13	20	31	42	63
TOTAL 0-19 YRS	36	11.9	59	1	3	11	14	20	27	42
20-34	77	12.9	156	3	5	10	14	21	36	71
35-49	144	13.2	86	3	4	11	17	24	32	47
50-64	271	14.2	138	2	4	11	16	26	40	63
65+	158	17.0	157	3	5	14	22	35	40	54
GRAND TOTAL	686	14.4	131	3	4	11	17	27	39	61

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	2.9	14	<1	1	2	3	6	10	16
20-34	210	3.7	19	<1	1	2	4	8	10	25
35-49	339	3.7	23	1	1	2	3	9	15	26
50-64	525	4.3	38	1	1	2	4	10	18	34
65+	480	5.9	72	1	1	2	7	15	22	39
2. MULTIPLE DX										
0-19 YRS	208	7.5	71	1	1	5	10	16	21	79
20-34	253	10.7	121	1	2	8	14	22	31	59
35-49	461	9.0	73	1	2	7	12	19	28	39
50-64	1014	10.7	119	1	2	8	14	23	34	61
65+	1823	14.0	128	2	3	11	19	29	35	58
TOT. SINGLE DX	1763	4.4	41	1	1	2	4	10	17	31
" MULTIPLE DX	3759	11.9	121	2	2	9	16	25	34	58
TOTAL 0-19 YRS	417	5.2	48	1	1	2	7	13	16	45
20-34	463	7.5	87	1	1	4	10	17	25	55
35-49	800	6.8	59	1	1	3	9	16	22	36
50-64	1539	8.5	101	1	1	5	11	20	28	52
65+	2303	12.3	128	2	2	9	17	27	34	55
GRAND TOTAL	5522	9.5	108	1	1	6	13	22	30	50

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.9	4	2	2	3	4	7	9	10
20-34	565	4.1	4	2	2	4	5	6	7	10
35-49	832	4.7	11	2	3	4	5	8	9	16
50-64	646	5.7	21	2	3	5	6	9	12	25
65+	204	7.1	27	2	3	5	9	12	17	30
2. MULTIPLE DX										
0-19 YRS	4	4.3	1	3	3	4	5	6	6	6
20-34	151	5.4	19	2	2	4	6	9	13	25
35-49	347	6.6	19	2	3	5	8	12	14	25
50-64	422	7.9	41	3	3	6	9	15	21	33
65+	169	12.6	102	3	3	9	17	29	35	44
TOT. SINGLE DX	2268	5.0	14	2	3	4	6	8	10	21
" MULTIPLE DX	1093	7.9	45	2	3	6	9	15	21	37
TOTAL 0-19 YRS	25	3.9	4	2	2	3	4	7	8	10
20-34	716	4.4	7	2	2	4	5	6	8	14
35-49	1179	5.3	14	2	3	4	6	9	11	19
50-64	1068	6.6	30	2	3	5	7	11	18	30
65+	373	9.6	69	3	3	7	12	21	29	41
GRAND TOTAL	3361	6.0	26	2	3	4	7	10	15	29

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	9.5	28	1	2	10	13	16	18	18
20-34	56	7.1	52	<1	1	5	10	13	18	45
35-49	169	9.6	44	2	3	10	12	15	18	42
50-64	547	11.2	32	3	6	10	13	18	21	33
65+	514	13.3	70	4	6	11	15	21	28	50
2. MULTIPLE DX										
0-19 YRS	47	11.9	55	3	4	11	15	25	30	99+
20-34	153	12.6	128	2	2	10	16	30	40	55
35-49	423	15.4	150	3	4	12	18	31	47	60
50-64	1525	16.2	144	4	6	13	19	29	40	72
65+	1748	19.0	166	6	8	16	23	35	45	81
TOT. SINGLE DX	1297	11.6	53	2	4	10	14	19	23	42
" MULTIPLE DX	3896	17.2	156	4	6	14	21	32	44	75
TOTAL 0-19 YRS	58	11.4	50	2	3	11	15	23	28	94
20-34	209	11.1	114	1	2	8	14	27	35	53
35-49	592	13.7	127	2	3	11	17	25	39	56
50-64	2072	14.8	120	4	6	12	18	26	35	66
65+	2262	17.7	150	5	7	14	21	33	44	76
GRAND TOTAL	5193	15.8	136	3	6	13	19	29	39	67

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	9.0	1	8	8	9	10	10	10	10
50-64	6	15.3	24	9	9	16	17	22	23	23
65+	5	18.0	153	8	8	12	27	37	37	37
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	24.0	399	7	7	19	39	46	46	46
35-49	3	10.7	9	8	8	10	13	14	14	14
50-64	30	15.1	138	8	8	10	19	22	34	68
65+	15	14.3	36	8	9	13	17	22	27	29
TOT. SINGLE DX	15	14.9	64	8	8	12	17	24	34	37
" MULTIPLE DX	52	15.0	111	8	8	11	19	23	33	68
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	4	21.5	291	7	7	16	32	46	46	46
35-49	6	9.8	5	8	8	9	10	14	14	14
50-64	36	15.1	118	8	8	11	19	23	31	68
65+	20	15.3	62	8	8	12	19	26	33	37
GRAND TOTAL	67	15.0	99	8	8	11	18	23	34	64

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.1	7	<1	<1	1	2	6	10	10
20-34	11	9.1	65	<1	1	7	12	21	29	30
35-49	26	6.6	77	1	2	4	6	14	24	48
50-64	58	5.8	28	1	1	4	7	13	17	28
65+	39	7.5	30	1	2	6	10	14	19	27
2. MULTIPLE DX										
0-19 YRS	34	7.4	54	<1	<1	5	11	17	19	35
20-34	292	6.0	43	<1	<1	4	7	14	19	37
35-49	393	7.0	45	1	2	5	9	15	19	34
50-64	785	8.0	71	1	2	6	9	15	22	44
65+	619	9.0	74	2	2	7	11	19	24	51
TOT. SINGLE DX	145	6.4	40	1	1	5	8	14	18	31
" MULTIPLE DX	2123	7.8	64	1	2	5	10	16	21	40
TOTAL 0-19 YRS	45	6.1	48	<1	<1	3	9	16	18	35
20-34	303	6.1	44	<1	<1	4	8	14	19	37
35-49	419	7.0	47	1	2	5	9	15	19	34
50-64	843	7.8	69	1	2	6	9	15	21	44
65+	658	8.9	72	2	2	7	11	18	24	51
GRAND TOTAL	2268	7.7	63	1	2	5	9	16	21	40

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	7.8	59	1	1	6	10	14	21	41
20-34	326	6.9	63	1	1	5	9	16	20	32
35-49	397	9.1	63	2	2	7	11	19	24	40
50-64	1295	9.4	46	2	3	8	12	17	21	31
65+	1824	10.7	55	2	4	9	14	19	23	38
2. MULTIPLE DX										
0-19 YRS	1800	19.5	370	1	3	12	29	51	68	99+
20-34	575	11.8	168	1	2	7	15	26	41	72
35-49	967	13.5	205	2	2	9	17	30	45	82
50-64	3297	13.6	132	2	4	11	17	27	36	74
65+	4986	15.7	135	4	5	13	19	29	39	65
TOT. SINGLE DX	4094	9.7	56	2	3	8	12	18	22	38
" MULTIPLE DX	11625	15.3	183	2	4	12	19	32	44	83
TOTAL 0-19 YRS	2052	18.1	347	1	3	11	25	49	65	99+
20-34	901	10.0	136	1	2	6	13	21	33	67
35-49	1364	12.2	168	2	2	8	15	27	38	71
50-64	4592	12.4	112	2	3	10	15	24	32	63
65+	6810	14.3	119	3	5	12	18	26	35	62
GRAND TOTAL	15719	13.8	156	2	3	10	17	28	39	75

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	579	3.0	7	<1	1	2	3	6	9	16
20-34	592	4.7	21	1	1	3	6	9	14	24
35-49	384	5.1	29	1	2	3	6	11	14	23
50-64	458	6.4	34	1	2	5	9	13	17	28
65+	371	7.4	34	2	2	6	10	15	20	31
2. MULTIPLE DX										
0-19 YRS	188	5.2	23	1	1	3	7	11	14	28
20-34	314	6.7	27	2	2	5	9	13	17	26
35-49	392	8.0	49	2	2	6	11	16	22	35
50-64	730	10.5	91	2	2	8	13	21	29	48
65+	900	11.9	90	2	3	9	15	24	29	56
TOT. SINGLE DX	2384	5.1	26	1	1	3	7	11	15	25
" MULTIPLE DX	2524	9.7	76	2	2	7	13	20	26	44
TOTAL 0-19 YRS	767	3.6	13	<1	1	2	4	8	11	17
20-34	906	5.4	24	1	2	3	7	11	15	25
35-49	776	6.6	42	1	2	4	9	14	19	31
50-64	1188	8.9	73	2	2	7	11	18	26	44
65+	1271	10.5	78	2	2	8	14	22	27	47
GRAND TOTAL	4908	7.5	57	1	2	5	10	16	22	36

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.4	1	1	1	2	3	4	5	6
20-34	42	7.0	22	2	2	6	9	16	17	18
35-49	39	10.1	161	2	2	8	12	16	19	81
50-64	76	10.8	81	3	3	8	13	21	26	53
65+	77	10.9	51	4	4	9	14	21	28	36
2. MULTIPLE DX										
0-19 YRS	5	5.4	32	1	1	3	8	15	15	15
20-34	31	9.3	121	2	3	7	10	14	16	65
35-49	55	13.4	150	2	4	9	16	24	29	73
50-64	180	14.6	152	4	5	10	17	31	40	58
65+	210	14.4	160	4	5	10	17	28	36	77
TOT. SINGLE DX	252	9.5	74	2	3	8	12	18	23	38
" MULTIPLE DX	481	13.9	154	3	4	10	16	29	37	68
TOTAL 0-19 YRS	23	3.1	9	1	1	2	3	6	9	15
20-34	73	8.0	64	2	2	6	10	15	16	54
35-49	94	12.0	156	2	3	9	15	22	27	78
50-64	256	13.4	134	3	4	9	16	30	36	59
65+	287	13.4	133	4	5	10	16	26	35	66
GRAND TOTAL	733	12.4	131	2	3	9	15	25	35	61

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	12.0	2	11	11	12	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	73.0		73	73	73	73	73	73	73
20-34	2	14.0	72	8	8	14	20	20	20	20
35-49										
50-64	4	9.5	111	2	2	5	16	25	25	25
65+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	2	12.0	2	11	11	12	13	13	13	13
" MULTIPLE DX	8	18.3	553	2	3	8	22	59	73	73
TOTAL 0-19 YRS	1	73.0		73	73	73	73	73	73	73
20-34	2	14.0	72	8	8	14	20	20	20	20
35-49	2	12.0	2	11	11	12	13	13	13	13
50-64	4	9.5	111	2	2	5	16	25	25	25
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	10	17.0	437	2	3	9	20	49	73	73

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
TOT. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
" MULTIPLE DX	1	10.0		10	10	10	10	10	10	10
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
GRAND TOTAL	3	5.0	19	2	2	3	8	10	10	10

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	7.4	46	2	3	6	8	13	18	44
20-34	286	8.5	50	2	3	6	10	16	23	37
35-49	239	8.7	57	2	2	7	10	17	23	36
50-64	411	9.2	63	2	2	7	11	19	27	44
65+	612	10.3	75	2	3	8	13	20	27	47
2. MULTIPLE DX										
0-19 YRS	299	11.4	122	2	3	8	13	23	36	75
20-34	578	11.9	138	3	4	9	13	23	34	75
35-49	717	12.4	108	3	4	9	15	24	31	64
50-64	1628	12.7	108	3	4	10	16	24	32	59
65+	3742	13.9	118	3	5	11	17	26	35	59
TOT. SINGLE DX	1793	9.2	63	2	3	7	11	18	25	43
" MULTIPLE DX	6964	13.2	117	3	4	10	16	25	34	61
TOTAL 0-19 YRS	544	9.6	92	2	3	7	11	18	28	56
20-34	864	10.8	112	3	3	8	12	20	32	61
35-49	956	11.5	98	2	4	8	14	22	30	59
50-64	2039	12.0	101	3	4	9	15	23	31	55
65+	4354	13.4	114	3	4	10	16	25	34	57
GRAND TOTAL	8757	12.3	109	3	4	9	15	24	32	57

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	12.2	261	2	2	5	14	41	44	44
20-34	20	14.3	295	1	2	9	18	30	54	76
35-49	16	9.1	45	1	1	8	15	17	21	23
50-64	28	12.0	76	3	3	9	15	27	32	37
65+	36	16.4	317	2	2	11	19	38	64	77
2. MULTIPLE DX										
0-19 YRS	59	20.6	506	2	3	13	30	68	83	99+
20-34	63	17.7	253	3	3	12	24	46	53	97
35-49	100	16.9	287	2	3	13	19	32	57	91
50-64	161	16.4	185	3	4	12	20	34	45	69
65+	268	20.2	240	3	5	17	27	42	52	96
TOT. SINGLE DX	106	13.5	205	2	2	9	16	30	39	76
" MULTIPLE DX	651	18.5	261	3	4	14	24	40	56	92
TOTAL 0-19 YRS	65	19.9	486	2	3	13	28	63	82	99+
20-34	83	16.9	262	2	3	11	24	42	53	94
35-49	116	15.8	261	2	3	13	18	30	53	91
50-64	189	15.7	171	3	4	12	19	33	44	68
65+	304	19.8	250	3	4	16	26	41	52	94
GRAND TOTAL	757	17.8	256	3	4	13	23	38	54	90

588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	4.1	11	<1	1	3	6	10	11	13
20-34	117	5.0	17	1	1	3	7	11	13	20
35-49	170	7.1	45	1	1	5	9	16	22	30
50-64	248	8.0	106	1	1	4	9	19	31	50
65+	312	7.1	59	1	1	5	9	16	20	41
2. MULTIPLE DX										
0-19 YRS	48	8.9	95	1	1	6	12	16	27	54
20-34	233	7.9	64	1	2	6	9	16	23	40
35-49	437	8.8	68	2	2	7	10	18	26	46
50-64	842	9.8	101	2	2	7	12	22	30	51
65+	1108	11.6	127	2	3	9	14	24	33	59
TOT. SINGLE DX	889	6.9	63	1	1	4	9	15	21	41
" MULTIPLE DX	2668	10.2	105	2	2	7	12	22	30	50
TOTAL 0-19 YRS	90	6.6	61	<1	1	4	9	14	16	46
20-34	350	6.9	51	1	2	5	8	13	19	35
35-49	607	8.3	62	1	2	6	10	18	25	45
50-64	1090	9.4	103	1	2	6	12	21	30	50
65+	1420	10.6	116	2	2	8	13	22	31	53
GRAND TOTAL	3557	9.4	97	1	2	6	11	20	29	48

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	355	4.4	8	2	2	4	5	7	8	14
20-34	4	6.0	1	5	5	6	7	7	7	7
35-49	7	11.6	35	7	7	9	13	22	24	24
50-64	6	34.7	330	7	9	38	49	52	52	52
65+	12	16.8	85	4	5	14	27	28	29	29
2. MULTIPLE DX										
0-19 YRS	67	7.2	55	2	3	5	8	11	17	44
20-34	7	12.3	67	6	6	11	12	26	30	30
35-49	13	14.2	23	7	9	12	18	19	23	24
50-64	17	18.6	133	8	9	14	20	41	47	48
65+	29	17.8	89	7	8	15	22	33	38	41
TOT. SINGLE DX	384	5.4	34	2	2	4	5	8	13	36
" MULTIPLE DX	133	11.9	93	3	3	9	15	24	34	45
TOTAL 0-19 YRS	422	4.8	17	2	2	4	5	8	10	20
20-34	11	10.0	51	5	5	7	11	19	29	30
35-49	20	13.3	27	7	8	12	17	21	24	24
50-64	23	22.8	224	8	9	19	27	49	50	52
65+	41	17.5	86	6	7	14	23	30	36	41
GRAND TOTAL	517	7.1	57	2	2	4	8	14	23	44

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.6	24	1	2	4	9	15	16	16
20-34	7	7.1	14	3	3	9	9	12	13	13
35-49	13	20.6	252	6	6	13	36	44	49	50
50-64	14	9.0	22	3	4	8	11	14	19	21
65+	51	18.1	212	5	6	14	23	43	74	99+
2. MULTIPLE DX										
0-19 YRS	32	18.3	263	5	6	14	20	36	44	88
20-34	13	24.5	758	3	5	13	69	99+	99+	99+
35-49	28	26.4	398	4	6	21	34	65	67	69
50-64	111	23.8	326	6	7	17	33	56	66	99+
65+	333	26.0	321	6	8	21	35	57	71	99+
TOT. SINGLE DX	92	15.3	181	3	4	11	20	40	48	99+
" MULTIPLE DX	517	25.0	335	5	7	19	34	57	72	99+
TOTAL 0-19 YRS	39	16.2	239	4	4	13	19	33	43	88
20-34	20	18.5	556	2	3	10	28	89	99+	99+
35-49	41	24.6	352	5	6	18	35	56	66	69
50-64	125	22.2	314	5	7	16	31	55	64	99+
65+	384	24.9	314	6	7	20	35	56	72	99+
GRAND TOTAL	609	23.6	323	5	7	18	32	55	70	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	4.7	7	1	1	5	6	9	11	11
20-34	134	5.9	11	1	2	5	8	11	13	15
35-49	222	6.3	20	1	2	5	8	11	16	24
50-64	259	7.4	47	1	2	6	9	12	16	43
65+	281	7.8	28	1	2	7	9	14	17	27
2. MULTIPLE DX										
0-19 YRS	37	6.4	10	3	3	5	8	11	13	16
20-34	377	7.6	35	2	3	6	9	14	17	30
35-49	771	8.5	41	2	3	7	10	15	21	35
50-64	1246	9.4	46	3	3	8	11	17	22	35
65+	1870	11.4	71	3	4	9	14	22	27	45
TOT. SINGLE DX	917	6.9	30	1	2	6	9	12	16	25
" MULTIPLE DX	4301	9.9	57	3	3	8	12	19	24	40
TOTAL 0-19 YRS	58	5.8	10	2	2	5	7	11	11	16
20-34	511	7.2	30	2	3	6	9	13	15	26
35-49	993	8.0	38	2	3	7	10	14	20	34
50-64	1505	9.0	47	2	3	8	11	16	22	35
65+	2151	11.0	67	3	4	9	14	21	26	45
GRAND TOTAL	5218	9.4	54	2	3	8	11	18	23	38

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	7.5	6	3	5	7	9	11	13	13
20-34	101	11.4	20	6	7	10	14	17	21	26
35-49	190	13.2	50	7	8	11	15	21	27	45
50-64	227	14.6	80	7	8	13	16	23	27	49
65+	177	18.3	105	8	10	16	21	28	40	61
2. MULTIPLE DX										
0-19 YRS	7	15.7	51	5	6	15	21	25	26	26
20-34	77	15.1	89	7	8	12	19	24	36	55
35-49	267	17.1	108	7	8	14	20	30	40	61
50-64	400	19.3	120	9	10	17	23	31	39	68
65+	515	23.5	213	10	11	20	27	44	59	83
TOT. SINGLE DX	706	14.6	75	7	8	13	17	23	28	49
" MULTIPLE DX	1266	20.2	162	8	9	17	24	35	47	71
TOTAL 0-19 YRS	18	10.7	39	4	5	8	13	21	24	26
20-34	178	13.0	53	6	7	11	15	20	25	48
35-49	457	15.5	88	7	8	13	17	28	34	53
50-64	627	17.6	111	8	9	15	21	29	37	65
65+	692	22.2	190	9	10	18	25	40	54	79
GRAND TOTAL	1972	18.2	138	8	9	15	21	31	42	69

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	16.0	9	13	13	16	18	19	19	19
35-49	7	18.1	27	8	9	20	21	23	24	24
50-64	22	20.6	52	10	12	18	25	32	34	36
65+	23	21.0	51	11	13	19	27	31	34	37
2. MULTIPLE DX										
0-19 YRS										
20-34	1	22.0		22	22	22	22	22	22	22
35-49	18	28.2	379	7	9	24	33	63	73	75
50-64	49	24.0	197	10	13	18	28	46	56	65
65+	59	27.3	211	13	14	23	30	43	67	77
TOT. SINGLE DX	55	20.2	47	10	13	19	24	30	33	37
" MULTIPLE DX	127	26.1	227	11	13	22	29	44	65	76
TOTAL 0-19 YRS										
20-34	4	17.5	15	13	13	17	20	22	22	22
35-49	25	25.4	297	7	9	20	29	46	72	75
50-64	71	23.0	154	10	12	18	27	40	55	65
65+	82	25.6	174	12	14	22	28	40	53	76
GRAND TOTAL	182	24.4	179	11	13	21	28	40	55	74

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.0	10	5	5	7	11	13	14	14
20-34	106	11.8	51	6	7	9	13	21	23	41
35-49	144	12.1	36	7	7	10	14	18	23	36
50-64	123	13.1	46	7	7	11	14	20	28	45
65+	51	15.0	73	6	7	12	18	25	32	53
2. MULTIPLE DX										
0-19 YRS	7	11.6	12	7	8	11	13	17	18	18
20-34	82	13.4	60	6	8	11	15	22	31	46
35-49	185	14.0	55	7	7	12	16	23	31	45
50-64	225	16.8	109	8	8	14	20	28	36	68
65+	172	22.2	164	9	10	19	27	38	47	73
TOT. SINGLE DX	435	12.5	48	6	7	11	15	21	24	44
" MULTIPLE DX	671	17.0	112	7	8	14	20	30	38	62
TOTAL 0-19 YRS	18	9.4	14	5	5	9	12	14	16	18
20-34	188	12.5	56	6	7	10	15	21	25	46
35-49	329	13.2	48	7	7	11	15	22	26	43
50-64	348	15.5	90	7	8	13	18	26	32	62
65+	223	20.6	152	8	9	17	25	37	46	71
GRAND TOTAL	1106	15.2	92	7	7	12	18	26	34	53

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	7.4	11	2	3	7	8	11	13	21
20-34	551	8.8	22	5	6	8	10	12	15	25
35-49	410	10.0	29	5	6	9	11	15	20	31
50-64	202	11.0	24	6	7	10	13	17	21	31
65+	170	14.4	60	6	7	13	17	26	30	39
2. MULTIPLE DX										
0-19 YRS	69	11.5	103	4	5	8	10	25	39	91
20-34	869	9.9	49	5	5	8	10	16	21	44
35-49	929	11.8	83	5	6	9	12	21	29	54
50-64	543	15.5	118	6	7	12	19	27	35	71
65+	451	20.6	194	7	9	16	25	38	53	87
TOT. SINGLE DX	1392	10.1	32	5	6	9	11	16	21	32
" MULTIPLE DX	2861	13.3	111	5	6	10	15	25	33	64
TOTAL 0-19 YRS	128	9.6	65	3	4	8	9	15	26	65
20-34	1420	9.5	39	5	5	8	10	14	18	38
35-49	1339	11.2	67	5	6	9	12	18	26	49
50-64	745	14.3	97	6	7	11	17	25	32	65
65+	621	18.9	165	7	8	15	23	32	47	70
GRAND TOTAL	4253	12.2	87	5	6	9	14	22	29	56

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	5.4	22	1	1	4	7	11	15	26
20-34	344	5.5	13	1	1	5	7	11	12	16
35-49	385	5.2	18	1	1	4	7	10	13	23
50-64	555	4.6	26	1	1	3	6	11	15	24
65+	567	5.2	26	1	1	3	7	13	16	24
2. MULTIPLE DX										
0-19 YRS	129	6.8	26	1	2	5	9	13	16	28
20-34	497	7.5	33	2	3	6	9	14	19	32
35-49	817	8.2	58	1	2	6	10	16	21	39
50-64	1499	7.9	46	1	2	7	10	15	20	33
65+	2295	10.0	76	2	2	8	13	20	27	44
TOT. SINGLE DX	1988	5.1	22	1	1	3	7	11	15	22
" MULTIPLE DX	5237	8.8	61	2	2	7	11	18	23	39
TOTAL 0-19 YRS	266	6.1	25	1	2	5	8	13	16	28
20-34	841	6.7	27	1	2	6	8	12	15	25
35-49	1202	7.2	48	1	2	6	9	14	19	35
50-64	2054	7.0	43	1	1	5	9	14	19	32
65+	2862	9.1	70	1	2	7	12	19	25	42
GRAND TOTAL	7225	7.8	53	1	2	6	10	16	21	36

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	10.5	82	5	5	8	12	15	37	46
20-34	48	13.0	45	6	7	11	15	20	26	40
35-49	59	12.3	44	6	7	10	13	20	31	33
50-64	64	15.8	145	6	8	13	16	31	40	73
65+	82	17.0	134	6	7	15	20	28	40	69
2. MULTIPLE DX										
0-19 YRS	51	20.0	400	6	7	13	26	71	98	99+
20-34	138	14.3	72	7	7	12	17	25	34	62
35-49	139	18.2	229	6	7	14	21	34	57	99+
50-64	249	21.5	225	7	8	17	27	45	57	99+
65+	396	21.4	170	8	10	18	26	39	51	92
TOT. SINGLE DX	286	14.3	101	6	7	11	16	23	34	57
" MULTIPLE DX	973	19.9	196	7	8	16	24	40	54	99+
TOTAL 0-19 YRS	84	16.3	294	5	6	10	18	48	90	99+
20-34	186	14.0	65	6	7	12	17	23	32	55
35-49	198	16.4	181	6	7	13	19	31	47	99
50-64	313	20.3	214	7	8	16	26	44	54	99+
65+	478	20.7	166	8	9	17	25	37	50	82
GRAND TOTAL	1259	18.6	180	7	8	15	22	37	50	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	15.4	102	7	7	12	20	27	36	52
20-34	145	13.6	52	6	7	12	15	23	32	39
35-49	270	13.5	34	8	9	12	16	20	23	41
50-64	671	13.8	36	8	9	13	16	19	24	38
65+	1108	15.8	50	9	10	14	18	23	27	43
2. MULTIPLE DX										
0-19 YRS	65	19.0	251	6	7	14	22	48	70	99+
20-34	235	16.9	125	7	8	13	18	31	42	65
35-49	465	16.6	96	8	9	14	19	27	34	71
50-64	1451	18.1	108	9	10	15	21	29	39	63
65+	3241	21.1	131	10	11	18	25	35	44	70
TOT. SINGLE DX	2229	14.8	46	8	9	13	17	22	26	42
" MULTIPLE DX	5457	19.7	126	9	10	17	23	33	43	70
TOTAL 0-19 YRS	100	17.8	201	7	7	13	21	44	58	99+
20-34	380	15.6	100	7	8	13	17	30	37	62
35-49	735	15.5	76	8	9	13	18	24	31	54
50-64	2122	16.8	90	9	10	14	19	27	35	59
65+	4349	19.7	116	9	11	17	23	32	41	67
GRAND TOTAL	7686	18.3	108	9	10	15	21	30	39	65

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.6	17	3	3	9	12	14	14	14
20-34	17	11.2	72	4	4	9	11	18	33	41
35-49	16	9.4	18	3	5	9	11	13	19	22
50-64	20	12.0	31	3	5	11	14	20	23	26
65+	31	20.3	89	6	10	20	28	32	35	44
2. MULTIPLE DX										
0-19 YRS	14	19.9	585	3	6	12	16	38	85	99
20-34	32	15.3	57	6	8	13	23	28	32	99+
35-49	51	21.7	147	9	9	20	28	39	45	62
50-64	129	17.8	160	7	8	14	21	35	43	88
65+	204	22.6	206	9	10	19	26	38	55	84
TOT. SINGLE DX	91	13.9	75	4	5	12	17	28	32	43
" MULTIPLE DX	430	20.4	191	8	9	16	25	36	46	88
TOTAL 0-19 YRS	21	16.1	415	3	4	11	14	31	62	99
20-34	49	13.9	65	4	6	11	17	27	33	99+
35-49	67	18.8	144	6	8	13	25	35	43	60
50-64	149	17.0	147	6	8	14	20	31	41	85
65+	235	22.3	191	9	10	19	27	37	47	83
GRAND TOTAL	521	19.3	177	7	8	15	24	35	43	85

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	7.6	15	3	4	7	9	11	13	29
20-34	228	9.7	18	5	5	9	11	13	16	27
35-49	177	10.3	29	4	6	10	12	15	17	24
50-64	201	11.8	48	5	7	10	13	19	24	39
65+	252	11.7	39	3	6	11	14	18	24	34
2. MULTIPLE DX										
0-19 YRS	132	14.4	183	4	5	11	18	26	35	91
20-34	303	12.9	103	5	6	10	14	23	30	72
35-49	299	14.8	123	5	7	11	17	26	35	78
50-64	380	16.3	150	6	7	13	18	27	43	68
65+	616	17.4	136	7	8	14	20	33	44	66
TOT. SINGLE DX	981	10.5	33	4	5	10	12	16	20	33
" MULTIPLE DX	1730	15.7	138	6	7	12	18	29	40	69
TOTAL 0-19 YRS	255	11.1	114	3	4	8	12	20	27	61
20-34	531	11.5	70	5	6	10	12	18	25	53
35-49	476	13.1	93	5	6	11	14	21	30	62
50-64	581	14.7	120	6	7	12	16	26	35	65
65+	868	15.8	115	6	7	13	18	29	40	59
GRAND TOTAL	2711	13.8	106	5	6	11	16	24	33	62

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	12.3	25	5	6	12	15	19	22	22
20-34	15	11.1	47	3	3	10	15	22	25	26
35-49	25	12.0	16	4	6	12	14	18	19	20
50-64	44	17.9	148	5	7	15	22	30	40	70
65+	77	18.1	84	7	8	16	24	31	33	48
2. MULTIPLE DX										
0-19 YRS	22	16.0	211	5	6	11	20	52	75	99+
20-34	39	15.9	76	3	5	15	20	25	31	45
35-49	76	21.3	211	6	8	19	25	47	55	91
50-64	206	22.9	186	9	10	20	28	42	52	92
65+	388	24.8	194	9	11	22	32	44	53	71
TOT. SINGLE DX	173	16.2	91	5	7	14	20	28	32	48
" MULTIPLE DX	731	23.2	194	8	10	20	28	43	53	79
TOTAL 0-19 YRS	34	14.7	146	5	6	11	16	28	59	99+
20-34	54	14.6	72	3	4	13	20	25	26	45
35-49	101	19.0	179	5	7	14	23	43	54	83
50-64	250	22.1	183	8	10	19	27	40	50	86
65+	465	23.7	183	8	10	21	30	42	51	70
GRAND TOTAL	904	21.8	181	7	9	19	27	41	50	73

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6661	4.1	6	2	2	4	5	7	9	13
20-34	4163	4.3	7	2	2	4	5	7	9	13
35-49	1299	5.3	9	2	3	4	6	9	11	18
50-64	658	7.1	19	3	3	6	9	12	15	24
65+	290	8.4	29	3	3	7	10	15	21	30
2. MULTIPLE DX										
0-19 YRS	1535	6.3	22	2	3	5	7	12	16	24
20-34	1235	6.3	16	2	3	5	8	11	14	21
35-49	508	9.1	41	3	3	7	11	16	19	35
50-64	445	11.4	54	3	4	10	15	20	25	37
65+	392	14.9	113	5	6	12	18	26	34	63
TOT. SINGLE DX	13071	4.5	9	2	2	4	5	8	10	16
" MULTIPLE DX	4115	8.0	43	2	3	6	10	15	20	33
TOTAL 0-19 YRS	8196	4.5	10	2	2	4	5	8	10	17
20-34	5398	4.8	10	2	2	4	6	8	10	17
35-49	1807	6.3	22	2	3	5	8	12	15	26
50-64	1103	8.9	38	3	3	7	11	16	20	32
65+	682	12.1	88	3	4	10	15	23	29	53
GRAND TOTAL	17186	5.4	19	2	2	4	6	10	13	23

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	4.6	8	2	2	4	6	7	9	19
20-34	89	5.4	9	2	3	5	6	9	11	17
35-49	15	6.4	5	3	4	7	8	10	10	10
50-64	3	7.7	2	6	6	8	9	9	9	9
65+	8	14.6	81	8	8	12	15	30	36	36
2. MULTIPLE DX										
0-19 YRS	37	6.5	14	2	3	5	8	12	14	19
20-34	49	7.6	28	3	3	7	8	13	15	35
35-49	22	8.6	35	3	4	7	10	15	24	29
50-64	15	17.4	247	5	5	12	22	40	57	63
65+	14	19.0	147	6	6	15	25	38	43	44
TOT. SINGLE DX	205	5.6	14	2	3	4	7	10	12	19
" MULTIPLE DX	137	9.7	79	3	4	7	11	20	28	46
TOTAL 0-19 YRS	127	5.2	10	2	2	4	6	9	12	19
20-34	138	6.2	17	2	3	5	7	11	14	22
35-49	37	7.7	24	3	4	7	9	10	18	29
50-64	18	15.8	218	5	5	10	21	35	54	63
65+	22	17.4	123	6	7	14	21	36	40	44
GRAND TOTAL	342	7.2	44	2	3	5	8	13	18	37

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	9.7	31	2	3	8	13	16	20	24
20-34	20	9.3	21	2	3	9	13	15	17	19
35-49	11	13.0	70	5	6	10	14	29	30	30
50-64	11	11.2	21	3	5	10	15	17	18	18
65+	5	16.0	76	8	8	11	25	26	26	26
2. MULTIPLE DX										
0-19 YRS	9	12.0	16	7	7	11	15	18	18	18
20-34	12	12.6	13	6	7	13	15	17	18	18
35-49	10	16.3	70	8	8	14	25	29	30	30
50-64	14	16.1	98	3	4	16	23	32	33	33
65+	7	17.9	43	5	8	18	20	26	27	27
TOT. SINGLE DX	80	10.7	37	3	4	10	14	18	24	29
" MULTIPLE DX	52	14.9	53	4	7	14	18	26	30	33
TOTAL 0-19 YRS	42	10.2	29	3	4	9	14	17	19	24
20-34	32	10.5	20	3	5	10	14	16	18	19
35-49	21	14.6	70	6	7	12	18	29	30	30
50-64	25	14.0	68	3	4	14	18	25	32	33
65+	12	17.1	52	5	7	18	23	26	27	27
GRAND TOTAL	132	12.3	47	3	4	11	16	22	27	32

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	3.6	12	<1	1	2	4	8	12	18
20-34	175	4.7	15	1	2	4	6	9	12	25
35-49	143	4.5	17	1	1	3	6	9	12	22
50-64	178	5.5	21	1	1	4	7	12	16	23
65+	275	6.5	58	1	2	5	8	12	17	35
2. MULTIPLE DX										
0-19 YRS	66	5.1	18	1	2	4	7	8	16	22
20-34	185	6.7	27	2	2	5	9	12	16	28
35-49	242	6.9	28	2	2	5	8	13	16	26
50-64	407	8.7	83	2	2	6	10	17	29	50
65+	735	10.6	86	2	3	8	13	21	27	48
TOT. SINGLE DX	897	5.2	31	1	1	4	6	11	14	25
" MULTIPLE DX	1635	8.9	71	2	2	7	11	17	24	43
TOTAL 0-19 YRS	192	4.1	15	<1	1	3	5	8	13	20
20-34	360	5.7	23	1	2	4	7	11	14	27
35-49	385	6.0	26	1	2	5	7	12	15	26
50-64	585	7.7	67	1	2	5	9	15	20	47
65+	1010	9.5	82	2	2	7	12	19	25	43
GRAND TOTAL	2532	7.6	60	1	2	5	9	15	21	39

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.4	7	1	1	3	4	7	8	15
20-34	416	3.3	5	1	1	3	4	6	7	12
35-49	287	3.7	6	1	1	3	4	6	9	14
50-64	156	4.4	12	1	2	4	6	8	10	22
65+	44	6.9	40	2	3	5	8	15	19	37
2. MULTIPLE DX										
0-19 YRS	39	5.0	31	1	1	4	6	9	9	36
20-34	177	5.5	50	1	2	4	6	11	15	41
35-49	164	5.9	29	2	2	4	7	12	15	27
50-64	169	8.0	71	2	2	5	9	16	22	40
65+	87	11.7	178	3	3	8	13	21	30	85
TOT. SINGLE DX	992	3.8	9	1	1	3	4	7	9	16
" MULTIPLE DX	636	7.1	71	2	2	5	8	14	19	44
TOTAL 0-19 YRS	128	3.9	15	1	1	3	5	7	9	20
20-34	593	4.0	20	1	1	3	5	7	10	18
35-49	451	4.5	16	1	2	4	5	9	12	20
50-64	325	6.3	46	2	2	4	7	12	18	35
65+	131	10.1	137	3	3	7	12	18	26	79
GRAND TOTAL	1628	5.1	36	1	2	4	6	9	14	30

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.7	26	1	4	10	10	16	22	22
20-34	27	11.5	65	1	2	11	16	23	29	30
35-49	67	13.7	46	2	4	13	17	23	28	33
50-64	165	16.2	57	6	10	15	19	24	29	50
65+	213	17.6	62	9	10	16	21	26	30	44
2. MULTIPLE DX										
0-19 YRS	6	16.3	29	7	8	16	20	23	23	23
20-34	40	16.9	167	2	4	15	21	33	56	99+
35-49	73	18.3	155	3	5	16	23	31	36	96
50-64	248	20.8	114	8	10	18	25	35	40	58
65+	505	23.0	137	10	12	20	27	38	48	68
TOT. SINGLE DX	482	16.1	62	4	9	15	20	25	29	38
" MULTIPLE DX	872	21.7	136	8	11	19	26	36	45	71
TOTAL 0-19 YRS	16	12.2	37	3	7	10	16	22	23	23
20-34	67	14.7	132	1	3	13	19	28	40	95
35-49	140	16.1	108	3	5	14	21	27	33	86
50-64	413	19.0	96	7	10	17	23	30	37	56
65+	718	21.4	122	9	11	19	25	35	43	66
GRAND TOTAL	1354	19.7	117	6	10	17	24	32	39	65

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	290	4.2	10	1	1	4	5	8	9	20
20-34	1222	5.4	13	1	2	4	7	10	12	20
35-49	1269	5.6	23	1	2	4	7	9	13	24
50-64	1138	5.8	18	1	2	5	7	11	13	23
65+	926	6.8	27	1	2	5	9	13	17	25
2. MULTIPLE DX										
0-19 YRS	353	5.7	25	2	2	5	7	10	12	22
20-34	2430	6.7	29	2	2	5	8	12	16	28
35-49	3798	7.6	36	2	3	6	9	14	19	30
50-64	4698	8.3	40	2	3	7	10	15	20	33
65+	5773	10.2	69	2	3	8	12	19	26	46
TOT. SINGLE DX	4845	5.7	21	1	2	5	7	10	14	23
" MULTIPLE DX	17052	8.5	49	2	3	7	10	16	21	37
TOTAL 0-19 YRS	643	5.0	19	1	2	4	6	9	11	20
20-34	3652	6.3	25	2	2	5	8	11	15	24
35-49	5067	7.1	34	2	2	6	8	13	17	28
50-64	5836	7.8	37	2	3	6	10	14	19	32
65+	6699	9.7	65	2	3	8	12	18	24	44
GRAND TOTAL	21897	7.9	44	2	3	6	10	15	20	34

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	3.1	2	1	1	3	4	5	6	7
20-34	350	4.0	4	2	2	3	5	6	8	12
35-49	358	4.1	9	2	2	4	4	6	8	13
50-64	220	4.2	4	2	2	4	5	7	8	11
65+	77	4.2	4	2	2	4	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	38	4.4	11	<1	1	4	6	7	12	18
20-34	291	4.4	6	2	2	4	5	6	8	12
35-49	335	5.1	10	2	3	4	6	8	11	20
50-64	250	5.1	8	2	3	4	6	9	11	15
65+	127	7.4	29	3	3	6	10	14	17	29
TOT. SINGLE DX	1060	4.0	6	2	2	4	5	6	8	12
" MULTIPLE DX	1041	5.2	12	2	3	4	6	8	11	19
TOTAL 0-19 YRS	93	3.6	7	1	1	3	4	6	7	15
20-34	641	4.2	5	2	2	4	5	6	8	12
35-49	693	4.6	10	2	2	4	5	7	9	17
50-64	470	4.7	7	2	2	4	5	8	10	13
65+	204	6.2	23	2	3	5	7	12	15	26
GRAND TOTAL	2101	4.6	9	2	2	4	5	7	10	16

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	3.1	2	1	1	3	4	5	7	10
20-34	448	3.4	3	1	2	3	4	5	7	10
35-49	288	4.0	4	2	2	4	5	7	7	10
50-64	139	4.5	19	2	2	4	5	7	8	32
65+	53	4.8	11	2	2	4	6	9	10	23
2. MULTIPLE DX										
0-19 YRS	33	4.1	6	1	2	3	5	7	9	14
20-34	434	4.6	6	2	2	4	5	7	9	14
35-49	446	5.1	12	2	3	4	6	8	10	19
50-64	323	6.2	20	2	3	5	7	10	14	23
65+	245	8.2	51	3	3	6	10	14	21	51
TOT. SINGLE DX	996	3.8	6	1	2	3	4	6	7	10
" MULTIPLE DX	1481	5.7	21	2	3	5	6	10	12	25
TOTAL 0-19 YRS	101	3.4	4	1	2	3	4	6	8	12
20-34	882	4.0	5	2	2	3	5	7	8	12
35-49	734	4.7	9	2	2	4	5	8	9	15
50-64	462	5.7	21	2	3	5	7	9	12	24
65+	298	7.6	46	2	3	5	9	13	20	43
GRAND TOTAL	2477	4.9	16	2	2	4	6	8	10	21

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	4.7	3	2	3	4	6	7	8	11
20-34	718	4.9	5	2	3	5	6	8	9	12
35-49	873	5.2	4	3	3	5	6	8	9	12
50-64	543	5.6	5	3	3	5	7	9	10	14
65+	165	6.0	8	3	3	5	7	9	12	15
2. MULTIPLE DX										
0-19 YRS	86	4.9	4	3	3	5	6	7	9	14
20-34	2320	5.5	6	3	3	5	6	8	10	15
35-49	3328	6.1	11	3	3	5	7	9	11	19
50-64	2418	6.7	17	3	3	6	8	11	13	22
65+	1142	8.1	28	3	4	7	10	14	19	32
TOT. SINGLE DX	2342	5.2	6	3	3	5	6	8	9	14
" MULTIPLE DX	9294	6.3	14	3	3	5	7	10	12	21
TOTAL 0-19 YRS	129	4.8	4	3	3	4	6	7	8	13
20-34	3038	5.3	6	3	3	5	6	8	9	14
35-49	4201	5.9	10	3	3	5	7	9	11	18
50-64	2961	6.5	15	3	3	6	8	10	13	21
65+	1307	7.9	26	3	4	6	9	14	18	30
GRAND TOTAL	11636	6.1	13	3	3	5	7	10	12	20

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	2.9	3	1	1	2	4	5	6	10
20-34	387	3.7	5	1	1	3	5	7	8	12
35-49	270	3.8	7	1	2	3	5	7	9	12
50-64	153	4.6	12	1	2	4	6	7	10	26
65+	89	5.9	30	2	2	4	7	11	13	35
2. MULTIPLE DX										
0-19 YRS	51	5.6	18	1	2	4	7	13	14	20
20-34	221	5.2	32	1	2	4	6	8	12	34
35-49	238	6.4	54	1	2	5	7	11	15	38
50-64	219	8.7	90	2	3	6	10	17	28	60
65+	219	10.6	87	2	3	7	13	25	30	52
TOT. SINGLE DX	988	4.0	9	1	2	3	5	7	9	15
" MULTIPLE DX	948	7.6	67	2	2	5	9	15	24	43
TOTAL 0-19 YRS	140	3.9	10	1	1	3	5	8	11	16
20-34	608	4.2	16	1	2	3	5	7	9	17
35-49	508	5.1	31	1	2	4	6	9	11	26
50-64	372	7.0	62	2	2	5	7	13	19	42
65+	308	9.3	75	2	3	6	11	21	28	47
GRAND TOTAL	1936	5.8	41	1	2	4	6	11	15	32

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.0	13	6	6	11	12	13	13	13
20-34	10	7.5	9	2	3	8	10	11	12	12
35-49	8	8.4	62	1	1	6	14	21	21	21
50-64	7	10.4	29	4	4	9	15	18	19	19
65+	6	14.2	116	<1	<1	17	21	26	27	27
2. MULTIPLE DX										
0-19 YRS	7	11.9	27	4	5	11	16	19	19	19
20-34	27	19.1	240	4	5	14	29	40	55	57
35-49	17	17.1	196	5	5	13	22	37	51	57
50-64	17	20.9	366	4	5	15	26	38	67	82
65+	25	22.4	335	4	9	17	27	35	57	96
TOT. SINGLE DX	34	9.7	45	1	2	8	13	21	21	27
" MULTIPLE DX	93	19.4	264	4	5	15	25	38	53	90
TOTAL 0-19 YRS	10	11.3	22	4	5	11	14	18	19	19
20-34	37	16.0	204	3	4	10	22	38	50	57
35-49	25	14.3	166	2	2	8	21	27	43	57
50-64	24	17.8	286	4	5	13	24	33	52	82
65+	31	20.8	299	2	4	17	25	34	44	96
GRAND TOTAL	127	16.8	223	3	4	12	22	34	41	85

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	5.9	17	1	2	5	9	12	14	17
20-34	316	5.2	28	1	1	2	7	12	16	24
35-49	255	5.9	43	1	1	3	8	14	18	30
50-64	309	7.3	55	1	2	4	10	17	24	34
65+	212	10.0	85	1	2	8	14	19	24	51
2. MULTIPLE DX										
0-19 YRS	98	15.0	258	2	2	9	17	41	57	87
20-34	432	10.9	110	2	2	8	14	23	34	55
35-49	640	11.1	106	2	2	8	14	23	29	51
50-64	1112	12.4	94	2	3	10	16	24	32	49
65+	1086	14.1	110	2	4	12	19	28	33	51
TOT. SINGLE DX	1147	6.8	52	1	2	4	9	16	20	33
" MULTIPLE DX	3368	12.6	110	2	3	10	16	26	33	54
TOTAL 0-19 YRS	153	11.7	190	1	2	8	13	30	48	73
20-34	748	8.5	84	1	2	6	11	18	28	44
35-49	895	9.6	94	1	2	7	13	21	26	45
50-64	1421	11.3	90	2	2	9	15	23	30	46
65+	1298	13.5	108	2	3	11	18	27	33	51
GRAND TOTAL	4515	11.1	102	2	2	9	15	23	31	51

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	417	7.3	7	4	5	7	9	11	13	16
20-34	4182	7.4	9	4	5	7	8	11	13	18
35-49	3688	7.9	10	4	5	7	9	12	14	19
50-64	3668	8.8	12	5	5	8	10	13	15	22
65+	2420	10.8	28	5	6	9	13	17	20	28
2. MULTIPLE DX										
0-19 YRS	226	9.6	19	5	5	9	12	14	18	24
20-34	2908	9.8	35	5	5	8	11	15	19	33
35-49	3626	10.7	37	5	6	9	13	17	20	34
50-64	5109	12.1	48	6	6	10	14	20	24	38
65+	5879	15.8	83	7	8	14	19	26	32	54
TOT. SINGLE DX	14375	8.5	15	5	5	8	10	13	15	22
" MULTIPLE DX	17748	12.6	61	5	6	11	15	21	26	45
TOTAL 0-19 YRS	643	8.1	13	4	5	7	10	13	14	23
20-34	7090	8.4	21	4	5	7	10	13	16	25
35-49	7314	9.3	26	5	5	8	11	14	18	28
50-64	8777	10.7	36	5	6	9	12	17	21	33
65+	8299	14.4	72	6	7	12	17	24	29	51
GRAND TOTAL	32123	10.8	45	5	5	9	13	18	22	37

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	15.5	112	2	2	14	23	31	34	34
20-34	50	10.2	54	2	3	9	13	19	30	30
35-49	77	11.1	73	2	3	9	13	21	25	49
50-64	88	11.6	52	2	3	10	15	22	26	33
65+	168	16.0	73	4	5	15	21	25	33	45
2. MULTIPLE DX										
0-19 YRS	7	7.1	23	3	3	5	10	15	16	16
20-34	51	11.5	100	2	3	9	15	21	33	48
35-49	114	15.1	152	4	6	12	18	27	32	32
50-64	235	18.3	157	4	6	15	22	32	42	77
65+	527	21.5	151	9	11	18	25	37	46	75
TOT. SINGLE DX	393	13.3	73	2	4	12	18	24	29	42
" MULTIPLE DX	934	19.3	159	4	8	17	23	34	44	74
TOTAL 0-19 YRS	17	12.1	90	2	3	10	16	28	32	34
20-34	101	10.8	77	2	3	9	13	21	30	48
35-49	191	13.5	124	3	4	11	16	24	31	67
50-64	323	16.5	138	3	5	14	21	30	38	66
65+	695	20.2	138	7	10	18	24	34	44	72
GRAND TOTAL	1327	17.5	141	3	6	15	22	31	39	69

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.4	12	1	2	6	10	11	12	12
20-34	76	8.4	70	1	2	6	10	21	27	41
35-49	107	11.5	139	1	2	8	17	23	29	61
50-64	119	11.7	129	1	2	9	17	25	38	82
65+	84	15.1	152	2	2	12	21	29	44	58
2. MULTIPLE DX										
0-19 YRS	6	11.2	222	2	2	5	10	38	41	41
20-34	110	13.7	198	2	2	9	17	38	54	76
35-49	200	17.2	268	2	3	12	21	41	51	81
50-64	291	16.4	191	2	3	12	21	35	45	64
65+	315	19.4	232	3	6	15	25	37	49	78
TOT. SINGLE DX	400	11.5	126	1	2	8	16	24	35	61
" MULTIPLE DX	922	17.2	226	2	3	12	22	38	48	75
TOTAL 0-19 YRS	20	7.8	72	1	2	6	10	11	26	41
20-34	186	11.5	152	2	2	8	14	30	42	61
35-49	307	15.2	230	2	2	11	19	35	50	71
50-64	410	15.0	177	2	2	11	20	34	44	69
65+	399	18.5	218	3	5	14	24	37	47	76
GRAND TOTAL	1322	15.5	202	2	3	11	20	35	45	68

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457	4.1	9	1	1	3	5	8	10	16
20-34	1450	4.5	10	1	2	4	6	8	10	16
35-49	1525	4.6	13	1	2	4	6	8	11	19
50-64	1645	4.9	15	1	1	4	6	9	12	18
65+	1724	6.0	30	1	2	5	8	12	16	25
2. MULTIPLE DX										
0-19 YRS	389	5.4	28	2	2	4	6	9	14	24
20-34	2379	5.8	18	2	2	5	7	10	13	24
35-49	3640	6.4	27	2	2	5	8	12	15	25
50-64	5968	7.1	38	2	2	5	9	13	17	33
65+	9977	8.8	56	2	3	7	11	17	23	40
TOT. SINGLE DX	6801	5.0	18	1	2	4	6	9	12	22
" MULTIPLE DX	22353	7.5	44	2	2	6	9	14	19	35
TOTAL 0-19 YRS	846	4.7	18	1	2	4	6	8	11	20
20-34	3829	5.3	16	2	2	4	6	9	12	22
35-49	5165	5.9	24	2	2	5	7	11	14	24
50-64	7613	6.6	34	2	2	5	8	12	16	31
65+	11701	8.4	54	2	2	6	10	16	22	39
GRAND TOTAL	29154	6.9	39	2	2	5	8	13	18	33

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3307	2.3	1	1	1	2	3	4	4	6
20-34	3275	3.8	2	2	2	4	4	5	6	8
35-49	2893	4.1	4	2	2	4	5	6	7	10
50-64	4060	4.5	3	2	3	4	5	7	8	11
65+	3397	5.2	6	2	3	5	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	1680	2.9	11	1	1	2	3	5	6	15
20-34	1025	4.7	7	2	2	4	5	8	9	15
35-49	1379	5.4	12	2	3	4	6	9	12	19
50-64	2630	6.4	18	3	3	5	7	11	14	25
65+	3359	8.2	41	3	3	7	10	14	19	34
TOT. SINGLE DX	16932	4.0	5	1	2	4	5	6	8	11
" MULTIPLE DX	10073	6.1	26	2	2	5	7	11	15	27
TOTAL 0-19 YRS	4987	2.5	5	1	1	2	3	4	5	8
20-34	4300	4.0	4	2	2	4	5	6	7	11
35-49	4272	4.6	7	2	2	4	5	7	9	14
50-64	6690	5.2	10	2	3	5	6	8	10	18
65+	6756	6.7	26	3	3	5	8	11	15	26
GRAND TOTAL	27005	4.8	14	2	2	4	6	8	10	19

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	616	1.9	1	<1	1	2	2	3	4	6
20-34	311	4.3	1	2	3	4	5	6	6	8
35-49	447	4.7	4	2	3	4	5	7	8	10
50-64	712	5.1	8	2	3	5	6	8	8	10
65+	480	6.0	8	3	3	5	7	9	12	16
2. MULTIPLE DX										
0-19 YRS	469	3.1	57	<1	<1	2	3	4	7	42
20-34	116	5.4	13	3	3	5	6	9	10	22
35-49	267	5.7	7	3	3	5	7	9	10	15
50-64	478	6.6	16	3	3	6	8	10	14	22
65+	494	8.9	45	3	4	7	10	16	20	39
TOT. SINGLE DX	2566	4.3	7	1	1	4	5	7	8	13
" MULTIPLE DX	1824	6.1	38	1	1	5	7	11	15	27
TOTAL 0-19 YRS	1085	2.4	26	<1	1	2	2	4	5	14
20-34	427	4.6	5	2	3	4	5	6	7	11
35-49	714	5.1	6	3	3	5	6	8	9	13
50-64	1190	5.7	12	3	3	5	7	8	10	19
65+	974	7.5	29	3	4	6	8	13	16	26
GRAND TOTAL	4390	5.1	21	1	1	4	6	8	11	21

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.0	1	1	1	3	4	5	5	6
20-34	75	4.3	3	2	2	4	6	7	8	10
35-49	112	4.4	2	2	3	4	5	7	8	10
50-64	172	4.9	5	2	3	4	6	7	9	16
65+	209	6.8	23	3	3	6	8	11	15	30
2. MULTIPLE DX										
0-19 YRS	5	3.4	1	2	2	4	4	4	4	4
20-34	26	6.6	24	2	3	5	7	13	18	25
35-49	58	5.3	12	1	2	5	6	9	10	24
50-64	98	7.9	30	3	3	6	9	16	20	31
65+	232	10.3	45	3	4	8	13	19	24	34
TOT. SINGLE DX	593	5.3	12	2	3	5	6	8	10	18
" MULTIPLE DX	419	8.7	39	3	3	7	11	16	21	32
TOTAL 0-19 YRS	30	3.1	2	1	1	3	4	5	5	6
20-34	101	4.9	10	2	2	4	6	7	9	20
35-49	170	4.7	6	2	3	4	5	7	9	11
50-64	270	6.0	17	3	3	5	7	9	15	23
65+	441	8.6	38	3	4	7	10	16	21	32
GRAND TOTAL	1012	6.7	26	2	3	5	8	12	16	29

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1132	2.3	2	1	1	2	2	3	4	7
20-34	339	3.6	2	2	2	3	4	6	6	9
35-49	337	4.0	4	2	2	4	5	6	8	11
50-64	269	4.9	7	2	2	4	6	8	9	12
65+	148	6.2	14	2	2	5	8	11	14	18
2. MULTIPLE DX										
0-19 YRS	275	3.3	16	1	1	2	3	6	9	18
20-34	194	5.0	8	2	2	4	6	8	11	17
35-49	281	6.3	19	2	3	5	8	11	13	26
50-64	317	7.7	28	3	3	6	9	14	20	29
65+	264	11.0	66	4	4	9	13	20	29	44
TOT. SINGLE DX	2225	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	1331	6.8	35	2	2	5	8	13	17	32
TOTAL 0-19 YRS	1407	2.5	5	1	1	2	3	4	5	10
20-34	533	4.1	5	2	2	4	5	6	8	12
35-49	618	5.1	13	2	2	4	6	9	11	18
50-64	586	6.4	21	2	3	5	8	11	15	27
65+	412	9.2	53	3	3	7	11	17	26	36
GRAND TOTAL	3556	4.6	19	1	2	3	5	9	12	25

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	2.6	2	1	1	2	3	4	6	8
20-34	466	4.4	4	2	2	4	5	7	9	11
35-49	674	5.8	10	2	3	5	7	9	11	19
50-64	880	6.5	18	3	3	6	8	10	12	17
65+	606	7.7	15	3	4	7	9	12	16	20
2. MULTIPLE DX										
0-19 YRS	53	3.1	6	1	1	2	3	5	9	15
20-34	289	6.7	29	2	3	6	8	10	13	33
35-49	581	8.6	33	3	4	7	10	14	19	35
50-64	900	9.8	39	3	4	8	12	16	20	35
65+	864	11.2	60	4	5	9	14	19	23	39
TOT. SINGLE DX	2783	6.0	15	2	2	5	8	10	12	19
" MULTIPLE DX	2687	9.5	46	3	4	8	11	17	21	36
TOTAL 0-19 YRS	210	2.8	3	1	1	2	3	5	6	11
20-34	755	5.3	16	2	2	4	6	9	10	21
35-49	1255	7.1	23	2	3	6	8	12	15	25
50-64	1780	8.2	32	3	4	7	10	14	17	28
65+	1470	9.7	44	3	4	8	11	17	21	32
GRAND TOTAL	5470	7.7	33	2	3	6	9	14	17	29

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.5	2	<1	1	2	3	5	7	8
20-34	66	6.3	12	2	3	5	8	12	14	18
35-49	90	7.7	16	3	3	7	9	13	15	24
50-64	109	8.6	16	3	4	8	10	14	16	21
65+	80	9.5	25	3	4	8	12	18	20	25
2. MULTIPLE DX										
0-19 YRS	28	8.3	90	1	1	4	10	24	32	38
20-34	107	10.7	42	5	6	9	13	17	21	38
35-49	245	11.5	48	5	6	10	13	18	22	29
50-64	296	12.5	44	5	6	11	15	20	25	38
65+	281	16.4	96	7	8	14	20	27	35	53
TOT. SINGLE DX	375	7.7	20	2	3	7	10	14	16	22
" MULTIPLE DX	957	13.1	67	5	6	11	16	22	28	43
TOTAL 0-19 YRS	58	5.3	53	<1	1	2	5	11	23	37
20-34	173	9.1	35	3	3	8	11	14	18	36
35-49	335	10.4	43	4	5	9	12	17	20	27
50-64	405	11.5	40	4	5	10	14	19	22	35
65+	361	14.9	89	5	6	13	18	25	33	50
GRAND TOTAL	1332	11.5	60	3	4	10	14	20	25	40

626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	3.9	12	1	1	3	5	7	10	18
20-34	422	5.3	34	1	2	4	6	11	15	20
35-49	324	7.0	44	1	2	5	9	15	19	31
50-64	311	9.0	88	1	2	7	11	18	25	53
65+	258	10.5	79	2	3	9	13	19	24	47
2. MULTIPLE DX										
0-19 YRS	123	6.6	57	1	2	5	8	13	18	66
20-34	384	8.8	71	1	2	7	10	18	27	47
35-49	520	11.7	121	2	3	9	14	24	32	54
50-64	841	13.6	144	2	3	10	17	28	36	63
65+	988	15.4	137	3	4	13	20	30	42	62
TOT. SINGLE DX	1523	7.1	57	1	2	5	9	15	19	38
" MULTIPLE DX	2856	12.9	131	2	3	10	17	27	36	61
TOTAL 0-19 YRS	331	4.9	31	1	1	3	6	9	15	30
20-34	806	7.0	55	1	2	5	9	14	19	42
35-49	844	9.9	97	2	2	7	12	20	29	43
50-64	1152	12.4	133	2	2	9	16	26	35	61
65+	1246	14.4	129	2	4	12	18	28	40	61
GRAND TOTAL	4379	10.9	113	2	2	8	14	23	31	54

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	6.0	19	2	3	5	7	10	12	24
20-34	990	6.5	17	2	3	6	8	11	13	21
35-49	392	9.0	40	3	4	8	11	15	19	40
50-64	287	12.1	51	4	5	10	15	22	29	37
65+	250	14.5	67	5	7	12	18	25	31	45
2. MULTIPLE DX										
0-19 YRS	371	9.6	59	3	4	7	11	19	27	46
20-34	1714	8.7	50	3	4	7	9	15	21	40
35-49	876	11.7	81	4	5	9	14	22	29	50
50-64	754	16.8	148	6	6	13	21	32	46	72
65+	868	21.7	196	7	9	18	27	41	52	86
TOT. SINGLE DX	2256	8.5	40	2	3	7	10	15	20	34
" MULTIPLE DX	4583	13.2	126	4	5	9	16	27	36	63
TOTAL 0-19 YRS	708	7.9	44	2	3	6	9	15	21	39
20-34	2704	7.9	40	2	3	6	9	13	18	36
35-49	1268	10.9	70	4	5	8	13	20	27	46
50-64	1041	15.5	126	5	6	12	19	30	40	67
65+	1118	20.1	177	7	8	16	25	38	49	77
GRAND TOTAL	6839	11.6	102	3	4	8	14	23	32	56

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	441	3.5	6	1	1	3	4	7	9	13
20-34	2198	2.8	5	<1	1	2	3	6	7	12
35-49	316	3.1	5	<1	1	2	4	7	8	11
50-64	71	3.7	14	1	1	2	4	10	13	18
65+	29	4.4	13	1	1	3	6	10	11	16
2. MULTIPLE DX										
0-19 YRS	366	4.4	14	1	1	3	6	9	12	21
20-34	2700	3.6	11	<1	1	2	5	7	10	17
35-49	456	5.0	21	<1	1	3	7	11	14	23
50-64	125	8.8	76	1	2	6	11	21	25	41
65+	61	11.6	66	2	3	11	15	24	32	92
TOT. SINGLE DX	3055	3.0	6	<1	1	2	4	6	8	12
" MULTIPLE DX	3708	4.2	18	<1	1	3	5	9	12	22
TOTAL 0-19 YRS	807	3.9	11	1	1	3	5	8	10	14
20-34	4898	3.2	9	<1	1	2	4	7	9	15
35-49	772	4.2	16	<1	1	3	6	9	11	20
50-64	196	7.0	60	1	1	4	9	17	23	38
65+	90	9.3	60	2	2	7	14	21	30	74
GRAND TOTAL	6763	3.6	13	<1	1	2	5	8	10	19

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	7.6	73	1	1	6	9	12	16	48
20-34	481	6.7	21	2	2	6	9	12	15	24
35-49	357	9.7	43	2	3	8	12	17	21	32
50-64	325	10.6	51	3	5	9	13	17	21	37
65+	270	13.1	39	6	7	12	16	21	26	35
2. MULTIPLE DX										
0-19 YRS	142	9.4	98	2	3	7	11	18	24	77
20-34	1092	7.7	39	2	2	6	9	13	18	33
35-49	762	12.3	94	3	4	10	15	23	30	53
50-64	703	17.0	164	5	6	13	20	33	43	73
65+	874	19.4	177	6	8	16	24	37	46	77
TOT. SINGLE DX	1539	9.4	45	2	3	8	12	17	20	31
" MULTIPLE DX	3573	13.4	134	3	4	10	17	27	37	65
TOTAL 0-19 YRS	248	8.6	88	1	2	7	10	16	20	75
20-34	1573	7.4	34	2	2	6	9	13	16	31
35-49	1119	11.5	80	3	4	9	14	21	27	50
50-64	1028	14.9	137	4	5	12	18	28	40	65
65+	1144	17.9	152	6	8	15	21	33	43	72
GRAND TOTAL	5112	12.2	111	2	4	9	15	24	32	58

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	8.9	5	5	6	9	10	12	13	14
20-34	55	9.2	10	5	6	8	11	13	16	21
35-49	74	11.3	18	5	6	11	14	16	18	28
50-64	162	13.1	30	8	8	12	14	18	25	37
65+	171	14.2	36	8	9	13	16	23	27	34
2. MULTIPLE DX										
0-19 YRS	57	9.9	32	5	6	9	10	15	22	38
20-34	153	13.4	99	6	7	10	15	23	28	71
35-49	174	14.8	110	7	7	12	16	24	34	70
50-64	409	16.7	106	8	8	14	19	30	39	76
65+	496	18.6	97	8	10	16	22	30	37	58
TOT. SINGLE DX	488	12.6	30	7	7	11	14	18	24	33
" MULTIPLE DX	1289	16.5	104	7	8	14	20	28	36	67
TOTAL 0-19 YRS	83	9.6	24	5	6	9	10	14	18	34
20-34	208	12.3	79	6	7	10	13	21	27	66
35-49	248	13.7	85	6	7	11	15	21	28	68
50-64	571	15.7	87	8	8	13	17	27	36	65
65+	667	17.5	85	8	9	15	21	28	34	54
GRAND TOTAL	1777	15.4	87	7	8	13	18	26	33	56

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	176	7.8	29	2	2	7	11	14	17	29
20-34	431	9.0	39	2	3	8	10	13	18	37
35-49	462	9.3	26	3	5	9	11	14	17	30
50-64	459	9.8	31	2	4	9	11	15	18	34
65+	236	10.4	39	2	2	10	13	17	22	32
2. MULTIPLE DX										
0-19 YRS	150	11.4	77	3	3	10	14	20	26	47
20-34	374	12.1	106	3	4	9	14	21	31	68
35-49	412	12.9	118	3	5	10	15	22	28	71
50-64	596	12.9	56	3	5	11	16	21	27	42
65+	539	15.6	112	4	6	13	20	28	36	61
TOT. SINGLE DX	1764	9.3	33	2	3	9	11	15	18	34
" MULTIPLE DX	2071	13.4	96	3	5	11	16	23	31	61
TOTAL 0-19 YRS	326	9.5	55	2	3	8	12	16	23	41
20-34	805	10.4	73	3	3	9	12	18	25	53
35-49	874	11.0	73	3	5	9	12	17	23	50
50-64	1055	11.5	48	3	5	10	14	19	25	39
65+	775	14.1	96	2	4	11	18	26	32	57
GRAND TOTAL	3835	11.5	71	3	4	10	14	20	26	49

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	7.6	10	2	4	8	10	11	12	18
20-34	475	8.6	14	3	5	8	10	13	15	19
35-49	640	8.8	13	4	5	8	11	13	15	22
50-64	550	9.5	17	4	5	9	11	14	17	25
65+	210	9.8	13	5	6	9	12	15	17	21
2. MULTIPLE DX										
0-19 YRS	22	10.2	45	3	3	9	13	19	27	28
20-34	217	9.9	27	4	5	9	12	16	19	31
35-49	338	10.9	33	5	6	10	13	17	21	32
50-64	463	11.0	30	5	6	10	12	17	21	33
65+	350	13.9	80	4	6	12	16	23	28	46
TOT. SINGLE DX	1922	9.0	15	4	5	8	11	14	16	22
" MULTIPLE DX	1390	11.5	45	4	6	10	14	19	24	34
TOTAL 0-19 YRS	69	8.4	22	2	4	8	10	13	16	28
20-34	692	9.0	19	4	5	8	11	14	16	25
35-49	978	9.5	22	4	5	9	11	15	17	26
50-64	1013	10.2	24	5	5	9	12	16	19	28
65+	560	12.3	59	4	6	11	14	21	25	35
GRAND TOTAL	3312	10.1	29	4	5	9	12	16	19	30

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	9.0	9	5	6	8	10	12	15	19
20-34	31	12.0	30	6	6	11	14	21	22	27
35-49	11	12.7	30	4	6	12	16	20	24	24
50-64	31	14.9	48	6	7	14	19	26	29	33
65+	28	14.7	61	6	7	14	18	21	28	44
2. MULTIPLE DX										
0-19 YRS	126	12.2	54	5	7	11	14	17	26	47
20-34	52	16.5	195	6	8	14	19	25	48	99+
35-49	35	17.3	110	8	10	13	23	33	51	99+
50-64	40	18.8	136	7	9	15	23	32	36	70
65+	64	23.8	177	7	11	20	33	43	48	60
TOT. SINGLE DX	238	11.0	30	5	6	9	12	18	22	29
" MULTIPLE DX	317	16.6	136	6	8	13	20	32	41	79
TOTAL 0-19 YRS	263	10.5	33	5	6	9	12	15	17	34
20-34	83	14.8	137	6	7	12	18	23	27	99+
35-49	46	16.2	94	8	9	13	20	32	45	99+
50-64	71	17.1	101	7	8	14	21	30	33	63
65+	92	21.1	159	6	8	17	26	40	45	59
GRAND TOTAL	555	14.2	98	6	7	11	16	26	34	61

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	4.2	11	1	1	3	5	8	9	19
20-34	798	4.6	6	2	2	4	6	8	9	14
35-49	888	4.4	6	2	2	4	5	7	9	13
50-64	583	5.0	9	2	2	4	6	9	11	17
65+	198	6.2	19	2	2	5	8	10	14	23
2. MULTIPLE DX										
0-19 YRS	67	7.2	45	1	1	5	11	16	19	35
20-34	240	5.9	13	2	2	5	8	11	14	19
35-49	336	6.5	20	2	2	5	8	13	17	22
50-64	375	7.1	30	2	3	6	9	13	18	28
65+	278	9.8	62	2	3	8	13	19	27	52
TOT. SINGLE DX	2583	4.7	8	2	2	4	6	8	10	15
" MULTIPLE DX	1296	7.3	34	2	2	6	9	14	18	31
TOTAL 0-19 YRS	183	5.3	26	1	1	4	6	12	15	26
20-34	1038	4.9	8	2	2	4	6	9	10	16
35-49	1224	5.0	11	2	2	4	6	9	11	17
50-64	958	5.8	19	2	2	5	7	10	13	24
65+	476	8.3	48	2	3	6	10	17	22	42
GRAND TOTAL	3879	5.6	19	2	2	5	7	10	13	23

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2035	2.2	5	1	1	2	2	4	6	11
20-34	2246	3.6	8	1	1	3	5	7	9	15
35-49	2233	3.8	11	1	1	3	5	8	10	16
50-64	2573	4.3	16	1	1	3	5	9	11	19
65+	2718	4.9	22	1	1	3	6	10	14	22
2. MULTIPLE DX										
0-19 YRS	2021	3.0	12	1	1	2	3	6	8	15
20-34	2908	5.5	35	1	1	4	7	11	15	28
35-49	3617	6.1	39	1	2	4	8	12	17	28
50-64	5525	7.0	52	1	2	5	9	14	19	38
65+	9036	9.7	86	2	2	7	12	20	26	50
TOT. SINGLE DX	11805	3.8	14	1	1	3	5	8	11	18
" MULTIPLE DX	23107	7.4	63	1	2	5	9	15	21	41
TOTAL 0-19 YRS	4056	2.6	9	1	1	2	3	5	7	13
20-34	5154	4.6	25	1	1	3	6	9	12	24
35-49	5850	5.2	30	1	1	4	7	11	14	25
50-64	8098	6.1	43	1	1	4	8	12	17	34
65+	11754	8.6	76	1	2	6	11	18	24	46
GRAND TOTAL	34912	6.2	49	1	1	4	8	13	18	36

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.7	7	1	1	3	5	7	10	13
20-34	112	3.5	5	1	2	3	4	6	7	16
35-49	238	4.2	9	1	2	3	5	8	11	17
50-64	765	4.4	12	1	2	4	5	8	9	17
65+	1508	5.2	22	2	2	4	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	43	4.3	10	1	1	3	6	11	12	13
20-34	175	6.0	43	2	2	4	7	11	15	36
35-49	308	5.7	34	2	2	4	7	11	14	31
50-64	772	6.7	38	2	2	5	8	13	18	36
65+	2127	8.7	66	2	3	6	10	17	23	44
TOT. SINGLE DX	2644	4.8	18	2	2	4	6	8	11	21
" MULTIPLE DX	3425	7.8	57	2	2	6	9	16	21	40
TOTAL 0-19 YRS	64	4.1	10	1	1	3	5	8	12	13
20-34	287	5.0	30	1	2	4	5	10	13	25
35-49	546	5.1	24	1	2	4	6	10	13	23
50-64	1537	5.6	27	2	2	4	6	10	15	30
65+	3635	7.3	51	2	2	5	9	14	20	39
GRAND TOTAL	6069	6.5	42	2	2	5	8	13	17	35

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	5.2	23	1	1	4	7	11	14	24
20-34	153	6.8	21	2	2	6	9	13	16	25
35-49	168	7.2	30	1	2	6	10	13	17	29
50-64	295	7.3	33	1	2	5	11	15	19	24
65+	453	8.5	55	2	2	6	12	18	22	34
2. MULTIPLE DX										
0-19 YRS	124	10.9	143	2	2	8	12	22	44	86
20-34	221	9.8	98	2	2	7	12	19	28	58
35-49	294	10.5	125	2	2	8	13	20	27	67
50-64	583	10.8	115	2	2	8	13	23	31	60
65+	1242	13.1	132	2	3	10	17	26	35	60
TOT. SINGLE DX	1136	7.6	40	1	2	6	10	16	20	28
" MULTIPLE DX	2464	11.8	127	2	3	9	15	24	33	61
TOTAL 0-19 YRS	191	8.9	108	1	2	6	10	19	25	70
20-34	374	8.6	69	2	2	6	11	16	23	44
35-49	462	9.3	93	2	2	7	12	17	23	52
50-64	878	9.6	90	2	2	7	12	19	25	53
65+	1695	11.9	116	2	3	9	16	24	32	58
GRAND TOTAL	3600	10.5	103	2	2	8	14	22	28	56

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	359	1.6		<1	1	1	2	2	3	5
20-34	24	2.0		<1	1	2	3	3	4	4
35-49	29	2.7	8	<1	<1	2	2	7	10	13
50-64	31	3.9	5	2	2	3	5	7	8	10
65+	17	3.9	6	<1	1	3	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	251	2.2	3	1	1	2	2	4	5	10
20-34	73	3.6	13	1	1	2	4	7	11	22
35-49	68	4.7	14	1	2	3	6	11	12	20
50-64	54	4.7	19	1	2	3	6	10	12	26
65+	49	5.3	21	2	2	4	6	11	14	24
TOT. SINGLE DX	460	1.9	2	<1	1	2	2	3	5	8
" MULTIPLE DX	495	3.3	11	1	1	2	4	7	10	19
TOTAL 0-19 YRS	610	1.8	2	<1	1	2	2	3	4	7
20-34	97	3.2	11	1	1	2	3	6	9	20
35-49	97	4.1	13	<1	1	3	5	10	12	18
50-64	85	4.4	14	1	2	3	5	9	12	22
65+	66	5.0	18	1	2	4	6	9	13	24
GRAND TOTAL	955	2.6	7	<1	1	2	3	5	8	14

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	6.2	16	1	2	6	9	11	13	16
20-34	203	4.5	13	1	1	3	6	10	12	16
35-49	136	5.6	18	1	2	5	8	10	13	26
50-64	156	5.7	21	2	2	4	8	11	13	22
65+	152	5.6	20	2	2	4	7	10	15	29
2. MULTIPLE DX										
0-19 YRS	192	5.3	16	1	1	4	8	11	13	20
20-34	161	5.2	18	1	2	4	8	11	14	20
35-49	156	7.0	35	2	2	5	9	14	18	33
50-64	184	7.2	42	2	2	5	9	14	19	36
65+	278	8.5	79	2	2	6	10	17	23	52
TOT. SINGLE DX	975	5.6	18	1	2	4	8	11	13	17
" MULTIPLE DX	971	6.8	44	2	2	5	9	14	18	30
TOTAL 0-19 YRS	520	5.9	17	1	2	5	9	11	13	17
20-34	364	4.8	16	1	2	3	7	10	13	16
35-49	292	6.3	28	2	2	5	8	12	16	30
50-64	340	6.5	33	2	2	5	9	12	17	24
65+	430	7.5	60	2	2	5	9	15	21	36
GRAND TOTAL	1946	6.2	31	1	2	5	8	12	15	25

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	1.7	1	<1	1	1	2	3	4	6
20-34	287	3.0	6	<1	1	2	3	6	8	12
35-49	219	3.2	5	<1	1	2	4	7	8	11
50-64	215	3.8	11	1	1	3	4	8	10	18
65+	221	4.8	20	1	2	3	6	9	12	28
2. MULTIPLE DX										
0-19 YRS	685	2.6	5	1	1	2	3	5	7	12
20-34	784	4.8	18	1	1	3	6	10	13	23
35-49	792	6.4	42	1	2	5	8	13	18	36
50-64	871	7.0	49	1	2	5	9	14	18	34
65+	1571	9.6	80	2	2	7	12	19	25	48
TOT. SINGLE DX	1342	3.1	9	<1	1	2	4	6	8	14
" MULTIPLE DX	4703	6.7	53	1	1	5	9	14	19	35
TOTAL 0-19 YRS	1085	2.3	4	1	1	2	2	4	6	11
20-34	1071	4.3	16	1	1	3	6	9	12	21
35-49	1011	5.7	36	1	2	4	7	11	15	33
50-64	1086	6.4	44	1	2	4	8	13	17	32
65+	1792	9.0	76	2	2	7	11	18	24	47
GRAND TOTAL	6045	5.9	45	1	1	4	8	13	17	33

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	263	2.1	2	<1	1	2	2	4	5	9
20-34	277	3.5	7	1	1	3	4	7	8	13
35-49	215	4.7	10	1	2	4	6	9	12	14
50-64	176	4.7	12	1	2	4	5	8	13	18
65+	137	5.7	17	2	2	5	7	11	14	22
2. MULTIPLE DX										
0-19 YRS	288	3.0	7	1	1	2	3	5	8	16
20-34	401	4.1	17	1	1	3	5	9	12	26
35-49	287	4.9	24	1	2	3	6	11	14	24
50-64	312	6.6	52	1	2	4	8	13	17	37
65+	406	8.3	44	2	3	7	11	15	19	33
TOT. SINGLE DX	1068	3.9	10	1	1	3	5	8	10	15
" MULTIPLE DX	1694	5.5	33	1	2	3	7	12	15	30
TOTAL 0-19 YRS	551	2.5	5	<1	1	2	3	4	7	14
20-34	678	3.9	13	1	1	3	4	8	11	17
35-49	502	4.8	18	1	2	3	6	10	13	20
50-64	488	5.9	39	1	2	4	7	12	16	33
65+	543	7.6	39	2	2	6	10	14	18	30
GRAND TOTAL	2762	4.9	25	1	1	3	6	10	13	26

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	83	8.1	11	4	5	8	9	12	15	22
35-49	289	8.7	8	5	6	8	10	12	14	18
50-64	290	9.2	9	5	6	9	10	13	15	21
65+	144	10.2	11	6	7	10	12	14	17	23
2. MULTIPLE DX										
0-19 YRS	2	18.5	85	12	12	18	25	25	25	25
20-34	83	8.2	8	5	5	8	10	11	14	17
35-49	390	10.3	25	6	6	9	12	16	19	27
50-64	409	10.8	17	6	7	10	13	16	20	25
65+	205	13.0	45	7	8	11	16	20	24	40
TOT. SINGLE DX	809	9.1	10	5	6	9	10	13	15	20
" MULTIPLE DX	1089	10.9	27	6	7	9	13	16	20	29
TOTAL 0-19 YRS	5	10.6	79	2	2	9	15	25	25	25
20-34	166	8.2	10	5	5	8	9	11	14	19
35-49	679	9.6	19	5	6	9	11	15	17	26
50-64	699	10.2	15	6	7	9	12	15	18	24
65+	349	11.8	33	6	7	10	14	18	21	34
GRAND TOTAL	1898	10.1	20	5	6	9	11	15	18	26

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	7.5	7	5	5	7	8	12	14	14
35-49	54	8.5	5	5	6	8	9	11	13	17
50-64	75	8.8	6	5	6	9	10	11	13	19
65+	37	9.4	12	3	5	10	12	14	15	15
2. MULTIPLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	13	11.0	14	5	6	11	13	15	18	19
35-49	77	9.8	16	6	6	9	11	16	18	26
50-64	70	11.0	21	7	7	9	13	17	21	28
65+	58	11.9	38	4	5	10	14	23	25	30
TOT. SINGLE DX	177	8.8	7	4	6	9	10	12	14	17
" MULTIPLE DX	220	10.8	25	6	6	9	13	18	21	28
TOTAL 0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	24	9.4	14	5	5	8	12	14	16	19
35-49	131	9.3	13	6	6	9	10	14	17	21
50-64	145	9.9	15	6	7	9	11	14	18	28
65+	95	10.9	30	3	5	10	13	17	24	28
GRAND TOTAL	397	9.9	18	5	6	9	11	15	18	27

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.6	2	1	1	2	3	5	6	6
20-34	16	5.0	12	2	2	4	6	8	14	16
35-49	17	6.7	9	3	3	7	9	11	13	13
50-64	21	6.0	23	1	2	4	7	14	17	19
65+	14	6.1	25	1	2	5	9	12	18	20
2. MULTIPLE DX										
0-19 YRS	17	4.1	12	1	1	3	6	8	12	14
20-34	24	5.5	20	1	1	4	7	13	15	19
35-49	26	9.5	32	2	3	8	13	19	19	19
50-64	40	8.8	120	2	2	5	12	20	22	65
65+	47	10.4	57	2	3	8	15	18	24	42
TOT. SINGLE DX	77	5.6	17	1	2	4	7	11	14	20
" MULTIPLE DX	154	8.4	62	1	2	6	12	17	20	41
TOTAL 0-19 YRS	26	3.6	9	1	1	2	6	7	9	14
20-34	40	5.3	17	1	2	4	7	11	15	19
35-49	43	8.4	25	2	3	7	12	17	19	19
50-64	61	7.8	88	2	2	4	11	17	21	60
65+	61	9.4	53	2	2	7	12	18	22	40
GRAND TOTAL	231	7.4	49	1	2	5	10	16	19	30

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	12	7.1	30	1	2	7	9	13	21	22
35-49	9	8.2	26	2	2	8	11	16	18	18
50-64	4	22.0	74	12	12	21	27	33	33	33
65+	8	9.5	24	5	5	8	14	17	17	17
2. MULTIPLE DX										
0-19 YRS	5	6.4	14	1	1	7	9	11	11	11
20-34	12	13.3	63	3	5	11	16	27	30	30
35-49	15	14.1	96	4	4	11	15	31	35	37
50-64	16	15.3	30	7	9	17	20	22	23	23
65+	30	16.5	170	<1	2	17	23	27	29	66
TOT. SINGLE DX	35	9.4	51	2	2	8	12	21	22	33
" MULTIPLE DX	78	14.6	104	2	4	12	21	26	30	58
TOTAL 0-19 YRS	7	5.6	12	1	1	5	8	10	11	11
20-34	24	10.2	55	2	2	8	13	22	27	30
35-49	24	11.9	76	2	4	10	13	27	33	37
50-64	20	16.6	44	8	9	18	21	23	28	33
65+	38	15.0	147	1	3	12	23	25	29	66
GRAND TOTAL	113	13.0	93	2	3	10	19	24	29	48

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	6.2	9	2	2	6	8	11	13	13
20-34	19	6.5	22	2	3	6	7	10	18	24
35-49	115	6.3	7	3	4	6	8	10	12	16
50-64	1840	6.8	8	4	4	6	8	10	12	18
65+	4309	7.8	14	4	5	7	9	12	14	21
2. MULTIPLE DX										
0-19 YRS	14	12.3	92	4	4	8	15	29	32	33
20-34	22	10.1	50	3	4	8	13	17	25	35
35-49	156	8.0	18	4	4	7	10	13	16	26
50-64	2821	9.3	39	4	5	8	11	16	20	35
65+	9232	11.5	62	5	5	9	14	21	26	43
TOT. SINGLE DX	6293	7.5	13	4	4	7	9	11	14	20
" MULTIPLE DX	12245	11.0	58	4	5	9	13	19	25	41
TOTAL 0-19 YRS	24	9.8	65	3	4	7	11	24	30	33
20-34	41	8.4	40	3	3	7	9	16	21	35
35-49	271	7.3	14	3	4	6	8	12	14	24
50-64	4661	8.3	29	4	4	7	9	13	17	30
65+	13541	10.3	50	4	5	8	12	18	23	38
GRAND TOTAL	18538	9.8	45	4	5	8	11	17	22	36

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	8	13.0	32	3	4	13	16	20	22	22
50-64	253	11.8	25	6	7	10	15	18	21	31
65+	445	12.7	31	6	7	11	16	19	23	29
2. MULTIPLE DX										
0-19 YRS	5	9.0	66	3	3	6	12	23	23	23
20-34	4	5.0	16	2	2	3	7	11	11	11
35-49	7	13.4	126	3	3	10	20	32	34	34
50-64	284	13.3	44	6	7	11	16	21	25	40
65+	906	15.1	59	7	8	13	18	24	29	46
TOT. SINGLE DX	711	12.3	30	6	7	11	15	19	22	29
" MULTIPLE DX	1206	14.6	57	6	8	13	18	23	29	45
TOTAL 0-19 YRS	8	7.3	45	2	2	5	8	[illegible]	23	23
20-34	6	4.5	12	2	2	3	5	10	11	11
35-49	15	13.2	70	3	3	12	16	23	31	34
50-64	537	12.6	36	6	7	11	15	20	24	35
65+	1351	14.3	52	7	8	13	17	22	28	42
GRAND TOTAL	1917	13.7	48	6	7	12	17	22	26	40

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	19	3.5	5	<1	1	2	5	7	9	10
35-49	78	3.1	7	1	1	2	3	6	7	18
50-64	504	3.1	5	1	1	2	3	5	7	12
65+	773	4.1	12	1	2	3	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	7	11.1	129	2	2	8	13	31	35	35
20-34	19	4.5	4	2	2	4	6	8	8	8
35-49	76	4.4	10	1	2	3	5	10	11	16
50-64	484	5.8	32	2	2	4	7	12	15	28
65+	1142	8.5	66	2	2	6	11	18	23	38
TOT. SINGLE DX	1377	3.7	10	1	2	3	4	7	9	17
" MULTIPLE DX	1728	7.5	56	2	2	5	10	15	21	35
TOTAL 0-19 YRS	10	9.0	100	2	2	6	9	25	35	35
20-34	38	4.0	5	1	2	4	6	7	8	10
35-49	154	3.8	9	1	1	3	4	7	11	17
50-64	988	4.4	20	1	2	3	5	9	12	24
65+	1915	6.7	50	2	2	4	8	14	20	34
GRAND TOTAL	3105	5.8	39	1	2	4	7	12	17	31

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.1	5	1	1	2	4	6	7	13
20-34	158	3.4	4	1	1	3	4	6	7	13
35-49	100	4.7	28	1	1	3	5	7	13	33
50-64	81	4.5	9	2	2	4	5	8	11	18
65+	54	6.1	34	2	2	5	7	11	13	41
2. MULTIPLE DX										
0-19 YRS	88	3.4	13	1	1	3	4	5	8	25
20-34	63	5.5	22	2	2	4	6	12	18	23
35-49	65	6.3	63	1	2	4	7	13	14	53
50-64	104	8.0	72	2	3	5	9	16	30	71
65+	92	13.6	232	3	3	8	15	30	48	79
TOT. SINGLE DX	516	4.0	14	1	1	3	5	7	9	19
" MULTIPLE DX	412	7.6	98	1	2	4	8	15	25	59
TOTAL 0-19 YRS	211	3.2	9	1	1	2	4	6	8	14
20-34	221	4.0	10	1	2	3	5	7	9	19
35-49	165	5.3	42	1	2	4	6	10	14	38
50-64	185	6.5	48	2	2	4	7	13	18	47
65+	146	10.8	172	2	3	6	13	21	41	72
GRAND TOTAL	928	5.6	55	1	2	4	6	11	16	45

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	3.3	3	1	2	3	4	5	7	11
20-34	219	5.2	14	2	2	4	6	9	14	23
35-49	87	5.4	13	2	2	4	7	10	12	21
50-64	116	5.8	12	2	3	5	7	10	13	17
65+	249	6.3	25	2	2	4	8	13	17	31
2. MULTIPLE DX										
0-19 YRS	171	3.8	5	1	2	3	5	6	8	14
20-34	124	5.0	7	2	2	4	6	9	11	13
35-49	94	6.6	43	2	2	4	7	13	23	35
50-64	191	9.8	91	2	3	7	12	20	26	35
65+	526	10.6	88	2	3	8	13	21	28	52
TOT. SINGLE DX	875	5.2	16	2	2	4	6	10	13	22
" MULTIPLE DX	1106	8.4	71	2	2	5	10	18	25	41
TOTAL 0-19 YRS	375	3.5	5	1	2	3	4	6	8	12
20-34	343	5.2	12	2	2	4	6	9	12	19
35-49	181	6.0	30	2	2	4	7	11	15	30
50-64	307	8.3	65	2	3	6	10	16	21	33
65+	775	9.2	72	2	3	6	12	19	26	49
GRAND TOTAL	1981	7.0	49	2	2	5	8	14	20	34

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	712	2.9	2	1	1	3	4	5	6	8
20-34	108	2.9	2	1	1	3	4	4	5	9
35-49	9	3.4	3	1	1	3	5	6	6	6
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	429	3.3	5	1	2	3	4	5	7	10
20-34	29	3.6	4	1	1	3	4	7	8	11
35-49	3	7.0	3	5	5	8	8	8	8	8
50-64	2	3.0		3	3	3	3	3	3	3
65+	2	18.5	545	2	2	18	35	35	35	35
TOT. SINGLE DX	831	2.9	3	1	1	3	4	5	6	8
" MULTIPLE DX	465	3.5	7	1	2	3	4	6	7	11
TOTAL 0-19 YRS	1141	3.1	4	1	2	3	4	5	6	9
20-34	137	3.1	3	1	1	3	4	5	6	10
35-49	12	4.3	5	1	2	4	6	8	8	8
50-64	4	4.5	4	3	3	4	6	7	7	7
65+	2	18.5	545	2	2	18	35	35	35	35
GRAND TOTAL	1296	3.1	4	1	1	3	4	5	7	9

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	2.6	3	1	1	2	3	4	6	10
20-34	177	2.6	1	1	1	2	3	4	5	7
35-49	50	2.9	2	1	1	3	3	5	6	8
50-64	27	3.7	3	1	2	3	5	7	7	8
65+	10	7.4	52	1	1	4	9	20	21	21
2. MULTIPLE DX										
0-19 YRS	54	4.3	54	1	1	3	5	6	9	53
20-34	62	3.7	6	1	2	3	4	6	9	15
35-49	22	4.6	7	1	2	4	6	7	10	14
50-64	18	5.6	25	1	2	4	7	10	18	23
65+	11	9.4	128	1	3	5	11	24	40	42
TOT. SINGLE DX	438	2.8	4	1	1	2	3	5	6	9
" MULTIPLE DX	167	4.6	33	1	2	3	5	7	11	39
TOTAL 0-19 YRS	228	3.0	16	1	1	2	3	5	6	11
20-34	239	2.9	3	1	1	3	3	5	6	11
35-49	72	3.4	5	1	2	3	4	6	7	13
50-64	45	4.4	13	1	2	3	6	8	10	23
65+	21	8.4	89	1	2	5	10	20	30	42
GRAND TOTAL	605	3.3	13	1	1	3	4	6	7	15

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	193	1.3		<1	<1	1	2	2	3	4
35-49	113	1.4		<1	<1	1	2	2	2	6
50-64	16	3.4	18	<1	<1	2	4	8	14	17
65+	9	10.3	44	5	5	7	17	20	21	21
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	103	2.4	6	<1	1	2	3	4	5	18
35-49	79	3.4	9	1	1	2	3	8	10	16
50-64	29	6.7	45	1	2	5	9	12	16	36
65+	37	12.8	92	5	6	9	15	23	33	52
TOT. SINGLE DX	333	1.7	5	<1	<1	1	2	2	5	17
" MULTIPLE DX	249	4.8	37	1	1	2	6	10	16	35
TOTAL 0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	296	1.7	3	<1	<1	1	2	3	4	6
35-49	192	2.2	5	<1	<1	2	2	4	7	13
50-64	45	5.6	38	<1	1	4	7	11	15	36
65+	46	12.3	83	5	5	9	16	22	30	52
GRAND TOTAL	582	3.0	21	<1	<1	2	3	7	10	22

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	2.6	1	1	1	2	3	4	5	7
20-34	607	2.9	1	1	2	3	3	4	5	8
35-49	491	3.1	2	1	2	3	4	5	6	9
50-64	432	3.6	3	2	2	3	4	6	7	9
65+	184	4.1	3	2	2	4	5	6	7	13
2. MULTIPLE DX										
0-19 YRS	323	3.1	5	1	1	2	4	5	6	13
20-34	412	3.2	4	1	1	3	4	5	7	13
35-49	253	4.2	9	1	2	3	5	7	11	16
50-64	336	5.0	10	2	2	4	6	8	11	19
65+	242	6.9	29	2	3	5	8	14	17	27
TOT. SINGLE DX	2256	3.1	3	1	2	3	4	5	6	9
" MULTIPLE DX	1566	4.3	12	1	2	3	5	8	11	20
TOTAL 0-19 YRS	865	2.8	3	1	1	2	3	5	6	9
20-34	1019	3.0	3	1	2	3	4	5	6	9
35-49	744	3.5	5	1	2	3	4	6	7	14
50-64	768	4.2	7	2	2	4	5	7	9	15
65+	426	5.7	21	2	2	4	6	11	15	25
GRAND TOTAL	3822	3.6	7	1	2	3	4	6	8	15

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1934	1.9	2	<1	1	2	2	2	3	5
20-34	915	2.1	2	1	1	2	2	3	3	6
35-49	375	2.1	2	1	1	2	2	3	3	6
50-64	176	2.4	4	1	1	2	2	3	4	12
65+	97	2.4	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	576	2.6	7	1	1	2	2	5	7	16
20-34	590	2.9	6	1	1	2	3	5	7	15
35-49	426	3.6	10	1	2	2	4	8	10	19
50-64	316	3.8	14	1	2	2	5	8	10	16
65+	287	6.5	61	2	2	4	8	15	20	32
TOT. SINGLE DX	3780	2.0	2	<1	1	2	2	3	3	7
" MULTIPLE DX	2341	3.6	18	1	1	2	4	8	11	21
TOTAL 0-19 YRS	2705	2.1	4	<1	1	2	2	3	3	9
20-34	1621	2.4	4	1	1	2	2	3	5	12
35-49	861	2.9	7	1	1	2	3	5	8	13
50-64	521	3.3	12	1	1	2	3	7	9	16
65+	413	5.6	50	1	2	3	7	12	19	31
GRAND TOTAL	6121	2.6	9	1	1	2	2	4	7	15

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	3.0	10	<1	1	2	4	7	9	17
20-34	112	3.2	10	<1	1	2	4	6	9	20
35-49	104	4.6	9	2	2	4	7	8	10	17
50-64	175	5.3	9	2	2	5	7	8	11	16
65+	85	5.2	7	2	3	5	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	82	4.4	10	1	1	3	6	10	11	14
20-34	116	6.7	69	1	2	5	8	11	18	57
35-49	127	7.7	68	2	2	5	8	13	21	47
50-64	237	6.8	21	2	3	6	8	11	15	21
65+	149	8.8	70	2	3	6	9	18	31	39
TOT. SINGLE DX	576	4.4	10	1	1	4	6	8	10	16
" MULTIPLE DX	711	7.1	48	2	2	5	8	12	18	39
TOTAL 0-19 YRS	182	3.6	11	<1	1	2	5	9	10	15
20-34	228	5.0	44	1	1	3	6	10	13	35
35-49	231	6.4	44	2	2	5	7	11	16	38
50-64	412	6.2	16	2	3	5	8	10	13	19
65+	234	7.5	51	2	3	5	8	14	23	38
GRAND TOTAL	1287	5.9	33	1	2	5	7	10	14	35

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	5.5	4	3	3	5	6	8	10	13
20-34	928	5.6	3	3	4	6	6	8	9	12
35-49	134	6.5	7	2	4	6	8	10	12	15
50-64	30	8.4	21	3	4	8	9	14	17	25
65+	25	11.6	30	5	6	11	14	18	24	26
2. MULTIPLE DX										
0-19 YRS	218	6.2	7	2	3	6	8	10	12	14
20-34	1313	6.4	8	3	4	6	7	9	11	17
35-49	251	8.0	17	3	4	7	10	13	16	23
50-64	59	10.5	28	2	6	10	12	17	22	29
65+	56	17.5	131	6	8	14	20	31	38	63
TOT. SINGLE DX	1359	5.9	6	3	3	6	7	8	10	14
" MULTIPLE DX	1897	7.0	18	3	4	6	8	11	14	24
TOTAL 0-19 YRS	460	5.8	6	3	3	5	7	9	11	14
20-34	2241	6.1	6	3	4	6	7	9	10	15
35-49	385	7.5	14	3	4	7	9	12	15	22
50-64	89	9.8	27	2	4	9	12	16	20	28
65+	81	15.7	107	5	6	13	19	26	33	63
GRAND TOTAL	3256	6.5	13	3	4	6	7	10	12	20

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	6.0	3	4	4	6	7	8	9	13
20-34	1041	6.3	4	4	4	6	7	9	10	15
35-49	341	6.8	6	4	4	6	8	10	11	16
50-64	68	10.0	30	5	5	8	12	17	23	34
65+	37	11.0	20	4	6	10	14	18	19	19
2. MULTIPLE DX										
0-19 YRS	194	6.7	5	4	4	6	8	9	11	14
20-34	1950	7.1	10	4	5	6	8	10	13	19
35-49	798	8.1	15	4	5	7	9	13	15	25
50-64	137	11.0	37	5	6	9	13	17	21	38
65+	103	16.7	121	7	7	14	19	27	43	63
TOT. SINGLE DX	1642	6.6	7	4	4	6	7	9	12	17
" MULTIPLE DX	3182	7.8	20	4	5	7	9	12	15	24
TOTAL 0-19 YRS	349	6.4	5	4	4	6	7	9	10	14
20-34	2991	6.8	9	4	4	6	7	10	12	18
35-49	1139	7.7	13	4	5	7	9	12	14	22
50-64	205	10.7	35	5	6	9	12	17	21	36
65+	140	15.2	101	6	7	13	18	24	36	62
GRAND TOTAL	4824	7.4	16	4	5	6	8	11	14	22

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	162	6.6	4	4	5	6	8	9	11	13
35-49	221	7.4	10	5	5	7	8	10	12	17
50-64	100	9.7	56	5	6	8	11	13	16	49
65+	51	10.9	26	6	7	9	12	15	23	32
2. MULTIPLE DX										
0-19 YRS	13	6.6	9	4	4	7	7	10	12	13
20-34	508	7.7	11	5	5	7	8	12	14	20
35-49	704	9.0	29	5	5	8	10	14	18	31
50-64	258	11.2	37	6	6	9	13	18	24	38
65+	115	16.5	91	7	8	13	19	31	38	49
TOT. SINGLE DX	537	7.9	21	4	5	7	9	12	13	23
" MULTIPLE DX	1598	9.5	34	5	5	8	11	15	19	37
TOTAL 0-19 YRS	16	6.4	5	4	4	6	7	9	12	13
20-34	670	7.4	10	4	5	7	8	11	13	19
35-49	925	8.6	25	5	5	7	9	13	16	29
50-64	358	10.7	43	5	6	9	12	17	22	38
65+	166	14.8	78	6	8	12	17	27	33	47
GRAND TOTAL	2135	9.1	31	5	5	8	10	14	18	33

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.5	8	1	2	4	6	8	9	15
20-34	172	4.6	9	1	1	4	6	9	12	13
35-49	28	5.4	15	1	1	5	8	10	12	17
50-64	4	8.5	17	3	3	9	11	13	13	13
65+	4	11.8	51	2	2	13	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	41	4.8	5	2	2	5	6	7	9	12
20-34	397	5.5	10	1	2	5	7	8	10	18
35-49	60	6.9	30	1	2	6	9	13	18	31
50-64	5	8.2	19	3	3	8	10	15	15	15
65+	4	13.0	16	9	9	13	16	17	17	17
TOT. SINGLE DX	257	4.8	11	1	1	4	6	9	12	16
" MULTIPLE DX	507	5.7	13	1	2	5	7	9	11	20
TOTAL 0-19 YRS	90	4.6	7	1	2	4	6	7	8	15
20-34	569	5.2	10	1	2	5	7	8	11	16
35-49	88	6.4	26	1	1	5	8	12	16	28
50-64	9	8.3	17	3	3	8	11	14	15	15
65+	8	12.4	29	2	4	13	17	18	18	18
GRAND TOTAL	764	5.4	13	1	2	5	7	9	12	18

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	1.7		<1	<1	2	2	3	3	4
20-34	5427	1.6		<1	<1	1	2	2	3	4
35-49	1704	1.6		<1	<1	1	2	2	3	4
50-64	15	1.5		<1	<1	1	2	2	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	45	2.2	7	<1	<1	2	2	3	4	19
20-34	3510	2.0	3	<1	<1	2	2	3	4	8
35-49	1374	2.0	2	<1	<1	2	2	3	4	8
50-64	10	2.8	2	1	1	3	4	5	6	6
65+										
TOT. SINGLE DX	7210	1.6	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	4939	2.0	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	109	1.9	3	<1	<1	2	2	3	4	11
20-34	8937	1.7	2	<1	<1	2	2	2	3	6
35-49	3078	1.7	2	<1	<1	2	2	3	3	7
50-64	25	2.0	2	<1	<1	2	2	4	5	6
65+										
GRAND TOTAL	12149	1.7	2	<1	<1	2	2	2	3	6

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	3.0	4	<1	1	3	3	5	7	13
20-34	3558	2.4	1	<1	<1	2	3	4	5	7
35-49	940	2.4	2	<1	<1	2	3	4	5	8
50-64	9	4.1	5	1	1	3	6	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	84	3.7	3	1	2	3	5	6	8	10
20-34	4789	3.4	5	1	2	3	4	5	6	10
35-49	1079	3.5	6	1	1	3	4	6	7	13
50-64	12	6.2	19	1	1	6	8	13	16	16
65+										
TOT. SINGLE DX	4571	2.4	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	5964	3.4	6	1	2	3	4	5	7	11
TOTAL 0-19 YRS	148	3.4	4	1	1	3	4	6	7	10
20-34	8347	3.0	4	<1	1	3	4	5	6	9
35-49	2019	3.0	5	<1	1	2	4	5	6	11
50-64	21	5.3	14	1	1	4	7	10	14	16
65+										
GRAND TOTAL	10535	3.0	5	<1	1	3	4	5	6	9

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	5.5	3	3	4	5	6	8	9	12
20-34	1640	4.9	4	1	2	5	6	7	8	10
35-49	197	4.4	6	<1	<1	5	6	7	9	10
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	122	6.0	7	2	3	6	7	9	11	15
20-34	1577	5.3	7	1	2	5	6	8	9	14
35-49	235	5.5	9	1	2	5	7	9	11	16
50-64	11	12.2	40	2	4	12	17	21	23	23
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	1949	4.9	5	1	2	5	6	7	8	10
" MULTIPLE DX	1946	5.4	8	1	2	5	6	8	10	15
TOTAL 0-19 YRS	229	5.7	6	2	3	5	7	9	10	13
20-34	3217	5.1	6	1	2	5	6	7	8	13
35-49	432	5.0	8	<1	1	5	6	8	10	15
50-64	14	10.9	39	2	3	9	16	19	22	23
65+	3	5.0	9	2	2	5	7	8	8	8
GRAND TOTAL	3895	5.2	6	1	2	5	6	8	9	13

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	2.2		1	1	2	3	3	4	5
20-34	1218	2.6	1	1	1	2	3	4	5	7
35-49	331	2.8	6	1	1	2	3	5	6	12
50-64	108	2.7	2	<1	1	2	3	4	5	11
65+	49	3.8	8	1	2	3	4	7	11	15
2. MULTIPLE DX										
0-19 YRS	43	3.1	2	1	2	3	4	5	6	10
20-34	658	3.2	4	1	1	3	4	6	7	11
35-49	296	3.8	14	1	1	3	4	7	10	17
50-64	145	4.0	16	1	1	3	4	8	10	25
65+	67	5.1	15	2	2	4	6	11	13	21
TOT. SINGLE DX	1773	2.6	3	1	1	2	3	4	5	8
" MULTIPLE DX	1209	3.6	9	1	1	3	4	7	8	16
TOTAL 0-19 YRS	110	2.5	2	1	1	2	3	4	5	8
20-34	1876	2.8	3	1	1	2	3	5	6	8
35-49	627	3.3	11	1	1	2	3	6	8	16
50-64	253	3.4	11	1	1	3	3	6	9	20
65+	116	4.6	13	2	2	3	5	10	13	18
GRAND TOTAL	2982	3.0	6	1	1	2	3	5	7	12

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.0		<1	1	2	2	3	4	4
20-34	328	2.4	4	<1	1	2	3	4	4	12
35-49	274	2.4	3	<1	1	2	3	4	6	11
50-64	228	3.5	9	1	1	2	4	8	9	18
65+	159	4.7	16	1	2	3	7	9	12	20
2. MULTIPLE DX										
0-19 YRS	38	3.6	5	1	2	3	5	8	9	9
20-34	636	3.0	10	<1	1	2	3	6	8	17
35-49	666	3.3	12	<1	1	2	3	7	9	20
50-64	442	4.6	20	1	1	3	6	10	14	21
65+	359	8.2	61	2	2	6	10	16	23	41
TOT. SINGLE DX	1019	3.0	8	<1	1	2	3	6	9	14
" MULTIPLE DX	2141	4.3	25	1	1	2	5	9	13	25
TOTAL 0-19 YRS	68	2.9	4	1	1	2	3	6	8	9
20-34	964	2.8	9	<1	1	2	3	5	7	16
35-49	940	3.0	10	<1	1	2	3	6	9	16
50-64	670	4.2	17	1	1	3	5	9	13	19
65+	518	7.1	50	2	2	5	9	14	20	37
GRAND TOTAL	3160	3.9	20	1	1	2	4	8	12	23

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.7	2	2	2	4	4	6	7	8
20-34	664	3.2	2	1	1	3	4	5	6	8
35-49	44	2.6	1	1	1	2	3	4	5	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	24	4.2	3	2	2	4	6	7	8	8
20-34	186	4.2	6	2	2	3	5	8	10	13
35-49	23	3.5	6	<1	1	3	5	8	9	9
50-64	6	8.2	47	1	1	7	9	20	21	21
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	759	3.2	3	1	1	3	4	5	6	8
" MULTIPLE DX	240	4.3	8	1	2	4	5	8	10	13
TOTAL 0-19 YRS	73	3.9	3	2	2	4	5	6	8	8
20-34	850	3.4	4	1	2	3	4	6	7	11
35-49	67	2.9	3	1	1	2	4	5	7	9
50-64	7	7.6	42	1	2	5	9	19	21	21
65+	2	5.5	1	5	5	5	6	6	6	6
GRAND TOTAL	999	3.4	4	1	2	3	4	6	7	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.0	8	1	1	5	7	9	10	10
20-34	324	5.4	5	1	2	6	7	8	9	11
35-49	71	5.4	12	1	2	5	7	9	11	21
50-64	19	5.5	42	1	2	2	7	13	22	28
65+	15	3.5	4	1	2	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	15	6.2	16	1	2	6	8	10	16	18
20-34	486	6.3	11	2	2	6	8	9	12	20
35-49	153	6.3	21	1	2	6	8	11	14	27
50-64	63	6.8	60	1	1	4	8	16	21	46
65+	56	9.1	101	1	2	5	12	22	37	97
TOT. SINGLE DX	437	5.3	8	1	2	6	7	8	9	13
" MULTIPLE DX	773	6.6	24	1	2	6	8	11	15	27
TOTAL 0-19 YRS	23	5.8	14	1	2	6	7	10	13	18
20-34	810	6.0	9	1	2	6	7	9	10	17
35-49	224	6.0	19	1	2	6	8	10	13	25
50-64	82	6.5	56	1	1	4	8	15	21	42
65+	71	7.9	86	1	2	4	10	20	29	90
GRAND TOTAL	1210	6.1	19	1	2	6	7	10	12	24

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	7.4	4	5	5	7	9	10	11	15
20-34	2137	7.1	4	5	5	7	8	9	11	16
35-49	2585	7.3	5	5	5	7	8	9	11	16
50-64	713	8.3	10	5	6	8	9	11	14	23
65+	327	10.1	15	6	7	9	11	15	17	25
2. MULTIPLE DX										
0-19 YRS	107	7.1	3	5	5	7	8	9	10	16
20-34	9627	7.5	7	5	5	7	8	10	12	18
35-49	15402	8.0	9	5	6	7	9	11	13	19
50-64	3542	9.1	17	6	6	8	10	13	16	27
65+	1237	12.4	50	6	7	10	14	20	25	42
TOT. SINGLE DX	5796	7.5	7	5	5	7	8	10	12	18
" MULTIPLE DX	29915	8.1	13	5	6	7	9	11	14	22
TOTAL 0-19 YRS	141	7.2	4	5	5	7	8	9	11	15
20-34	11764	7.5	7	5	5	7	8	10	12	17
35-49	17987	7.9	9	5	6	7	8	10	13	18
50-64	4255	9.0	16	6	6	8	10	13	16	26
65+	1564	11.9	44	6	7	10	14	19	24	40
GRAND TOTAL	35711	8.0	12	5	6	7	9	11	14	21

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.2	5	4	4	5	7	10	11	11
20-34	1516	5.9	2	4	4	6	6	8	9	11
35-49	1108	6.4	5	4	5	6	7	9	10	13
50-64	341	7.8	5	5	5	7	9	11	12	15
65+	279	8.5	8	5	6	8	10	11	13	24
2. MULTIPLE DX										
0-19 YRS	12	5.8	6	3	4	5	6	10	12	12
20-34	4650	6.4	4	4	5	6	7	9	10	14
35-49	5669	7.0	8	4	5	6	8	10	11	17
50-64	1483	8.4	9	5	5	8	9	12	14	19
65+	978	9.9	19	6	6	9	11	15	18	27
TOT. SINGLE DX	3253	6.5	5	4	5	6	7	9	10	14
" MULTIPLE DX	12792	7.2	9	4	5	6	8	10	12	18
TOTAL 0-19 YRS	21	6.0	6	3	4	5	6	10	11	12
20-34	6166	6.3	4	4	5	6	7	8	10	13
35-49	6777	6.9	8	4	5	6	8	9	11	17
50-64	1824	8.3	9	5	5	8	9	12	14	18
65+	1257	9.6	17	6	6	9	11	14	17	28
GRAND TOTAL	16045	7.0	8	4	5	6	8	10	12	18

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	29	13.3	54	8	8	11	15	18	25	46
35-49	31	12.8	24	8	8	12	15	18	25	29
50-64	26	14.0	41	7	8	11	17	25	27	29
65+	11	19.9	118	10	10	18	23	37	45	46
2. MULTIPLE DX										
0-19 YRS	3	19.3	214	6	6	17	30	35	35	35
20-34	21	12.6	35	7	8	9	15	23	24	24
35-49	39	16.5	291	6	8	11	14	26	60	93
50-64	35	17.9	148	7	9	15	19	37	46	60
65+	15	25.5	357	12	12	20	23	40	75	87
TOT. SINGLE DX	98	14.0	51	7	8	12	16	24	28	46
" MULTIPLE DX	113	17.5	212	7	8	13	18	32	47	89
TOTAL 0-19 YRS	4	16.0	187	6	6	12	26	35	35	35
20-34	50	13.0	46	8	8	10	15	23	24	46
35-49	70	14.8	174	7	8	12	15	19	31	87
50-64	61	16.2	106	7	8	13	18	29	39	59
65+	26	23.2	256	10	11	19	23	40	54	87
GRAND TOTAL	211	15.9	140	7	8	12	17	25	40	74

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	1.5	1	<1	<1	1	2	2	4	6
20-34	648	1.6	1	<1	<1	1	2	3	3	6
35-49	72	1.8	1	<1	<1	1	2	3	4	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	90	2.8	9	<1	<1	2	3	6	11	15
20-34	542	2.8	8	<1	<1	2	3	6	8	14
35-49	114	2.4	4	<1	<1	2	3	4	6	14
50-64										
65+										
TOT. SINGLE DX	937	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	746	2.7	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	307	1.9	4	<1	<1	1	2	4	5	12
20-34	1190	2.1	5	<1	<1	2	2	4	6	12
35-49	186	2.2	3	<1	<1	2	2	3	5	11
50-64										
65+										
GRAND TOTAL	1683	2.1	5	<1	<1	1	2	4	6	12

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2912	1.9	1	<1	1	2	2	3	4	7
20-34	17997	1.8	1	<1	<1	2	2	3	4	7
35-49	6142	1.9	1	<1	<1	2	2	3	4	7
50-64	2428	2.1	2	<1	1	2	2	3	4	9
65+	689	2.9	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
0-19 YRS	1191	3.1	7	1	1	2	4	6	8	12
20-34	11997	2.9	7	<1	1	2	3	6	8	13
35-49	7584	3.0	9	<1	1	2	3	7	9	15
50-64	3082	3.7	18	1	1	2	4	8	11	20
65+	1180	5.5	37	1	2	3	6	12	17	29
TOT. SINGLE DX	30168	1.9	2	<1	1	2	2	3	4	8
" MULTIPLE DX	25034	3.2	11	<1	1	2	3	7	9	16
TOTAL 0-19 YRS	4103	2.3	4	<1	1	2	3	4	6	10
20-34	29994	2.3	4	<1	1	2	2	4	6	10
35-49	13726	2.5	6	<1	1	2	2	5	7	13
50-64	5510	3.0	12	<1	1	2	3	6	9	16
65+	1869	4.5	27	1	2	3	5	10	14	26
GRAND TOTAL	55202	2.5	7	<1	1	2	3	5	7	12

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	1.4		<1	<1	1	2	2	3	6
20-34	676	1.6	3	<1	<1	1	2	3	3	7
35-49	69	1.6	1	<1	<1	1	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	205	2.0	12	<1	<1	<1	2	5	6	13
20-34	907	2.3	14	<1	<1	1	2	4	6	17
35-49	263	2.1	3	<1	<1	2	2	4	5	9
50-64										
65+										
TOT. SINGLE DX	923	1.6	3	<1	<1	1	2	2	3	7
" MULTIPLE DX	1375	2.2	12	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	383	1.8	7	<1	<1	1	2	3	5	9
20-34	1583	2.0	10	<1	<1	1	2	3	5	12
35-49	332	2.0	3	<1	<1	1	2	4	5	9
50-64										
65+										
GRAND TOTAL	2298	2.0	8	<1	<1	1	2	3	5	11

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	343	1.5		<1	<1	1	2	3	3	5
20-34	1535	1.5	1	<1	<1	1	2	2	3	6
35-49	159	1.6		<1	<1	1	2	3	4	5
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	61	2.4	5	<1	<1	2	3	5	6	14
20-34	422	2.4	9	<1	<1	2	3	5	7	17
35-49	75	4.0	36	<1	<1	2	4	7	21	28
50-64	10	7.7	79	2	2	3	9	22	30	30
65+	6	12.2	222	3	3	7	10	39	42	42
TOT. SINGLE DX	2039	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	574	2.8	17	<1	<1	2	3	6	7	26
TOTAL 0-19 YRS	404	1.7	2	<1	<1	1	2	3	4	6
20-34	1957	1.7	3	<1	<1	1	2	3	4	7
35-49	234	2.4	13	<1	<1	1	2	4	5	23
50-64	12	6.7	71	<1	1	3	8	19	28	30
65+	6	12.2	222	3	3	7	10	39	42	42
GRAND TOTAL	2613	1.8	5	<1	<1	1	2	3	4	9

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	39	5.3	3	1	2	6	7	7	8	8
35-49	6	3.8	12	2	2	3	3	10	11	11
50-64	5	6.0	1	4	4	6	7	7	7	7
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	18	5.7	3	3	3	5	6	9	10	10
20-34	116	6.4	15	3	3	6	7	9	11	25
35-49	12	4.8	10	<1	<1	5	8	9	9	9
50-64	8	9.4	5	6	6	10	11	12	12	12
65+	5	23.6	368	8	8	13	41	50	50	50
TOT. SINGLE DX	53	5.4	5	2	2	6	7	7	8	12
" MULTIPLE DX	159	6.9	31	2	3	6	8	10	12	38
TOTAL 0-19 YRS	20	5.7	3	3	4	5	7	9	9	10
20-34	155	6.1	12	2	3	6	7	8	10	20
35-49	18	4.4	11	<1	<1	4	7	9	10	11
50-64	13	8.1	7	4	5	7	11	11	12	12
65+	6	21.7	317	8	8	12	38	49	50	50
GRAND TOTAL	212	6.5	25	2	3	6	7	10	11	37

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.4	2	<1	1	2	3	5	6	7
20-34	158	2.7	4	<1	<1	2	3	6	7	10
35-49	32	4.2	9	<1	1	3	5	9	9	16
50-64	40	4.4	6	2	2	4	5	6	11	15
65+	17	4.8	7	3	3	4	5	7	12	14
2. MULTIPLE DX										
0-19 YRS	19	3.7	7	<1	<1	3	6	8	9	9
20-34	175	4.4	16	<1	1	4	6	8	11	24
35-49	32	6.1	31	<1	1	4	7	17	18	22
50-64	22	7.4	72	1	1	4	10	15	27	39
65+	24	9.6	116	3	3	5	9	32	38	40
TOT. SINGLE DX	289	3.2	6	<1	1	3	4	6	8	14
" MULTIPLE DX	272	5.2	33	<1	1	4	6	10	15	36
TOTAL 0-19 YRS	61	2.8	4	<1	1	2	4	6	7	9
20-34	333	3.6	11	<1	1	2	5	7	9	17
35-49	64	5.1	21	<1	1	4	6	10	17	21
50-64	62	5.5	32	1	2	4	5	11	14	37
65+	41	7.6	75	3	3	5	6	14	34	40
GRAND TOTAL	561	4.2	20	<1	1	3	5	8	11	26

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	131	5.4	4	2	2	5	7	8	9	11
35-49	346	7.0	7	3	4	7	8	10	12	16
50-64	518	7.3	7	4	4	7	8	10	12	17
65+	304	7.8	11	4	5	7	9	13	14	21
2. MULTIPLE DX										
0-19 YRS	5	11.2	24	3	3	12	14	16	16	16
20-34	184	7.2	13	3	4	7	9	11	15	22
35-49	623	8.7	16	4	5	8	10	14	17	24
50-64	804	9.0	16	5	5	8	10	14	17	23
65+	570	10.1	33	5	6	9	12	16	19	29
TOT. SINGLE DX	1300	7.1	9	4	4	7	8	10	12	18
" MULTIPLE DX	2186	9.1	21	4	5	8	10	14	17	24
TOTAL 0-19 YRS	6	10.2	26	3	3	11	14	16	16	16
20-34	315	6.5	11	2	3	6	8	10	12	19
35-49	969	8.1	14	4	4	7	9	12	15	22
50-64	1322	8.3	14	4	5	7	10	13	16	21
65+	874	9.3	27	4	5	8	11	14	18	25
GRAND TOTAL	3486	8.3	17	4	5	7	10	13	16	22

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	3.0	7	1	1	2	4	7	8	14
20-34	207	3.7	5	1	1	3	5	7	8	11
35-49	86	4.5	14	1	1	3	6	10	12	18
50-64	57	6.5	11	1	2	7	9	11	12	16
65+	27	7.1	26	1	2	6	8	14	18	25
2. MULTIPLE DX										
0-19 YRS	35	5.7	143	<1	1	2	6	8	15	72
20-34	91	5.8	28	1	2	5	7	10	13	32
35-49	79	6.5	21	2	2	5	8	13	16	24
50-64	53	9.8	33	3	4	8	12	19	21	26
65+	54	11.9	127	2	4	9	15	21	28	76
TOT. SINGLE DX	429	4.3	11	1	1	3	6	9	10	16
" MULTIPLE DX	312	7.7	62	1	2	6	9	16	21	35
TOTAL 0-19 YRS	87	4.1	63	1	1	2	4	7	10	51
20-34	298	4.3	14	1	1	3	6	8	10	19
35-49	165	5.5	19	1	1	4	7	12	14	21
50-64	110	8.1	25	2	2	7	10	16	18	25
65+	81	10.3	99	2	3	8	12	18	24	64
GRAND TOTAL	741	5.8	35	1	1	4	7	11	16	25

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	3.5	12	<1	1	2	4	7	9	18
20-34	468	3.6	10	<1	1	2	5	8	10	16
35-49	188	4.4	43	1	1	3	5	9	14	22
50-64	118	5.3	24	1	2	4	7	10	14	26
65+	141	6.2	13	2	2	6	8	11	14	17
2. MULTIPLE DX										
0-19 YRS	138	5.5	42	1	1	3	5	10	18	32
20-34	402	5.1	30	1	1	4	6	10	12	31
35-49	196	6.2	33	<1	1	4	8	13	17	29
50-64	218	7.5	45	2	2	6	9	14	20	38
65+	231	10.0	80	2	3	7	12	22	30	49
TOT. SINGLE DX	1073	4.2	19	<1	1	3	6	9	11	20
" MULTIPLE DX	1185	6.7	48	1	2	5	8	13	20	38
TOTAL 0-19 YRS	296	4.4	28	<1	1	3	5	9	14	30
20-34	870	4.3	20	<1	1	3	6	9	11	21
35-49	384	5.3	39	1	1	4	7	11	16	26
50-64	336	6.7	39	1	2	5	8	13	19	34
65+	372	8.5	58	2	2	7	10	16	24	44
GRAND TOTAL	2258	5.5	36	1	1	4	7	11	16	31

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	246	2.5	7	<1	1	2	3	4	5	14
20-34	1052	2.4	2	<1	1	2	3	4	5	8
35-49	434	2.5	2	<1	1	2	3	4	5	8
50-64	211	3.1	7	1	1	2	3	6	8	14
65+	98	3.7	6	1	2	3	4	8	8	15
2. MULTIPLE DX										
0-19 YRS	92	3.5	7	1	1	3	4	6	10	16
20-34	376	4.1	18	1	1	3	5	7	11	26
35-49	230	5.1	26	1	1	3	7	11	15	25
50-64	186	7.3	73	1	2	5	9	15	21	65
65+	136	8.1	59	2	2	6	11	17	20	70
TOT. SINGLE DX	2041	2.6	4	<1	1	2	3	4	6	9
" MULTIPLE DX	1020	5.4	37	1	1	3	6	12	16	32
TOTAL 0-19 YRS	338	2.8	8	<1	1	2	3	5	7	15
20-34	1428	2.8	7	<1	1	2	3	5	7	13
35-49	664	3.4	13	<1	1	2	4	7	10	18
50-64	397	5.0	42	1	1	3	6	11	15	38
65+	234	6.3	42	1	2	4	8	14	18	37
GRAND TOTAL	3061	3.5	17	<1	1	2	4	7	10	20

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	20	4.0	9	1	2	3	5	8	11	14
35-49	26	8.6	143	<1	1	4	8	20	44	47
50-64	31	5.6	10	3	3	5	8	9	11	17
65+	36	12.2	124	2	2	8	16	26	39	48
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	10.9	193	1	3	4	11	27	46	52
35-49	18	10.7	99	1	1	7	17	25	32	36
50-64	38	15.8	317	2	3	8	18	53	59	64
65+	42	20.2	246	4	6	17	25	41	57	68
TOT. SINGLE DX	115	8.0	84	1	2	5	9	17	25	47
" MULTIPLE DX	114	15.9	248	2	3	9	23	39	54	65
TOTAL 0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	35	6.9	97	1	2	4	6	14	27	52
35-49	44	9.4	124	<1	1	5	14	21	38	47
50-64	69	11.2	204	3	3	6	10	25	55	64
65+	78	16.5	204	2	3	13	23	38	47	67
GRAND TOTAL	229	11.9	181	2	2	7	16	27	45	63

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.1	2	<1	<1	1	3	4	5	6
20-34	91	3.4	4	<1	1	3	4	7	8	10
35-49	25	3.2	9	<1	1	2	3	10	10	11
50-64	23	5.5	60	1	1	3	6	9	21	39
65+	6	12.8	341	2	2	5	11	46	50	50
2. MULTIPLE DX										
0-19 YRS	15	2.4	2	1	1	2	3	5	6	7
20-34	45	3.6	8	1	1	3	4	7	9	15
35-49	21	4.9	7	<1	1	5	7	8	9	9
50-64	23	11.7	344	1	2	6	10	24	53	89
65+	7	11.0	26	4	5	10	14	19	20	20
TOT. SINGLE DX	204	3.5	22	<1	1	2	4	7	9	24
" MULTIPLE DX	111	5.8	88	1	1	4	7	10	15	55
TOTAL 0-19 YRS	74	2.1	2	<1	1	2	3	4	6	7
20-34	136	3.5	6	1	1	3	4	7	8	12
35-49	46	3.9	9	<1	1	3	7	8	10	11
50-64	46	8.6	208	1	2	4	8	19	35	89
65+	13	11.8	156	2	3	9	12	26	45	50
GRAND TOTAL	315	4.3	46	<1	1	3	5	8	10	36

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.4		<1	<1	1	2	2	3	3
20-34	21	4.2	26	<1	1	2	4	14	17	19
35-49	11	3.8	12	<1	1	2	5	10	12	12
50-64	7	6.0	72	1	1	3	5	21	25	25
65+	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	10	5.1	19	<1	<1	3	8	12	14	14
20-34	24	5.4	82	1	1	2	6	11	23	45
35-49	16	5.4	24	<1	2	3	9	11	16	18
50-64	7	5.4	10	2	2	5	7	10	11	11
65+	9	4.0	7	1	1	4	5	8	10	10
TOT. SINGLE DX	61	3.4	20	<1	1	2	3	7	14	24
" MULTIPLE DX	66	5.2	39	1	1	3	7	10	13	41
TOTAL 0-19 YRS	29	2.7	10	<1	<1	2	5	7	10	14
20-34	45	4.9	55	1	1	2	5	13	17	45
35-49	27	4.8	19	<1	1	2	8	11	13	18
50-64	14	5.7	38	1	2	4	7	12	22	25
65+	12	3.7	6	1	1	3	5	7	10	10
GRAND TOTAL	127	4.3	31	<1	1	2	5	10	13	30

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4713	3.0	1	2	2	3	3	4	5	6
20-34	20046	3.3	2	2	2	3	4	4	5	7
35-49	663	3.4	1	2	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2345	3.6	4	2	2	3	4	5	7	11
20-34	11776	3.8	5	2	2	3	4	5	6	10
35-49	695	4.0	3	2	2	4	4	6	6	12
50-64										
65+										
TOT. SINGLE DX	25422	3.3	2	2	2	3	4	4	5	7
" MULTIPLE DX	14816	3.8	5	2	2	3	4	5	6	10
TOTAL 0-19 YRS	7058	3.2	2	2	2	3	4	4	5	8
20-34	31822	3.5	4	2	2	3	4	5	6	8
35-49	1358	3.7	3	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	40238	3.5	4	2	2	3	4	5	6	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	2.7	1	1	1	3	3	4	4	8
20-34	445	3.0	1	1	2	3	3	4	5	7
35-49	28	3.0	1	1	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	111	3.0	2	1	1	3	3	5	5	10
20-34	587	3.6	5	1	2	3	4	6	7	13
35-49	43	3.6	2	1	2	3	5	5	6	9
50-64										
65+										
TOT. SINGLE DX	541	2.9	1	1	2	3	3	4	5	7
" MULTIPLE DX	741	3.5	5	1	2	3	4	5	7	12
TOTAL 0-19 YRS	179	2.9	2	1	1	3	3	4	5	8
20-34	1032	3.3	4	1	2	3	4	5	6	10
35-49	71	3.4	2	1	2	3	4	5	5	9
50-64										
65+										
GRAND TOTAL	1282	3.3	3	1	2	3	4	5	6	9

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	591	3.1	3	2	2	3	3	4	5	8
20-34	2922	3.2	4	2	2	3	4	4	5	7
35-49	95	3.2	1	2	2	3	4	4	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	497	3.6	5	2	2	3	4	5	6	10
20-34	2682	3.7	2	2	2	3	4	5	6	10
35-49	143	3.8	2	2	2	4	5	6	6	9
50-64										
65+										
TOT. SINGLE DX	3608	3.2	4	2	2	3	4	4	5	7
" MULTIPLE DX	3322	3.7	4	2	2	3	4	5	6	10
TOTAL 0-19 YRS	1088	3.3	5	2	2	3	4	4	5	9
20-34	5604	3.5	4	2	2	3	4	5	6	8
35-49	238	3.6	2	2	2	3	4	6	6	8
50-64										
65+										
GRAND TOTAL	6930	3.4	4	2	2	3	4	5	6	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17986	2.8	1	2	2	3	3	4	4	6
20-34	69765	2.9	1	1	2	3	3	4	4	6
35-49	2626	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3528	3.4	4	2	2	3	4	5	7	13
20-34	21679	3.6	6	2	2	3	4	5	6	11
35-49	1674	3.8	5	2	2	3	4	5	7	14
50-64										
65+										
TOT. SINGLE DX	90377	2.9	2	1	2	3	3	4	4	6
" MULTIPLE DX	26881	3.6	6	2	2	3	4	5	6	12
TOTAL 0-19 YRS	21514	2.9	2	2	2	3	3	4	5	8
20-34	91444	3.1	3	2	2	3	3	4	5	8
35-49	4300	3.3	3	1	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	117258	3.0	3	2	2	3	3	4	5	8

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2141	5.6	6	4	4	5	6	7	8	12
20-34	11991	5.6	3	4	4	5	6	7	8	11
35-49	487	5.9	3	4	4	6	6	7	8	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3122	6.5	9	4	4	6	7	9	11	19
20-34	19803	6.3	11	4	4	6	7	8	10	20
35-49	1598	6.9	18	4	4	6	7	9	12	26
50-64										
65+										
TOT. SINGLE DX	14619	5.6	4	4	4	5	6	7	8	11
" MULTIPLE DX	24523	6.4	12	4	4	6	7	8	11	21
TOTAL 0-19 YRS	5263	6.1	9	4	4	6	7	8	10	17
20-34	31794	6.0	9	4	4	6	6	8	9	17
35-49	2085	6.7	15	4	4	6	7	9	11	24
50-64										
65+										
GRAND TOTAL	39142	6.1	9	4	4	6	6	8	9	17

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	5.6	3	3	4	5	6	7	9	14
20-34	869	5.6	3	4	4	5	6	7	8	11
35-49	31	5.7	2	4	4	6	6	7	9	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	207	6.2	4	4	4	6	7	9	10	13
20-34	1155	6.6	15	4	4	6	7	9	11	23
35-49	120	6.8	10	4	4	6	7	10	14	22
50-64										
65+										
TOT. SINGLE DX	1134	5.6	4	4	4	5	6	7	8	12
" MULTIPLE DX	1482	6.5	13	4	4	6	7	9	11	22
TOTAL 0-19 YRS	441	5.9	4	4	4	5	7	8	10	14
20-34	2024	6.1	11	4	4	6	7	8	10	18
35-49	151	6.6	9	4	4	6	7	9	13	22
50-64										
65+										
GRAND TOTAL	2616	6.1	9	4	4	6	7	8	10	17

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	34	5.4	3	3	3	5	6	7	10	11
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	32	8.2	71	4	4	6	7	9	30	46
35-49	5	7.6	7	5	5	7	9	12	12	12
50-64										
65+										
TOT. SINGLE DX	35	5.4	3	3	3	5	6	7	9	11
" MULTIPLE DX	39	8.0	59	4	4	6	7	10	23	46
TOTAL 0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	66	6.7	37	3	4	6	7	8	11	44
35-49	6	7.3	6	5	5	7	8	12	12	12
50-64										
65+										
GRAND TOTAL	74	6.8	34	3	4	6	7	8	11	43

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	359	2.1		1	1	2	3	3	4	5
20-34	385	2.2		1	1	2	3	3	4	5
35-49	24	2.3		<1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	308	2.4	3	1	2	2	2	3	4	14
20-34	300	2.7	4	1	1	2	3	4	5	16
35-49	26	2.4	1	1	1	2	3	5	5	6
50-64										
65+										
TOT. SINGLE DX	768	2.2	1	1	1	2	3	3	4	5
" MULTIPLE DX	634	2.5	4	1	1	2	3	4	4	15
TOTAL 0-19 YRS	667	2.2	2	1	1	2	2	3	4	6
20-34	685	2.4	3	1	1	2	3	4	4	8
35-49	50	2.3	1	1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	1402	2.3	2	1	1	2	3	3	4	7

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	3.6	10	<1	1	3	4	8	10	17
20-34	142	4.4	23	<1	1	3	6	8	11	30
35-49	9	3.1	12	<1	<1	2	3	9	12	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	14	6.4	23	1	2	4	10	13	17	18
20-34	102	6.1	31	<1	1	4	7	13	21	24
35-49	11	5.8	18	2	2	4	6	14	15	15
50-64										
65+										
TOT. SINGLE DX	190	4.2	20	<1	1	3	6	8	11	27
" MULTIPLE DX	127	6.1	29	1	1	4	7	13	20	24
TOTAL 0-19 YRS	53	4.4	15	1	1	3	6	10	12	18
20-34	244	5.1	27	<1	1	4	6	10	19	25
35-49	20	4.6	17	<1	<1	3	6	12	14	15
50-64										
65+										
GRAND TOTAL	317	4.9	24	<1	1	3	6	10	15	24

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	319	2.5	2	<1	1	2	3	4	5	8
20-34	1405	2.5	3	<1	<1	2	3	4	5	8
35-49	52	2.7	4	<1	<1	2	3	5	5	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	82	3.0	4	<1	1	3	4	5	6	11
20-34	454	3.7	9	1	1	3	4	6	8	17
35-49	35	3.5	5	<1	1	3	4	6	8	11
50-64										
65+										
TOT. SINGLE DX	1776	2.5	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	571	3.6	8	<1	1	3	4	6	8	15
TOTAL 0-19 YRS	401	2.6	3	<1	1	2	3	5	6	9
20-34	1859	2.8	5	<1	1	3	3	4	6	10
35-49	87	3.0	5	<1	<1	3	4	5	6	14
50-64										
65+										
GRAND TOTAL	2347	2.8	4	<1	1	3	3	5	6	10

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1939	2.8	2	2	2	3	3	4	4	6
20-34	6747	2.8	1	1	2	3	3	4	4	6
35-49	311	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1320	3.3	5	2	2	3	4	5	6	10
20-34	4915	3.3	5	2	2	3	4	5	6	10
35-49	337	3.5	3	2	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	8997	2.8	2	1	2	3	3	4	4	6
" MULTIPLE DX	6572	3.3	6	2	2	3	4	5	6	10
TOTAL 0-19 YRS	3259	3.0	4	2	2	3	3	4	5	8
20-34	11662	3.0	4	1	2	3	3	4	5	7
35-49	648	3.1	3	1	2	3	4	4	5	9
50-64										
65+										
GRAND TOTAL	15569	3.0	4	1	2	3	3	4	5	8

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	3.1	5	<1	1	2	4	7	8	10
20-34	84	3.8	8	2	2	3	4	6	8	19
35-49	64	4.1	19	1	1	3	4	8	10	30
50-64	62	6.9	71	2	2	4	8	15	23	51
65+	45	6.9	34	1	2	4	11	17	18	21
2. MULTIPLE DX										
0-19 YRS	30	4.9	21	<1	1	4	5	12	14	22
20-34	65	4.8	29	2	2	3	4	8	17	32
35-49	69	6.4	67	2	2	3	7	16	24	44
50-64	107	8.1	74	2	2	4	11	20	24	45
65+	83	10.8	160	2	2	5	14	25	33	72
TOT. SINGLE DX	302	4.8	29	1	2	3	5	10	15	26
" MULTIPLE DX	354	7.5	84	2	2	4	9	19	25	42
TOTAL 0-19 YRS	77	3.8	12	<1	1	3	4	8	11	20
20-34	149	4.2	18	2	2	3	4	7	9	23
35-49	133	5.3	45	1	2	3	6	9	19	40
50-64	169	7.7	73	2	2	4	9	19	24	48
65+	128	9.4	119	2	2	5	13	22	27	51
GRAND TOTAL	656	6.3	61	2	2	3	7	15	22	41

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	4.1	1	2	3	4	5	6	7	9
20-34	518	4.0	2	2	3	4	5	6	7	9
35-49	196	4.2	10	1	2	4	5	6	7	21
50-64	63	4.3	3	1	2	4	5	7	8	10
65+	15	5.1	5	2	3	4	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	240	4.5	3	2	3	4	5	7	8	11
20-34	324	4.7	11	2	3	4	5	7	8	14
35-49	135	5.0	9	2	3	4	6	9	10	18
50-64	45	8.2	206	2	2	4	8	19	39	99+
65+	19	14.4	472	1	2	6	11	56	71	73
TOT. SINGLE DX	1014	4.1	4	2	2	4	5	6	7	10
" MULTIPLE DX	763	5.2	34	2	3	4	5	8	10	25
TOTAL 0-19 YRS	462	4.3	3	2	3	4	5	6	7	11
20-34	842	4.3	6	2	3	4	5	6	8	11
35-49	331	4.5	11	1	2	4	5	7	9	19
50 64	108	6.0	91	2	2	4	6	9	17	97
65+	34	10.3	282	2	2	5	7	23	63	73
GRAND TOTAL	1777	4.6	17	2	3	4	5	7	8	15

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	2.7	3	1	1	2	3	5	6	8
20-34	314	3.1	4	1	1	2	4	6	7	12
35-49	82	3.8	8	1	1	3	5	8	9	14
50-64	24	2.8	2	<1	1	2	4	5	6	7
65+	14	5.1	13	1	2	4	8	9	13	14
2. MULTIPLE DX										
0-19 YRS	208	5.5	49	1	2	3	6	10	17	44
20-34	343	5.9	47	1	2	4	7	11	15	36
35-49	110	7.3	64	2	2	5	8	14	19	45
50-64	35	8.9	106	2	3	6	9	22	26	55
65+	24	7.8	45	1	3	7	9	14	21	34
TOT. SINGLE DX	637	3.1	5	1	1	2	4	6	7	13
" MULTIPLE DX	720	6.2	54	1	2	4	7	12	18	38
TOTAL 0-19 YRS	411	4.1	28	1	1	3	4	7	10	24
20-34	657	4.5	29	1	1	3	5	9	12	31
35-49	192	5.8	43	1	2	4	7	11	15	28
50-64	59	6.5	72	1	2	4	7	14	23	52
65+	38	6.8	35	1	2	5	8	13	15	34
GRAND TOTAL	1357	4.7	32	1	1	3	5	9	13	29

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	3.7	5	1	2	3	5	6	9	12
20-34	494	3.6	8	1	1	3	4	7	8	15
35-49	191	4.3	15	1	2	3	5	8	10	22
50-64	62	4.8	23	1	2	3	5	11	13	30
65+	20	6.2	12	2	3	5	10	11	12	12
2. MULTIPLE DX										
0-19 YRS	237	7.4	76	2	2	5	8	13	17	41
20-34	573	8.1	89	2	2	5	9	15	24	55
35-49	244	8.0	77	2	2	6	9	15	24	42
50-64	129	9.9	98	2	2	6	12	20	28	53
65+	58	13.1	216	3	3	9	14	26	38	89
TOT. SINGLE DX	935	3.9	10	1	2	3	5	7	10	14
" MULTIPLE DX	1241	8.4	92	2	2	6	10	16	25	51
TOTAL 0-19 YRS	405	5.8	50	2	2	4	7	11	13	32
20-34	1067	6.0	57	1	2	4	7	12	16	45
35-49	435	6.3	54	2	2	5	7	11	16	33
50-64	191	8.2	80	2	2	5	10	18	26	48
65+	78	11.3	172	3	3	8	12	20	35	82
GRAND TOTAL	2176	6.4	62	2	2	4	7	12	17	44

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.6	10	1	1	4	6	9	12	12
20-34	30	5.2	16	<1	1	4	6	12	15	16
35-49	13	5.2	7	1	2	5	6	10	12	12
50-64	14	9.0	206	1	3	4	9	16	49	58
65+	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	8.0	71	3	3	5	7	23	25	25
20-34	18	10.3	179	2	3	7	8	15	43	62
35-49	26	6.5	31	1	2	5	8	16	19	24
50-64	6	4.8	9	1	1	5	7	9	9	9
65+	10	5.0	7	1	2	4	7	9	10	10
TOT. SINGLE DX	73	5.6	50	1	2	4	6	10	14	48
" MULTIPLE DX	66	7.3	70	1	2	5	8	14	19	56
TOTAL 0-19 YRS	18	5.7	31	1	2	4	7	11	20	25
20-34	48	7.1	81	1	2	5	7	14	15	62
35-49	39	6.1	23	1	2	5	7	13	17	24
50-64	20	7.8	148	1	2	4	8	10	34	58
65+	14	4.1	8	1	1	3	6	8	10	10
GRAND TOTAL	139	6.4	60	1	2	5	7	12	16	58

703: Incision and division of bones, except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	322	5.3	21	1	2	4	6	11	16	25
20-34	357	6.2	49	2	2	4	6	12	17	39
35-49	242	5.6	23	2	2	4	7	10	16	22
50-64	271	7.0	46	2	2	5	9	13	17	44
65+	137	10.8	81	2	3	8	14	23	27	47
2. MULTIPLE DX										
0-19 YRS	166	7.6	68	2	2	5	9	15	31	50
20-34	243	7.0	55	2	2	5	8	15	22	42
35-49	223	8.5	124	2	2	5	9	16	26	76
50-64	249	9.0	78	2	3	6	11	18	29	53
65+	145	14.7	120	2	4	11	21	30	40	61
TOT. SINGLE DX	1329	6.5	43	2	2	4	8	14	19	37
" MULTIPLE DX	1026	9.0	93	2	2	6	11	20	29	53
TOTAL 0-19 YRS	488	6.1	39	2	2	4	7	13	18	38
20-34	600	6.5	52	2	2	4	7	14	20	40
35-49	465	7.0	74	2	2	5	8	14	19	36
50-64	520	8.0	62	2	3	6	9	15	22	48
65+	282	12.8	105	2	3	10	18	25	36	55
GRAND TOTAL	2355	7.6	66	2	2	5	9	16	23	45

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	4.0	2	2	2	4	5	6	7	9
20-34	325	4.1	3	2	2	4	5	6	7	11
35-49	425	4.4	3	2	2	4	5	7	8	9
50-64	485	4.8	7	2	3	4	6	7	8	13
65+	237	5.5	11	2	3	5	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	114	4.1	2	2	2	4	5	6	7	10
20-34	388	4.6	4	2	3	4	5	7	9	13
35-49	558	5.2	12	2	3	4	6	8	10	21
50-64	1097	5.6	14	3	3	5	6	9	10	22
65+	665	7.2	37	3	3	5	8	13	17	34
TOT. SINGLE DX	1617	4.6	6	2	2	4	5	7	8	13
" MULTIPLE DX	2822	5.7	18	2	3	5	6	9	12	28
TOTAL 0-19 YRS	259	4.1	3	2	2	4	5	6	7	9
20-34	713	4.4	4	2	2	4	5	7	8	12
35-49	983	4.8	9	2	3	4	6	7	9	20
50-64	1582	5.3	13	2	3	5	6	8	10	20
65+	902	6.7	31	3	3	5	7	11	16	31
GRAND TOTAL	4439	5.3	14	2	3	4	5	8	10	21

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1167	4.0	24	1	2	3	4	6	10	28
20-34	1680	4.8	37	1	2	3	5	8	12	34
35-49	1161	5.4	46	2	2	4	6	10	14	38
50-64	941	6.2	49	2	2	4	7	12	17	38
65+	565	8.3	79	2	2	5	10	18	24	50
2. MULTIPLE DX										
0-19 YRS	441	7.5	97	2	2	4	7	17	29	58
20-34	1059	8.8	157	1	2	4	9	19	37	67
35-49	932	9.0	125	2	2	5	10	22	32	68
50-64	1144	10.5	164	2	2	6	12	24	36	69
65+	897	14.3	188	2	3	10	19	32	41	73
TOT. SINGLE DX	5514	5.4	45	1	2	3	6	10	15	36
" MULTIPLE DX	4473	10.3	158	2	2	5	12	25	36	68
TOTAL 0-19 YRS	1608	5.0	47	1	2	3	5	9	15	38
20-34	2739	6.4	88	1	2	4	6	12	20	52
35-49	2093	7.0	85	2	2	4	7	15	24	52
50-64	2085	8.6	117	2	2	5	10	19	30	61
65+	1462	12.0	155	2	2	8	15	27	36	67
GRAND TOTAL	9987	7.6	101	2	2	4	8	17	27	56

706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	374	6.2	50	2	2	4	7	11	20	36
20-34	345	5.5	34	2	2	4	6	9	13	35
35-49	169	7.0	64	1	2	5	8	12	19	54
50-64	165	9.6	80	2	2	8	13	16	21	58
65+	283	13.7	63	3	5	13	17	23	28	43
2. MULTIPLE DX										
0-19 YRS	104	8.9	90	2	2	6	10	19	28	51
20-34	183	12.8	228	2	2	7	15	34	49	88
35-49	122	11.6	133	2	2	8	14	27	34	58
50-64	153	12.9	109	2	3	10	17	25	36	50
65+	392	18.8	164	5	7	15	24	35	47	84
TOT. SINGLE DX	1336	8.1	65	2	2	5	10	17	22	41
" MULTIPLE DX	954	14.7	168	2	3	11	20	30	42	74
TOTAL 0-19 YRS	478	6.8	60	2	2	4	7	14	22	40
20-34	528	8.0	114	2	2	5	8	16	31	55
35-49	291	8.9	98	2	2	6	10	19	27	54
50-64	318	11.1	97	2	3	9	14	22	27	53
65+	675	16.7	128	4	6	14	21	30	40	68
GRAND TOTAL	2290	10.9	118	2	2	7	14	24	32	57

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	756	3.0	15	<1	1	2	3	5	6	24
20-34	1179	3.1	9	1	1	2	3	5	7	19
35-49	591	3.6	26	1	1	3	4	6	9	23
50-64	535	4.5	25	1	1	3	5	10	14	26
65+	501	7.6	70	1	2	5	10	16	24	40
2. MULTIPLE DX										
0-19 YRS	143	6.2	97	1	1	3	5	11	27	61
20-34	277	5.6	38	1	1	3	6	12	17	35
35-49	209	9.0	134	1	2	5	11	19	32	54
50-64	270	10.7	156	2	2	6	15	25	33	83
65+	424	14.8	173	2	3	12	20	32	43	65
TOT. SINGLE DX	3562	4.0	27	1	1	3	4	7	12	27
" MULTIPLE DX	1323	10.2	140	1	2	5	14	25	34	62
TOTAL 0-19 YRS	899	3.5	30	<1	1	2	3	5	8	33
20-34	1456	3.6	16	1	1	2	4	6	9	24
35-49	800	5.0	60	1	1	3	5	10	15	42
50-64	805	6.6	78	1	2	4	7	16	24	53
65+	925	10.9	131	2	2	7	14	25	33	59
GRAND TOTAL	4885	5.7	65	1	1	3	5	13	21	43

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	16.4	221	2	3	12	25	37	48	65
20-34	42	14.3	105	4	6	11	18	30	38	49
35-49	26	13.4	76	4	5	11	16	26	30	37
50-64	84	13.8	52	5	6	13	16	21	26	47
65+	356	17.6	89	7	9	15	21	29	36	55
2. MULTIPLE DX										
0-19 YRS	72	24.1	218	4	7	23	34	45	49	93
20-34	63	25.8	303	9	11	21	32	57	79	99+
35-49	31	20.2	193	6	7	18	24	41	47	61
50-64	80	23.0	230	6	8	21	28	43	60	68
65+	531	21.1	139	9	11	18	25	37	46	80
TOT. SINGLE DX	616	16.5	110	4	6	14	20	29	37	52
" MULTIPLE DX	777	21.9	172	8	10	19	26	40	52	92
TOTAL 0-19 YRS	180	19.5	233	2	3	17	29	40	49	76
20-34	105	21.2	254	6	7	17	26	48	59	99+
35-49	57	17.1	149	5	6	15	23	36	43	60
50-64	164	18.3	160	6	7	14	23	32	46	64
65+	887	19.7	122	8	10	17	23	33	42	73
GRAND TOTAL	1393	19.5	152	6	8	15	24	36	46	75

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	12.9	108	3	4	10	16	22	36	56
20-34	179	14.5	101	4	6	12	17	25	34	56
35-49	148	12.8	51	5	6	11	16	21	27	41
50-64	433	14.4	76	6	7	13	16	23	28	59
65+	2323	17.4	75	8	9	16	20	27	33	50
2. MULTIPLE DX										
0-19 YRS	216	22.2	252	5	7	18	27	44	56	91
20-34	339	23.8	256	7	9	20	29	44	60	93
35-49	207	21.5	198	7	9	18	27	39	52	95
50-64	541	19.9	178	7	8	16	24	37	50	99+
65+	3442	22.0	152	9	11	19	26	37	47	77
TOT. SINGLE DX	3268	16.4	80	6	8	15	19	26	33	52
" MULTIPLE DX	4745	21.8	170	8	10	18	26	38	49	83
TOTAL 0-19 YRS	401	17.9	207	4	5	14	22	38	49	78
20-34	518	20.6	223	6	7	17	25	41	53	87
35-49	355	17.9	156	6	7	15	22	33	41	90
50-64	974	17.4	140	7	8	14	20	30	42	77
65+	5765	20.1	126	9	10	17	24	33	42	68
GRAND TOTAL	8013	19.6	140	7	9	17	23	34	43	72

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	281	12.3	149	1	2	7	18	30	37	51
20-34	35	20.9	485	2	4	13	28	50	77	92
35-49	22	16.7	208	2	4	11	24	32	46	65
50-64	21	19.4	386	2	2	14	26	45	62	82
65+	79	16.5	118	3	5	15	19	28	41	56
2. MULTIPLE DX										
0-19 YRS	131	19.9	269	2	3	18	30	48	55	99+
20-34	71	22.2	224	4	6	18	34	45	49	65
35-49	33	23.2	292	2	2	22	37	49	61	99+
50-64	33	28.9	385	8	11	22	40	62	69	75
65+	135	22.2	217	7	8	18	28	42	57	84
TOT. SINGLE DX	438	14.3	191	1	2	11	20	31	42	66
" MULTIPLE DX	403	22.1	258	3	5	18	31	44	57	89
TOTAL 0-19 YRS	412	14.7	199	1	2	10	21	33	44	69
20-34	106	21.8	307	3	4	17	29	46	52	87
35-49	55	20.6	265	2	4	16	32	47	60	98
50-64	54	25.2	400	3	4	19	34	60	68	82
65+	214	20.1	188	5	7	17	25	40	49	75
GRAND TOTAL	841	18.0	238	2	3	15	25	40	50	76

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	4.4	28	1	1	2	4	11	17	25
20-34	341	4.5	21	1	1	3	5	9	12	25
35-49	220	4.9	23	1	1	4	6	10	13	25
50-64	208	5.4	36	1	2	4	6	10	14	33
65+	225	6.5	29	1	2	5	9	14	17	25
2. MULTIPLE DX										
0-19 YRS	125	9.3	116	1	2	5	11	19	31	55
20-34	219	12.2	236	1	2	6	14	33	47	69
35-49	119	8.3	55	1	2	7	10	17	22	39
50-64	131	10.4	172	2	2	7	12	21	44	99+
65+	162	14.1	151	3	3	12	19	26	37	88
TOT. SINGLE DX	1367	5.0	28	1	1	3	6	11	15	25
" MULTIPLE DX	756	11.2	162	1	2	7	14	25	40	79
TOTAL 0-19 YRS	498	5.6	55	1	1	3	6	15	20	40
20-34	560	7.5	119	1	1	4	7	16	28	58
35-49	339	6.1	38	1	1	4	8	13	18	33
50-64	339	7.3	94	1	2	5	8	15	20	81
65+	387	9.7	94	2	2	7	14	20	25	50
GRAND TOTAL	2123	7.2	84	1	1	4	8	16	23	52

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1547	3.9	13	1	1	3	5	7	9	15
20-34	1964	4.7	14	1	2	4	6	8	11	22
35-49	1074	5.7	21	2	2	5	7	10	12	23
50-64	1055	6.7	26	2	3	5	8	12	15	29
65+	702	9.3	59	2	3	7	12	18	22	41
2. MULTIPLE DX										
0-19 YRS	631	8.3	128	1	2	5	8	18	30	61
20-34	1254	9.3	126	2	2	6	11	19	30	76
35-49	717	10.4	149	2	3	7	11	21	35	78
50-64	742	11.2	105	2	3	8	14	22	30	60
65+	806	15.1	154	3	4	11	19	30	40	78
TOT. SINGLE DX	6342	5.5	25	1	2	4	7	10	14	28
" MULTIPLE DX	4150	10.8	137	2	3	7	13	23	33	70
TOTAL 0-19 YRS	2178	5.2	51	1	2	3	5	9	13	45
20-34	3218	6.5	63	1	2	4	7	12	18	53
35-49	1791	7.6	78	2	2	5	8	14	21	54
50-64	1797	8.5	64	2	3	6	10	16	22	45
65+	1508	12.4	118	3	4	9	16	24	32	60
GRAND TOTAL	10492	7.6	76	1	2	5	9	15	22	51

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2698	2.7	10	1	1	2	3	5	8	18
20-34	943	4.0	16	1	1	3	5	8	11	22
35-49	580	4.9	23	1	1	4	6	10	13	24
50-64	609	5.1	25	1	1	4	6	10	14	26
65+	682	5.8	28	1	1	4	7	12	17	27
2. MULTIPLE DX										
0-19 YRS	786	6.1	66	1	1	3	6	16	23	42
20-34	704	8.3	88	1	2	5	10	18	29	54
35-49	436	8.9	108	1	2	6	11	18	28	64
50-64	567	9.5	106	2	2	6	12	20	31	70
65+	865	11.9	144	2	2	8	15	26	37	70
TOT. SINGLE DX	5512	3.8	18	1	1	2	4	8	11	22
" MULTIPLE DX	3358	9.0	108	1	2	6	11	20	30	62
TOTAL 0-19 YRS	3484	3.5	25	1	1	2	3	7	12	20
20-34	1647	5.8	52	1	1	4	7	12	18	41
35-49	1016	6.6	64	1	1	4	8	13	19	45
50-64	1176	7.2	70	1	1	5	9	15	22	54
65+	1547	9.2	103	1	2	6	12	20	28	56
GRAND TOTAL	8870	5.8	58	1	1	3	7	13	19	41

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	4.1	28	1	1	2	4	10	15	25
20-34	248	3.3	11	<1	1	2	4	6	10	19
35-49	120	4.0	33	<1	1	2	4	8	14	39
50-64	150	4.9	64	1	1	3	5	8	15	49
65+	164	6.9	88	1	1	4	9	15	23	49
2. MULTIPLE DX										
0-19 YRS	115	7.4	63	1	1	4	9	20	24	37
20-34	179	10.1	143	1	1	6	12	22	43	58
35-49	106	13.8	331	1	1	7	16	34	54	96
50-64	126	8.9	113	1	2	6	11	20	29	58
65+	174	12.1	199	1	2	8	16	24	35	80
TOT. SINGLE DX	955	4.5	42	1	1	2	5	10	15	33
" MULTIPLE DX	700	10.5	171	1	1	6	13	23	35	66
TOTAL 0-19 YRS	388	5.1	41	1	1	2	6	14	18	31
20-34	427	6.2	78	1	1	3	7	14	21	49
35-49	226	8.6	196	1	1	3	8	21	36	73
50-64	276	6.8	91	1	1	4	7	14	23	54
65+	338	9.6	152	1	1	5	12	21	30	76
GRAND TOTAL	1655	7.0	105	1	1	3	8	16	24	55

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	179	3.7	6	1	1	3	4	6	8	16
20-34	335	4.3	20	1	2	3	5	7	8	17
35-49	128	4.6	7	1	2	4	6	8	10	13
50-64	73	6.1	19	2	2	5	7	11	15	27
65+	75	10.9	79	2	3	8	14	22	27	48
2. MULTIPLE DX										
0-19 YRS	65	9.3	129	2	2	5	10	25	34	61
20-34	143	7.9	78	2	2	5	8	15	28	48
35-49	61	8.3	40	2	3	6	10	15	22	35
50-64	55	13.2	178	2	3	9	14	28	49	69
65+	87	17.7	164	4	4	15	25	33	45	66
TOT. SINGLE DX	790	5.0	25	1	2	4	6	9	13	26
" MULTIPLE DX	411	11.0	126	2	3	7	13	26	35	54
TOTAL 0-19 YRS	244	5.2	45	1	2	3	5	9	16	39
20-34	478	5.4	41	1	2	4	6	9	13	38
35-49	189	5.8	21	1	2	5	7	11	13	25
50-64	128	9.2	99	2	2	6	10	17	28	55
65+	162	14.5	136	3	4	11	18	30	35	53
GRAND TOTAL	1201	7.0	67	1	2	4	7	15	24	46

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	708	4.6	17	1	2	3	5	8	13	23
20-34	933	4.2	13	1	2	3	5	7	10	20
35-49	474	4.9	26	2	2	4	6	8	11	33
50-64	269	6.8	57	2	2	4	8	14	20	44
65+	202	13.2	150	2	2	9	18	28	38	57
2. MULTIPLE DX										
0-19 YRS	322	6.6	58	2	2	4	6	16	22	33
20-34	490	6.1	73	2	2	4	6	10	14	64
35-49	306	7.9	84	2	2	5	8	16	25	53
50-64	297	11.5	190	2	3	7	13	26	41	84
65+	250	19.1	275	3	4	15	25	41	58	86
TOT. SINGLE DX	2586	5.4	30	1	2	4	6	10	16	34
" MULTIPLE DX	1665	9.4	143	2	2	5	10	22	32	66
TOTAL 0-19 YRS	1030	5.2	31	2	2	4	5	10	17	28
20-34	1423	4.9	35	1	2	4	5	8	11	29
35-49	780	6.1	51	2	2	4	6	11	18	39
50-64	566	9.2	132	2	2	5	10	20	30	64
65+	452	16.4	228	2	3	13	23	36	46	77
GRAND TOTAL	4251	7.0	83	2	2	4	7	15	24	49

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	10.8	51	4	5	9	13	20	23	42
20-34	2369	10.3	24	5	5	9	12	17	20	26
35-49	4300	10.7	29	5	6	9	13	17	21	28
50-64	2217	11.8	37	5	6	10	14	20	23	33
65+	483	13.5	42	6	7	12	17	22	26	35
2. MULTIPLE DX										
0-19 YRS	33	12.8	136	2	2	9	15	32	44	99+
20-34	521	13.4	69	5	6	11	17	23	30	41
35-49	1336	13.7	77	5	6	12	16	23	29	51
50-64	1262	15.6	87	6	7	13	19	26	33	48
65+	593	19.8	121	8	9	17	25	33	42	58
TOT. SINGLE DX	9458	11.0	32	5	6	10	13	18	21	29
" MULTIPLE DX	3745	15.3	92	6	7	13	19	26	33	52
TOTAL 0-19 YRS	122	11.3	74	2	3	9	14	22	29	65
20-34	2890	10.8	34	5	5	9	13	18	22	32
35-49	5636	11.4	43	5	6	10	14	19	23	35
50-64	3479	13.2	59	5	6	11	16	22	27	42
65+	1076	17.0	95	7	8	15	21	29	36	54
GRAND TOTAL	13203	12.2	52	5	6	10	15	21	25	39

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	861	3.8	3	1	2	4	5	6	7	10
20-34	2253	3.9	3	2	2	4	5	6	7	10
35-49	1150	4.2	5	2	2	4	5	7	8	12
50-64	564	4.7	8	2	2	4	6	8	10	16
65+	154	6.7	45	2	2	5	8	14	17	32
2. MULTIPLE DX										
0-19 YRS	432	4.3	6	1	2	4	5	7	8	13
20-34	1195	4.7	11	2	2	4	6	8	10	17
35-49	830	4.8	19	2	2	4	6	8	11	27
50-64	782	5.8	29	2	2	4	7	11	13	30
65+	356	6.9	51	2	2	5	8	15	21	35
TOT. SINGLE DX	4982	4.1	6	2	2	4	5	6	8	13
" MULTIPLE DX	3595	5.1	21	2	2	4	6	9	12	26
TOTAL 0-19 YRS	1293	3.9	4	1	2	4	5	6	7	11
20-34	3448	4.1	7	2	2	4	5	7	8	13
35-49	1980	4.4	11	2	2	4	5	7	9	18
50-64	1346	5.3	21	2	2	4	6	10	12	24
65+	510	6.9	49	2	2	5	8	15	20	34
GRAND TOTAL	8577	4.5	13	2	2	4	5	7	10	18

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1218	2.8	5	1	1	2	3	5	6	11
20-34	2078	3.1	5	1	1	3	4	5	7	13
35-49	1186	3.7	14	1	1	3	4	6	9	17
50-64	676	4.1	18	1	2	3	5	8	10	23
65+	283	6.2	52	1	3	4	7	13	20	43
2. MULTIPLE DX										
0-19 YRS	482	3.7	13	1	2	3	4	6	9	22
20-34	991	4.3	26	1	1	3	5	8	11	29
35-49	693	5.3	49	1	1	3	5	10	15	41
50-64	716	6.2	58	2	2	4	7	14	22	38
65+	383	10.5	141	2	3	6	13	28	35	58
TOT. SINGLE DX	5441	3.5	12	1	1	2	4	6	8	17
" MULTIPLE DX	3265	5.6	54	1	2	3	6	12	18	40
TOTAL 0-19 YRS	1700	3.1	8	1	1	2	4	5	7	15
20-34	3069	3.5	13	1	1	3	4	6	9	19
35-49	1879	4.3	28	1	2	3	5	8	11	28
50-64	1392	5.2	40	2	2	3	5	10	16	33
65+	666	8.7	108	2	2	5	10	20	31	53
GRAND TOTAL	8706	4.2	29	1	2	3	4	8	12	28

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	14.6	44	7	7	14	17	19	22	53
20-34	201	12.7	73	5	6	10	15	21	30	49
35-49	313	11.2	36	5	6	10	14	18	23	36
50-64	193	12.6	76	5	5	10	14	22	30	54
65+	28	17.0	150	5	7	14	21	30	38	64
2. MULTIPLE DX										
0-19 YRS	87	20.4	240	6	7	18	24	39	54	87
20-34	167	19.3	284	5	6	12	24	42	72	99+
35-49	210	15.3	105	6	7	13	18	28	40	64
50-64	134	18.4	149	5	8	16	22	32	42	91
65+	57	23.2	263	7	8	17	30	51	56	96
TOT. SINGLE DX	868	12.6	60	5	6	11	15	20	26	45
" MULTIPLE DX	655	18.3	196	6	7	14	21	37	51	99+
TOTAL 0-19 YRS	220	16.9	129	6	7	15	18	26	38	82
20-34	368	15.7	179	5	6	12	18	33	45	99
35-49	523	12.8	68	5	6	11	15	21	30	51
50-64	327	15.0	114	5	6	12	17	28	37	61
65+	85	21.2	233	6	8	16	28	48	57	94
GRAND TOTAL	1523	15.1	127	5	6	12	17	27	38	70

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	4.3	7	1	2	4	5	8	10	14
20-34	299	5.4	23	1	2	4	7	9	12	25
35-49	248	5.6	26	2	2	5	7	9	12	29
50-64	334	5.8	34	2	2	4	7	11	15	37
65+	146	8.9	66	2	2	6	14	22	26	35
2. MULTIPLE DX										
0-19 YRS	82	5.8	27	2	2	5	6	8	10	36
20-34	188	7.4	72	2	2	5	8	15	18	45
35-49	177	6.8	49	2	2	5	8	13	15	64
50-64	228	8.6	104	2	2	6	9	16	25	58
65+	189	10.6	94	2	2	7	14	23	32	45
TOT. SINGLE DX	1145	5.9	33	1	2	4	7	11	16	32
" MULTIPLE DX	864	8.1	79	2	2	5	9	16	23	51
TOTAL 0-19 YRS	200	4.9	16	2	2	4	6	8	10	23
20-34	487	6.1	43	1	2	5	7	11	16	38
35-49	425	6.1	36	2	2	5	7	11	14	38
50-64	562	7.0	65	2	2	5	8	12	18	54
65+	335	9.9	83	2	2	6	14	23	29	44
GRAND TOTAL	2009	6.9	54	2	2	5	8	13	19	43

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	25.3	152	15	15	22	34	42	42	42
20-34	63	12.8	38	6	8	12	14	20	26	38
35-49	152	13.7	38	8	9	12	15	19	29	41
50-64	595	15.2	42	8	9	14	17	22	26	44
65+	1175	16.9	47	9	10	16	19	24	29	40
2. MULTIPLE DX										
0-19 YRS	4	29.3	569	8	8	24	48	60	60	60
20-34	50	16.9	74	8	8	15	22	28	30	47
35-49	132	18.6	139	7	9	15	21	35	40	64
50-64	396	18.1	79	9	10	16	21	30	38	79
65+	1057	22.3	138	11	12	19	26	35	49	82
TOT. SINGLE DX	1989	16.0	47	8	10	15	18	23	28	41
" MULTIPLE DX	1639	20.9	127	9	11	18	25	34	46	81
TOTAL 0-19 YRS	8	27.3	314	8	9	22	39	55	60	60
20-34	113	14.6	58	7	8	12	17	26	29	43
35-49	284	16.0	91	8	9	13	18	29	36	46
50-64	991	16.3	59	8	9	15	19	25	31	56
65+	2232	19.5	98	10	11	17	22	30	38	63
GRAND TOTAL	3628	18.2	89	9	10	16	21	29	36	60

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	14.3	134	4	4	10	19	31	41	45
20-34	28	14.5	81	2	4	11	22	27	29	38
35-49	53	12.9	34	4	6	13	16	21	23	29
50-64	243	14.6	38	7	8	13	17	23	27	35
65+	1502	16.7	50	8	9	15	19	25	30	42
2. MULTIPLE DX										
0-19 YRS	7	9.7	67	2	2	6	16	23	24	24
20-34	21	20.2	212	4	6	14	34	40	46	53
35-49	51	17.5	164	4	7	14	22	30	38	84
50-64	278	19.3	151	7	9	16	23	35	50	99+
65+	2111	21.7	138	10	11	18	26	37	48	78
TOT. SINGLE DX	1842	16.2	50	7	9	15	19	25	30	42
" MULTIPLE DX	2468	21.3	142	9	11	18	25	37	48	63
TOTAL 0-19 YRS	23	12.9	115	3	4	8	18	26	37	45
20-34	49	16.9	143	3	5	13	23	37	40	53
35-49	104	15.2	102	4	7	13	18	25	30	61
50-64	521	17.1	104	7	9	14	20	28	37	97
65+	3613	19.6	108	9	11	17	23	32	40	63
GRAND TOTAL	4310	19.1	109	8	10	17	22	31	40	64

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	465	4.6	5	1	2	4	6	7	8	12
20-34	621	5.5	24	2	2	5	6	9	12	28
35-49	234	7.5	32	2	2	6	10	16	20	27
50-64	477	14.2	54	3	5	14	18	23	26	35
65+	984	17.9	53	8	10	17	21	27	32	43
2. MULTIPLE DX										
0-19 YRS	315	5.6	9	2	2	5	7	9	11	16
20-34	541	6.8	45	2	3	5	7	11	16	36
35-49	226	9.1	121	2	2	6	11	19	24	89
50-64	350	17.4	139	3	5	16	21	31	42	57
65+	734	20.6	116	7	10	18	25	35	43	69
TOT. SINGLE DX	2781	11.4	70	2	3	9	16	23	26	37
" MULTIPLE DX	2166	13.3	129	2	3	10	18	27	35	58
TOTAL 0-19 YRS	780	5.0	8	2	2	5	6	8	9	15
20-34	1162	6.1	35	2	2	5	7	10	13	34
35-49	460	8.3	77	2	2	6	10	17	23	42
50-64	827	15.6	93	3	5	15	19	26	32	50
65+	1718	19.1	82	8	10	17	23	30	36	52
GRAND TOTAL	4947	12.2	97	2	3	10	17	24	30	46

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	506	3.6	2	2	2	3	4	5	6	9
20-34	963	3.8	3	2	2	3	4	6	7	10
35-49	411	4.0	4	2	2	3	5	6	8	13
50-64	365	5.2	14	2	2	4	6	9	12	19
65+	190	7.6	34	2	2	6	10	15	18	31
2. MULTIPLE DX										
0-19 YRS	113	4.1	4	1	2	4	5	7	8	10
20-34	286	5.0	13	2	2	4	6	9	11	22
35-49	228	5.8	22	2	2	4	7	11	16	28
50-64	327	7.1	40	2	3	5	9	13	18	31
65+	196	10.7	83	2	3	8	14	21	28	51
TOT. SINGLE DX	2435	4.3	9	2	2	4	5	7	9	16
" MULTIPLE DX	1150	6.6	38	2	2	5	8	13	18	31
TOTAL 0-19 YRS	619	3.6	3	2	2	3	4	6	7	9
20-34	1249	4.1	6	2	2	4	5	6	8	14
35-49	639	4.6	12	2	2	4	5	8	11	19
50-64	692	6.1	27	2	2	5	7	11	14	29
65+	386	9.2	62	2	3	7	12	18	24	42
GRAND TOTAL	3585	5.0	19	2	2	4	5	9	12	23

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	3.9	24	1	1	2	4	8	11	23
20-34	426	3.9	14	<1	1	3	5	8	10	19
35-49	386	3.5	11	<1	1	2	4	6	9	19
50-64	390	2.8	10	<1	<1	2	3	5	8	17
65+	120	3.2	9	<1	<1	2	3	7	9	15
2. MULTIPLE DX										
0-19 YRS	163	6.2	63	2	2	4	6	11	21	44
20-34	199	6.2	55	1	2	4	7	13	21	46
35-49	208	6.9	68	2	2	4	7	15	22	49
50-64	252	7.3	55	1	2	4	9	19	23	37
65+	121	10.2	90	2	2	7	13	28	33	63
TOT. SINGLE DX	1694	3.5	15	<1	1	2	4	7	10	19
" MULTIPLE DX	943	7.2	66	1	2	4	8	17	24	46
TOTAL 0-19 YRS	535	4.6	37	1	1	3	5	9	13	31
20-34	625	4.6	29	1	1	3	5	9	13	30
35-49	594	4.7	34	1	1	3	5	10	14	32
50-64	642	4.6	33	<1	1	2	5	10	17	32
65+	241	6.7	62	<1	1	3	8	16	28	39
GRAND TOTAL	2637	4.8	36	<1	1	3	5	10	16	33

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	928	2.1	1	<1	1	2	2	3	4	7
20-34	1676	2.2	2	<1	1	2	3	4	4	9
35-49	965	2.7	4	<1	1	2	3	4	6	12
50-64	698	3.1	9	<1	1	2	3	5	8	19
65+	280	4.8	31	1	1	3	5	10	13	30
2. MULTIPLE DX										
0-19 YRS	139	3.4	12	<1	1	2	3	7	9	23
20-34	366	4.5	30	1	2	3	5	9	15	30
35-49	455	5.3	32	1	2	3	6	13	17	32
50-64	482	7.2	72	1	2	4	9	16	23	40
65+	308	9.6	96	2	2	6	13	21	31	55
TOT. SINGLE DX	4547	2.6	6	<1	1	2	3	4	6	12
" MULTIPLE DX	1750	6.3	56	1	2	3	7	14	21	38
TOTAL 0-19 YRS	1067	2.3	3	<1	1	2	2	3	5	9
20-34	2042	2.6	8	<1	1	2	3	4	6	15
35-49	1420	3.5	15	<1	1	2	4	7	11	20
50-64	1180	4.8	39	1	1	3	5	10	16	34
65+	588	7.3	71	1	2	4	9	16	25	42
GRAND TOTAL	6297	3.6	22	<1	1	2	3	7	11	24

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.6	3	<1	1	2	2	5	7	8
20-34	66	3.3	12	1	1	2	3	5	10	23
35-49	107	2.7	4	1	1	2	3	4	6	14
50-64	292	2.6	1	1	2	2	3	4	5	8
65+	192	3.2	8	1	2	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	9	2.7	1	1	1	3	3	4	5	5
20-34	31	4.3	15	1	1	3	4	8	12	21
35-49	56	3.8	10	1	2	3	4	9	11	16
50-64	156	4.9	30	2	2	3	5	9	15	29
65+	120	5.4	30	1	2	3	6	13	17	28
TOT. SINGLE DX	691	2.9	5	1	2	2	3	4	6	11
" MULTIPLE DX	372	4.8	26	1	2	3	5	9	15	27
TOTAL 0-19 YRS	43	2.6	3	<1	1	2	3	5	7	8
20-34	97	3.6	13	1	1	3	4	6	11	23
35-49	163	3.1	7	1	1	2	3	5	9	16
50-64	448	3.4	13	1	2	2	4	5	8	20
65+	312	4.0	18	1	2	3	4	8	12	26
GRAND TOTAL	1063	3.5	13	1	2	2	4	6	9	21

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	355	2.4	5	1	1	2	3	4	5	10
20-34	616	2.4	2	1	1	2	3	4	5	8
35-49	259	2.5	3	1	1	2	3	5	5	10
50-64	161	2.6	3	1	1	2	3	5	6	9
65+	38	2.4	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	225	3.3	43	1	1	2	3	5	7	36
20-34	445	3.1	6	1	1	2	4	6	8	13
35-49	156	3.1	8	1	1	2	3	6	7	20
50-64	107	4.3	22	1	1	3	5	7	11	30
65+	46	5.3	28	1	2	3	7	12	20	23
TOT. SINGLE DX	1429	2.4	3	1	1	2	3	4	5	9
" MULTIPLE DX	979	3.4	18	1	1	2	4	6	8	20
TOTAL 0-19 YRS	580	2.8	20	1	1	2	3	4	6	14
20-34	1061	2.7	4	1	1	2	3	5	6	12
35-49	415	2.7	5	1	1	2	3	5	6	13
50-64	268	3.3	12	1	1	2	4	6	7	21
65+	84	4.0	19	1	1	3	4	8	13	23
GRAND TOTAL	2408	2.8	10	1	1	2	3	5	7	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	238	2.7	3	1	1	2	3	5	6	9
20-34	386	3.2	6	1	1	3	4	6	7	14
35-49	402	3.5	5	1	1	3	4	6	8	14
50-64	408	4.2	11	1	2	3	5	8	10	16
65+	163	5.4	19	2	2	4	6	11	14	24
2. MULTIPLE DX										
0-19 YRS	123	4.9	47	1	1	3	5	10	16	38
20-34	278	5.3	44	1	2	4	6	9	12	40
35-49	241	5.2	26	1	2	4	6	9	14	33
50-64	292	7.1	93	2	2	4	7	14	21	49
65+	150	9.7	114	2	2	6	11	25	30	53
TOT. SINGLE DX	1597	3.7	9	1	1	3	4	7	9	16
" MULTIPLE DX	1084	6.3	66	1	2	4	7	12	18	46
TOTAL 0-19 YRS	361	3.4	20	1	1	2	4	6	9	22
20-34	664	4.1	23	1	1	3	5	7	10	22
35-49	643	4.1	14	1	2	3	5	7	10	17
50-64	700	5.4	47	1	2	4	6	10	14	37
65+	313	7.5	69	2	2	5	8	16	25	44
GRAND TOTAL	2681	4.8	34	1	1	3	5	8	13	30

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	508	3.3	5	1	1	3	4	6	6	11
20-34	503	3.8	13	1	1	3	4	6	8	16
35-49	303	3.6	5	1	1	3	5	6	7	12
50-64	179	4.8	33	1	2	4	6	8	10	20
65+	75	7.3	36	1	2	6	9	15	25	81
2. MULTIPLE DX										
0-19 YRS	287	4.6	27	1	2	3	5	8	10	29
20-34	220	6.2	70	1	2	4	6	11	22	59
35-49	123	5.7	79	1	2	4	6	10	13	42
50-64	106	6.7	40	1	2	5	8	13	19	35
65+	54	11.4	64	2	4	9	17	23	31	97
TOT. SINGLE DX	1568	3.9	14	1	1	3	5	6	8	19
" MULTIPLE DX	790	6.0	54	1	2	4	7	11	18	41
TOTAL 0-19 YRS	795	3.8	14	1	1	3	4	6	8	17
20-34	723	4.5	32	1	1	3	5	8	11	32
35-49	426	4.2	28	1	1	3	5	7	10	17
50-64	285	5.5	37	1	2	4	6	10	14	24
65+	129	9.0	52	2	2	7	13	20	27	99+
GRAND TOTAL	2358	4.6	28	1	2	3	5	8	12	27

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	4.0	99	1	1	2	3	8	11	67
20-34	167	2.8	11	1	1	2	3	5	6	20
35-49	109	3.4	15	<1	1	2	3	8	12	21
50-64	101	3.2	11	1	1	2	4	6	7	21
65+	46	4.0	17	1	1	2	5	12	14	18
2. MULTIPLE DX										
0-19 YRS	37	4.1	25	1	1	2	4	10	14	26
20-34	103	5.6	47	1	1	3	6	12	19	40
35-49	81	8.1	202	1	2	4	7	16	47	99
50-64	84	7.6	104	1	1	4	8	17	26	52
65+	66	8.4	81	1	2	4	11	22	28	40
TOT. SINGLE DX	498	3.3	26	1	1	2	3	6	10	23
" MULTIPLE DX	371	6.9	99	1	1	4	7	17	25	53
TOTAL 0-19 YRS	112	4.1	74	1	1	2	3	9	12	56
20-34	270	3.8	27	1	1	2	4	7	11	34
35-49	190	5.4	100	1	1	3	5	12	17	83
50-64	185	5.2	58	1	1	3	5	10	18	50
65+	112	6.6	60	1	1	3	8	18	24	35
GRAND TOTAL	869	4.8	61	1	1	3	5	10	17	45

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.2	36	1	1	3	6	15	20	20
20-34	17	5.2	18	1	1	3	9	12	13	14
35-49	6	8.5	52	2	2	7	9	21	22	22
50-64	9	7.9	62	2	2	5	8	21	27	27
65+	4	28.3	453	13	13	20	42	59	59	59
2. MULTIPLE DX										
0-19 YRS	6	14.3	183	2	2	12	22	35	36	36
20-34	13	14.5	193	2	3	6	23	34	45	48
35-49	6	8.7	22	3	3	9	11	15	16	16
50-64	10	16.1	81	4	5	15	25	28	30	30
65+	20	18.5	206	3	5	14	32	50	75	99+
TOT. SINGLE DX	45	8.2	103	1	1	5	10	20	26	59
" MULTIPLE DX	55	15.6	157	2	3	12	22	35	48	97
TOTAL 0-19 YRS	15	8.9	107	1	1	4	15	22	32	36
20-34	30	9.3	112	1	1	5	12	23	30	48
35-49	12	8.6	34	2	3	9	10	18	21	22
50-64	19	12.2	86	2	3	9	20	27	29	30
65+	24	20.1	243	3	7	15	32	54	69	99+
GRAND TOTAL	100	12.3	145	1	2	9	17	30	41	79

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	4.0	10	1	1	3	5	8	10	16
20-34	59	5.2	14	1	1	4	7	11	12	17
35-49	63	10.6	194	2	2	5	12	26	32	85
50-64	75	10.7	118	2	2	7	12	25	30	57
65+	129	11.2	171	2	2	8	13	23	34	72
2. MULTIPLE DX										
0-19 YRS	30	5.1	28	1	1	3	6	11	20	24
20-34	59	15.7	270	1	2	9	20	36	55	78
35-49	149	18.7	289	2	3	15	24	42	52	84
50-64	333	17.0	198	3	4	13	23	36	43	67
65+	605	18.7	204	3	5	15	24	37	50	83
TOT. SINGLE DX	389	8.9	123	1	2	5	10	20	28	60
" MULTIPLE DX	1176	17.7	217	3	4	14	23	37	48	80
TOTAL 0-19 YRS	93	4.4	16	1	1	3	6	8	14	22
20-34	118	10.5	169	1	2	6	12	26	36	69
35-49	212	16.3	274	2	3	12	21	36	46	87
50-64	408	15.8	190	3	3	12	21	33	42	65
65+	734	17.4	207	3	4	14	23	36	49	80
GRAND TOTAL	1565	15.5	208	2	3	11	21	34	46	77

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.0	40	6	6	10	16	21	21	21
20-34	21	18.5	114	6	8	15	28	36	38	39
35-49	12	29.7	347	12	13	26	35	61	72	74
50-64	35	24.0	220	8	9	19	28	51	57	61
65+	112	20.9	187	8	9	17	25	39	47	76
2. MULTIPLE DX										
0-19 YRS	9	26.2	296	5	6	24	40	51	53	53
20-34	43	28.9	432	6	9	21	43	64	73	79
35-49	81	26.1	375	8	11	19	36	59	99	99+
50-64	395	25.9	221	8	10	23	33	49	58	97
65+	937	28.3	336	8	10	24	37	55	69	92
TOT. SINGLE DX	184	21.6	197	8	9	17	26	40	54	74
" MULTIPLE DX	1465	27.6	310	8	10	23	35	53	66	99
TOTAL 0-19 YRS	13	21.8	254	5	6	21	31	49	52	53
20-34	64	25.5	349	6	9	18	35	54	69	78
35-49	93	26.5	369	8	11	20	36	58	96	99+
50-64	430	25.8	221	8	10	22	33	49	58	96
65+	1049	27.5	325	8	10	23	35	52	67	91
GRAND TOTAL	1649	26.9	301	8	10	22	35	52	64	95

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.7	14	8	8	9	13	15	15	15
20-34	4	12.8	3	11	11	12	14	15	15	15
35-49	12	14.9	56	5	7	14	24	42	89	99+
50-64	27	16.7	136	5	6	14	21	35	40	52
65+	126	17.6	146	6	7	15	21	33	49	78
2. MULTIPLE DX										
0-19 YRS	8	21.4	506	5	5	13	26	61	71	71
20-34	13	40.4	449	18	19	45	62	99+	99+	99+
35-49	30	17.8	72	7	9	15	27	30	32	34
50-64	250	25.5	275	8	10	22	33	53	71	99+
65+	1062	24.6	269	7	9	20	32	49	60	93
TOT. SINGLE DX	172	17.1	134	6	7	14	21	32	47	93
" MULTIPLE DX	1363	24.8	272	7	9	20	32	50	64	99+
TOTAL 0-19 YRS	11	18.5	383	5	6	12	15	51	69	71
20-34	17	33.9	483	11	12	26	62	92	99+	99+
35-49	42	17.0	68	7	8	15	26	30	33	99+
50-64	277	24.6	268	7	9	21	32	51	69	99+
65+	1188	23.9	261	7	8	19	31	47	59	92
GRAND TOTAL	1535	23.9	262	7	9	19	31	49	62	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	8.3	40	1	2	6	12	18	19	19
20-34	10	7.8	42	3	3	5	9	18	24	24
35-49	10	19.3	95	3	4	20	27	30	31	31
50-64	16	17.4	163	2	3	13	28	35	41	43
65+	22	17.3	113	3	4	15	24	33	38	40
2. MULTIPLE DX										
0-19 YRS	8	39.6	1083	2	2	42	64	83	90	90
20-34	13	27.1	712	4	8	15	45	97	99	99+
35-49	35	30.0	389	6	8	25	44	55	74	85
50-64	112	30.2	351	8	9	28	43	63	85	99+
65+	174	30.3	313	7	11	26	40	56	68	85
TOT. SINGLE DX	66	15.1	117	3	3	12	24	31	36	43
" MULTIPLE DX	342	30.3	362	7	9	27	42	59	77	99+
TOTAL 0-19 YRS	16	23.9	787	1	2	8	42	66	83	90
20-34	23	18.7	501	3	3	13	24	67	98	99+
35-49	45	27.6	341	5	7	25	33	51	67	85
50-64	128	28.6	344	6	9	26	40	59	81	99+
65+	196	28.8	307	7	10	26	39	56	62	85
GRAND TOTAL	**408**	**27.8**	**354**	**4**	**8**	**25**	**38**	**56**	**73**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.3	20	<1	1	3	5	12	16	16
20-34	20	7.1	27	1	2	7	10	12	18	23
35-49	6	3.2	5	1	1	3	4	7	7	7
50-64	3	13.0	181	2	2	9	23	28	28	28
65+										
2. MULTIPLE DX										
0-19 YRS	13	6.9	67	1	1	3	10	19	27	29
20-34	10	8.2	47	2	2	7	10	18	26	26
35-49	8	13.9	128	3	4	11	20	33	35	35
50-64	5	8.6	119	2	2	4	11	28	28	28
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	49	5.8	33	1	1	4	8	13	17	28
" MULTIPLE DX	37	9.0	80	1	2	6	11	27	29	35
TOTAL 0-19 YRS	33	5.3	39	1	1	3	6	16	17	29
20-34	30	7.5	33	1	2	7	10	12	23	26
35-49	14	9.3	101	1	1	5	12	28	33	35
50-64	8	10.3	125	2	2	5	18	28	28	28
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**86**	**7.2**	**55**	**1**	**1**	**5**	**9**	**16**	**27**	**33**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.4	26	1	1	2	3	6	13	29
20-34	115	5.1	54	1	1	3	5	10	20	46
35-49	53	6.4	170	1	1	3	6	11	17	93
50-64	64	7.7	108	1	1	3	7	20	34	49
65+	53	12.2	149	1	2	8	15	25	32	67
2. MULTIPLE DX										
0-19 YRS	11	2.7	2	1	1	2	4	5	5	5
20-34	27	8.4	272	1	2	3	8	16	28	88
35-49	43	10.0	117	1	2	8	13	26	39	99+
50-64	77	12.4	118	2	2	10	16	26	30	60
65+	119	17.1	183	3	4	14	21	39	48	99+
TOT. SINGLE DX	323	6.8	103	1	1	3	7	17	23	50
" MULTIPLE DX	277	13.3	170	2	2	10	18	29	43	96
TOTAL 0-19 YRS	49	3.2	21	1	1	2	3	5	8	29
20-34	142	5.7	96	1	1	3	5	11	19	54
35-49	96	8.0	148	1	1	4	10	18	26	98
50-64	141	10.3	119	1	2	7	13	25	30	50
65+	172	15.6	177	3	3	13	20	34	48	95
GRAND TOTAL	**600**	**9.8**	**144**	**1**	**1**	**5**	**13**	**23**	**33**	**75**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	28.2	775	3	3	18	58	58	58	58
20-34	14	5.1	26	2	2	3	7	10	19	21
35-49	11	6.3	19	2	2	6	8	13	17	17
50-64	13	8.0	41	2	3	6	12	17	22	23
65+	8	9.8	30	3	3	9	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	2	15.5	365	2	2	15	29	29	29	29
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	10	9.1	56	1	2	7	15	20	25	25
65+	6	21.5	188	2	3	21	34	38	38	38
TOT. SINGLE DX	51	9.1	130	2	2	6	10	17	23	58
" MULTIPLE DX	23	11.8	127	1	2	6	17	30	35	38
TOTAL 0-19 YRS	7	24.6	616	2	2	18	51	58	58	58
20-34	17	5.0	21	2	2	3	6	9	17	21
35-49	13	5.8	17	2	2	5	7	11	16	17
50-64	23	8.5	46	2	2	6	14	18	24	25
65+	14	14.8	125	2	3	13	17	34	37	38
GRAND TOTAL	**74**	**9.9**	**129**	**2**	**2**	**6**	**15**	**23**	**33**	**58**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1001	2.0	1	<1	1	2	2	3	3	5
20-34	3056	2.2	2	<1	1	2	2	3	4	9
35-49	4482	2.5	4	1	1	2	3	4	5	10
50-64	2352	3.1	7	1	2	2	3	5	8	13
65+	1176	4.0	13	2	2	3	4	8	11	17
2. MULTIPLE DX										
0-19 YRS	167	2.8	3	1	1	2	3	5	6	11
20-34	1218	3.3	15	1	1	2	3	6	8	15
35-49	2410	4.0	14	1	2	3	4	8	11	20
50-64	1726	5.1	23	2	2	3	6	10	14	23
65+	1270	7.5	63	2	2	5	10	16	21	40
TOT. SINGLE DX	12067	2.7	5	1	1	2	3	4	6	12
" MULTIPLE DX	6791	4.8	28	1	2	3	5	10	14	26
TOTAL 0-19 YRS	1168	2.1	2	<1	1	2	2	3	4	6
20-34	4274	2.5	6	<1	1	2	3	4	6	11
35-49	6892	3.0	9	1	1	2	3	5	8	14
50-64	4078	3.9	15	1	2	3	4	8	11	19
65+	2446	5.8	43	2	2	3	7	12	17	32
GRAND TOTAL	18858	3.4	15	1	1	2	3	7	10	19

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	2.5	1	1	1	2	3	4	5	7
20-34	97	3.4	5	1	1	3	4	6	8	14
35-49	126	4.5	8	1	2	4	6	8	10	16
50-64	134	5.7	14	2	2	5	8	11	13	15
65+	180	7.4	17	2	2	7	10	13	15	18
2. MULTIPLE DX										
0-19 YRS	17	3.4	2	2	2	3	4	6	7	7
20-34	30	6.0	26	2	2	4	7	12	16	26
35-49	112	7.2	82	2	2	5	8	11	17	62
50-64	189	7.4	26	2	3	6	9	13	19	26
65+	302	11.5	77	2	3	9	15	22	28	40
TOT. SINGLE DX	626	5.1	14	1	2	4	7	10	13	17
" MULTIPLE DX	650	9.1	65	2	3	7	11	18	24	37
TOTAL 0-19 YRS	106	2.6	2	1	1	2	3	4	5	7
20-34	127	4.0	11	1	2	3	5	7	11	18
35-49	238	5.7	45	2	2	4	7	10	12	30
50-64	323	6.7	22	2	2	6	9	13	15	22
65+	482	10.0	59	2	3	8	13	18	25	36
GRAND TOTAL	1276	7.1	44	2	2	5	9	14	18	31

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.7	3	2	2	5	6	7	7	7
20-34	107	8.3	11	4	5	8	9	13	15	21
35-49	573	8.0	14	4	5	8	9	11	13	22
50-64	939	8.6	12	4	5	8	10	12	15	21
65+	928	9.2	14	5	5	8	11	14	16	21
2. MULTIPLE DX										
0-19 YRS	3	10.3	26	6	6	9	14	16	16	16
20-34	86	8.8	13	4	5	8	10	14	15	22
35-49	495	9.0	18	4	5	8	10	14	16	27
50-64	935	10.3	34	5	6	9	12	16	20	35
65+	1121	12.3	47	6	7	10	14	20	25	34
TOT. SINGLE DX	2554	8.6	14	4	5	8	10	13	15	21
" MULTIPLE DX	2640	10.9	38	5	6	9	13	17	22	34
TOTAL 0-19 YRS	10	6.4	15	2	2	6	7	12	16	16
20-34	193	8.5	12	4	5	8	10	14	15	22
35-49	1068	8.5	17	4	5	8	10	12	15	24
50-64	1874	9.5	24	5	5	8	11	14	18	28
65+	2049	10.9	35	5	6	9	13	17	21	31
GRAND TOTAL	5194	9.8	27	5	5	9	11	15	19	29

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	331	3.1	2	1	1	3	4	5	6	8
20-34	909	3.5	5	<1	1	3	5	6	7	10
35-49	822	4.1	7	1	1	4	5	7	8	12
50-64	345	4.4	5	1	2	4	5	8	9	13
65+	87	4.2	15	1	1	3	5	7	9	27
2. MULTIPLE DX										
0-19 YRS	74	4.1	12	2	2	3	5	7	8	25
20-34	489	4.7	15	1	2	4	6	8	10	21
35-49	792	5.1	12	2	2	4	6	8	11	19
50-64	432	5.7	22	2	2	5	7	10	13	27
65+	119	6.8	42	2	2	5	8	14	19	35
TOT. SINGLE DX	2494	3.8	6	<1	1	3	5	7	8	11
" MULTIPLE DX	1906	5.2	18	1	2	4	6	9	11	22
TOTAL 0-19 YRS	405	3.3	4	1	2	3	4	5	6	9
20-34	1398	3.9	9	<1	1	3	5	7	8	14
35-49	1614	4.6	10	1	2	4	6	8	9	16
50-64	777	5.1	15	1	2	4	6	9	11	20
65+	206	5.7	33	1	2	4	7	10	17	27
GRAND TOTAL	4400	4.4	12	1	2	4	5	8	9	17

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	858	3.7	12	2	2	3	4	6	7	9
20-34	1621	3.9	4	2	2	3	5	6	8	12
35-49	204	3.8	2	1	2	3	5	6	7	9
50-64	66	5.3	34	2	2	4	6	9	13	41
65+	16	5.8	12	2	2	5	7	9	14	16
2. MULTIPLE DX										
0-19 YRS	100	5.2	9	1	2	5	7	9	10	17
20-34	267	5.3	12	2	2	5	6	9	11	18
35-49	98	6.3	42	2	2	5	7	9	17	43
50-64	44	9.0	83	2	3	5	12	20	26	49
65+	11	8.8	20	3	3	9	13	15	15	15
TOT. SINGLE DX	2765	3.9	8	2	2	3	5	6	7	11
" MULTIPLE DX	520	5.8	25	2	2	5	7	9	14	26
TOTAL 0-19 YRS	958	3.9	12	2	2	3	5	6	7	11
20-34	1888	4.1	6	2	2	4	5	7	8	13
35-49	302	4.6	17	2	2	4	5	7	9	20
50-64	110	6.8	57	2	2	5	7	15	20	47
65+	27	7.0	17	2	3	6	9	15	15	16
GRAND TOTAL	3285	4.2	11	2	2	4	5	7	8	15

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1428	2.4	10	<1	1	2	3	4	5	11
20-34	1839	3.3	12	<1	1	2	4	6	9	18
35-49	1511	3.7	25	<1	1	2	4	7	10	28
50-64	1400	3.9	18	<1	1	3	4	8	11	25
65+	1069	5.3	38	1	1	3	6	12	18	31
2. MULTIPLE DX										
0-19 YRS	477	3.8	19	1	1	2	4	8	11	29
20-34	1218	7.2	91	1	2	4	8	15	25	64
35-49	1602	7.1	60	1	2	5	9	14	22	44
50-64	2262	8.4	83	2	2	6	10	17	24	47
65+	2734	10.5	115	2	2	7	13	21	31	56
TOT. SINGLE DX	7247	3.6	21	<1	1	2	4	7	10	24
" MULTIPLE DX	8293	8.4	90	1	2	6	10	18	26	52
TOTAL 0-19 YRS	1905	2.7	13	<1	1	2	3	5	7	15
20-34	3057	4.8	48	1	1	3	5	10	15	35
35-49	3113	5.4	46	1	1	3	6	11	16	36
50-64	3662	6.7	64	1	2	4	8	15	21	40
65+	3803	9.0	99	1	2	6	11	19	28	53
GRAND TOTAL	15540	6.2	63	1	1	3	7	14	20	41

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1656	4.3	26	1	1	3	5	9	13	26
20-34	2084	5.7	51	1	1	4	7	12	18	37
35-49	1173	6.5	63	1	1	4	8	14	21	45
50-64	910	8.2	94	1	2	5	10	20	26	49
65+	846	9.7	123	1	2	6	13	23	31	60
2. MULTIPLE DX										
0-19 YRS	1912	6.1	70	1	1	3	7	13	22	41
20-34	3079	7.8	117	1	1	4	9	19	31	66
35-49	1962	10.2	146	1	2	6	12	25	36	82
50-64	2042	13.7	231	1	2	8	18	34	48	83
65+	2759	16.2	258	2	3	11	21	38	54	92
TOT. SINGLE DX	6669	6.4	65	1	1	4	7	14	22	43
" MULTIPLE DX	11754	10.9	182	1	1	6	13	27	41	79
TOTAL 0-19 YRS	3568	5.2	51	1	1	3	6	11	18	36
20-34	5163	7.0	92	1	1	4	8	16	25	56
35-49	3135	8.9	119	1	1	5	10	21	31	64
50-64	2952	12.0	195	1	2	7	15	29	42	75
65+	3605	14.7	234	2	2	10	19	34	51	84
GRAND TOTAL	18423	9.3	144	1	1	5	11	23	34	70

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	305	8.4	83	1	1	5	10	21	29	44
20-34	406	9.9	140	1	2	6	11	24	34	60
35-49	242	11.0	125	1	2	8	15	27	35	51
50-64	225	12.2	148	1	2	9	16	26	39	61
65+	282	15.7	152	2	2	13	22	31	39	66
2. MULTIPLE DX										
0-19 YRS	177	17.1	217	2	3	12	27	41	46	74
20-34	322	18.1	228	2	3	14	27	41	54	99+
35-49	251	19.3	289	2	3	14	29	47	60	99+
50-64	345	20.0	267	3	4	16	28	45	60	99+
65+	505	26.0	335	4	7	22	35	54	66	97
TOT. SINGLE DX	1460	11.2	136	1	2	8	15	26	35	55
" MULTIPLE DX	1600	21.1	290	2	4	17	30	46	60	99+
TOTAL 0-19 YRS	482	11.6	150	1	1	7	16	30	41	56
20-34	728	13.5	196	1	2	8	19	33	46	80
35-49	493	15.2	226	1	2	10	22	36	51	86
50-64	570	16.9	235	2	3	13	24	40	53	92
65+	787	22.3	294	3	5	18	30	46	62	92
GRAND TOTAL	3060	16.4	241	1	2	11	24	38	51	85

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	3.8	35	<1	1	2	4	7	10	39
20-34	156	6.1	96	1	1	3	6	15	23	58
35-49	92	7.9	201	1	1	3	7	16	31	83
50-64	55	7.6	80	1	2	4	9	18	29	41
65+	44	11.5	299	1	2	5	10	41	43	94
2. MULTIPLE DX										
0-19 YRS	26	10.2	198	1	1	4	16	29	40	62
20-34	98	15.5	307	2	2	10	23	44	89	99+
35-49	59	12.0	172	1	2	7	18	34	56	99+
50-64	62	14.5	293	<1	1	7	19	41	56	69
65+	79	20.2	287	2	3	19	29	44	52	77
TOT. SINGLE DX	430	6.8	129	1	1	3	7	16	25	60
" MULTIPLE DX	324	15.4	274	1	2	9	23	40	59	99+
TOTAL 0-19 YRS	109	5.3	81	<1	1	2	4	12	24	51
20-34	254	9.7	198	1	1	4	12	27	44	99+
35-49	151	9.5	193	1	1	4	11	28	42	99+
50-64	117	11.2	204	1	1	5	14	32	45	63
65+	123	17.1	307	2	2	10	26	42	50	86
GRAND TOTAL	754	10.5	209	1	1	4	13	30	43	94

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	641	2.6	7	<1	1	2	3	4	5	18
20-34	437	3.1	8	<1	1	2	3	6	8	15
35-49	323	3.3	8	1	1	2	4	6	9	14
50-64	402	3.1	8	1	1	2	3	5	7	18
65+	189	3.3	10	1	1	2	4	6	7	19
2. MULTIPLE DX										
0-19 YRS	203	3.7	20	1	1	2	4	8	10	23
20-34	310	5.9	54	1	2	3	7	12	20	43
35-49	386	5.7	35	1	2	4	6	12	17	27
50-64	560	6.6	73	1	2	4	7	14	20	47
65+	447	8.4	52	2	2	6	11	17	23	33
TOT. SINGLE DX	1992	3.0	8	<1	1	2	3	5	7	17
" MULTIPLE DX	1906	6.4	54	1	2	4	8	14	19	39
TOTAL 0-19 YRS	844	2.8	11	<1	1	2	3	5	7	18
20-34	747	4.3	29	<1	1	3	5	8	12	29
35-49	709	4.6	24	1	1	3	5	10	13	25
50-64	962	5.1	49	1	1	3	5	11	16	35
65+	636	6.9	45	1	2	5	9	15	20	29
GRAND TOTAL	3898	4.7	33	1	1	3	5	10	15	28

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.6	3	1	1	2	3	5	7	9
20-34	38	5.6	20	1	2	4	6	11	14	25
35-49	43	5.6	52	1	1	4	7	10	13	46
50-64	38	4.9	16	1	1	4	7	10	12	21
65+	43	5.5	27	1	1	5	7	9	14	29
2. MULTIPLE DX										
0-19 YRS	38	4.4	9	1	1	4	6	8	11	15
20-34	41	4.7	9	1	2	4	7	9	10	13
35-49	68	7.8	40	2	2	5	10	16	23	30
50-64	66	8.4	32	2	2	8	10	14	17	36
65+	113	11.0	120	2	3	8	13	20	32	61
TOT. SINGLE DX	189	5.0	27	1	1	4	6	9	12	27
" MULTIPLE DX	326	8.2	65	2	2	6	10	15	20	46
TOTAL 0-19 YRS	65	3.7	8	1	1	3	5	7	9	15
20-34	79	5.1	15	1	2	4	6	10	12	22
35-49	111	6.9	46	1	2	5	9	14	15	36
50-64	104	7.1	30	1	2	6	9	13	16	29
65+	156	9.5	100	2	2	7	11	19	28	59
GRAND TOTAL	515	7.1	53	1	2	5	9	14	19	40

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	5.1	21	2	2	3	7	10	13	23
20-34	3590	6.3	24	2	2	5	9	13	16	23
35-49	4224	6.4	23	2	2	5	9	13	16	23
50-64	2062	6.8	32	2	2	5	9	14	17	26
65+	470	8.6	50	2	2	7	11	16	21	33
2. MULTIPLE DX										
0-19 YRS	130	6.4	22	2	2	5	9	13	17	22
20-34	1649	7.9	35	2	2	6	10	16	20	27
35-49	2633	8.3	43	2	2	7	11	16	20	33
50-64	2148	9.3	57	2	2	7	12	19	23	37
65+	951	11.5	98	2	3	9	15	23	28	54
TOT. SINGLE DX	10588	6.5	27	2	2	5	9	13	16	24
" MULTIPLE DX	7511	8.9	54	2	2	7	12	17	22	36
TOTAL 0-19 YRS	372	5.6	22	2	2	4	7	11	15	23
20-34	5239	6.8	29	2	2	5	9	14	17	25
35-49	6857	7.1	32	2	2	5	9	14	18	28
50-64	4210	8.1	47	2	2	6	11	16	21	33
65+	1421	10.6	84	2	3	8	14	21	26	49
GRAND TOTAL	18099	7.5	39	2	2	6	10	15	19	30

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	4.6	19	1	2	3	5	8	10	27
20-34	296	5.7	49	2	2	4	7	11	15	22
35-49	390	5.2	23	2	2	4	6	11	15	26
50-64	772	5.7	35	2	2	4	7	12	16	31
65+	766	5.4	24	2	2	4	6	11	15	28
2. MULTIPLE DX										
0-19 YRS	60	9.9	107	2	2	7	13	25	39	95
20-34	250	8.7	106	2	2	5	10	18	29	61
35-49	526	8.8	89	2	2	6	10	18	23	49
50-64	1420	8.0	66	2	2	6	10	16	23	49
65+	1939	8.9	77	2	2	7	11	17	25	47
TOT. SINGLE DX	2306	5.5	31	2	2	4	6	11	15	28
" MULTIPLE DX	4195	8.6	78	2	2	6	10	17	25	49
TOTAL 0-19 YRS	142	6.8	63	1	2	4	7	16	25	55
20-34	546	7.0	78	2	2	4	8	14	20	50
35-49	916	7.3	64	2	2	5	9	15	20	41
50-64	2192	7.2	57	2	2	5	9	14	21	41
65+	2705	7.9	65	2	2	6	10	16	22	41
GRAND TOTAL	6501	7.5	63	2	2	5	9	15	21	43

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	12	4.0	6	2	2	3	5	8	9	9
35-49	93	3.4	5	2	2	2	4	7	8	13
50-64	148	3.6	9	2	2	2	3	8	11	15
65+	30	3.1	2	2	2	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	6.0	38	2	2	3	8	17	19	19
35-49	139	5.8	32	2	2	3	6	13	18	41
50-64	287	5.8	22	2	2	4	8	12	15	23
65+	71	5.0	9	2	2	4	7	10	11	14
TOT. SINGLE DX	285	3.5	7	2	2	2	4	7	9	14
" MULTIPLE DX	508	5.7	23	2	2	4	8	12	15	26
TOTAL 0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	22	4.9	20	2	2	3	5	11	17	19
35-49	232	4.8	23	2	2	3	6	10	15	28
50-64	435	5.1	19	2	2	3	7	11	14	21
65+	101	4.4	8	2	2	3	5	9	10	13
GRAND TOTAL	793	4.9	19	2	2	3	7	11	14	22

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	5.1	44	1	1	3	5	11	14	29
20-34	688	5.6	28	1	2	4	8	11	13	27
35-49	751	5.6	20	1	2	4	8	11	13	24
50-64	1102	5.3	23	2	2	4	7	11	14	22
65+	1024	6.4	38	2	2	4	9	14	18	28
2. MULTIPLE DX										
0-19 YRS	111	7.4	72	2	2	5	8	16	24	46
20-34	627	7.7	50	1	2	6	10	15	19	37
35-49	1272	7.6	46	2	2	6	10	15	20	32
50-64	2752	7.5	47	2	2	5	10	16	21	35
65+	3495	9.5	79	2	2	7	12	19	25	45
TOT. SINGLE DX	3710	5.7	29	1	2	4	8	12	15	26
" MULTIPLE DX	8257	8.4	63	2	2	6	11	17	22	40
TOTAL 0-19 YRS	256	6.1	58	1	2	4	7	14	16	46
20-34	1315	6.6	40	1	2	5	9	13	17	33
35-49	2023	6.8	38	2	2	5	9	14	17	30
50-64	3854	6.9	42	2	2	5	9	14	19	32
65+	4519	8.8	72	2	2	7	11	18	23	43
GRAND TOTAL	11967	7.5	54	2	2	5	10	16	20	36

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13843	3.6	15	1	1	3	4	7	9	18
20-34	21219	4.5	20	1	1	3	5	8	11	22
35-49	16194	5.1	22	1	1	4	6	10	13	24
50-64	13951	5.9	29	1	2	4	7	11	15	27
65+	13413	7.3	43	2	2	5	9	14	19	33
2. MULTIPLE DX										
0-19 YRS	13887	5.1	35	1	1	4	6	9	14	33
20-34	25873	5.8	33	1	2	4	7	11	15	30
35-49	32213	6.8	33	2	2	5	8	13	17	30
50-64	50558	7.9	46	2	3	6	10	15	20	36
65+	87832	9.8	66	2	3	8	12	19	25	44
TOT. SINGLE DX	78620	5.2	27	1	1	4	6	10	14	26
" MULTIPLE DX	210363	8.1	54	2	2	6	10	16	21	38
TOTAL 0-19 YRS	27730	4.4	26	1	1	3	5	8	11	28
20-34	47092	5.2	28	1	2	4	6	10	13	28
35-49	48407	6.2	30	1	2	5	8	12	16	28
50-64	64509	7.5	44	2	2	6	9	14	19	34
65+	101245	9.5	64	2	3	7	12	18	24	43
GRAND TOTAL	288983	7.3	48	1	2	5	9	14	19	36

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3632	6.5	67	1	2	4	6	14	24	44
20-34	3391	7.6	63	1	2	6	9	14	20	46
35-49	3460	7.9	41	2	3	6	10	14	19	35
50-64	3156	8.6	59	2	3	7	10	15	21	43
65+	2956	10.0	75	2	3	8	12	19	25	48
2. MULTIPLE DX										
0-19 YRS	3305	8.2	120	1	2	4	8	19	31	62
20-34	3334	8.9	84	2	3	6	10	17	25	55
35-49	4754	9.2	63	2	3	7	11	17	23	43
50-64	8576	10.1	72	3	3	8	12	19	25	45
65+	16848	12.2	94	3	4	10	15	23	30	55
TOT. SINGLE DX	16595	8.0	62	2	2	6	10	15	22	44
" MULTIPLE DX	36817	10.6	89	2	3	8	13	21	28	53
TOTAL 0-19 YRS	6937	7.3	93	1	2	4	7	17	27	53
20-34	6725	8.2	74	2	2	6	10	15	22	51
35-49	8214	8.7	55	2	3	7	10	16	21	40
50-64	11732	9.7	69	2	3	8	12	18	24	45
65+	19804	11.8	93	3	4	9	14	22	29	54
GRAND TOTAL	53412	9.8	82	2	3	7	12	19	26	50

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10342	3.9	9	1	1	3	5	7	9	15
20-34	6100	4.8	23	1	1	4	6	8	11	26
35-49	4047	5.8	25	1	2	4	7	11	14	28
50-64	4478	7.0	36	2	2	5	9	14	17	32
65+	4947	8.1	47	2	2	6	10	15	20	35
2. MULTIPLE DX										
0-19 YRS	13291	5.1	27	1	2	4	6	9	12	28
20-34	8363	5.6	28	1	2	4	7	10	14	27
35-49	10367	7.0	36	2	2	5	9	13	17	30
50-64	20277	8.3	47	2	3	7	10	16	20	35
65+	38689	10.1	66	3	3	8	13	19	25	43
TOT. SINGLE DX	29914	5.5	27	1	2	4	7	11	14	27
" MULTIPLE DX	90987	8.2	53	2	2	6	10	16	21	37
TOTAL 0-19 YRS	23633	4.6	20	1	2	4	5	8	11	23
20-34	14463	5.3	26	1	2	4	6	10	13	26
35-49	14414	6.7	34	2	2	5	8	13	17	29
50-64	24755	8.1	45	2	3	6	10	15	20	35
65+	43636	9.9	65	2	3	8	12	19	25	42
GRAND TOTAL	120901	7.6	48	2	2	6	9	15	20	35

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number — Title

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula — *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number — Title

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions — *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number | Title

Excision (continued)
- Hydrocele
  - 679 Round ligament
  - 656 Spermatic cord
  - 651 Tunica vaginalis
- 717 Intervertebral disc or cartilage
- 719 Joint, except intervertebral disc and cartilage of knee
  - 717 Intervertebral disc
  - 718 Knee cartilage
- 631 Kidney, except partial
  - 632 Partial
- 718 Knee cartilage (semilunar)
- 582 Lymph nodes, except radical
  - 583 Radical
- 508 Neuroma, peripheral nerve
- Ovary
  - 662 Bilateral
  - 661 Unilateral
- 550 Parotid gland
- 746 Pilonidal cyst or sinus
- 515 Pituitary gland
- 649 Prostate, except transurethral approach
  - 648 Transurethral approach
- 522 Pterygium
- 747 Sebaceous cyst, except of eyelid
  - 517 Eyelid, eyebrow
- 718 Semilunar cartilage, knee
- 586 Spleen
- 514 Thyroglossal duct or tract
- 513 Thyroid
- 751 Toenail
- 552 Tongue
- 553 Tonsil, except with adenoids
  - 554 With adenoids
- 556 Tonsil tag
- Tubes and ovaries
  - 662 Bilateral
  - 661 Unilateral
- 670 Uterine fibroid
- 577 Varicocele, except of spermatic cord
  - 656 Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
    - Femur
      - 710 Closed, except with internal fixation
        - 708 With internal fixation
      - 710 Open, except with internal fixation
        - 709 With internal fixation
    - 701 Mandible, except closed reduction
      - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
      - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia — *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	*Tracheostomy*
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin